




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 16QAM BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3701.42	-28.43	7.00	12.93	-34.36	-13.00	-21.36	H
5552.03	-26.47	8.40	17.11	-35.18	-13.00	-22.18	H
7402.45	-22.68	8.10	22.20	-36.78	-13.00	-23.78	H
3701.42	-27.68	7.00	12.93	-33.61	-13.00	-20.61	V
5552.03	-28.93	8.40	17.11	-37.64	-13.00	-24.64	V
7402.45	-27.02	8.10	22.20	-41.12	-13.00	-28.12	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.93	-26.12	7.00	12.93	-32.05	-13.00	-19.05	H
5640.05	-24.96	8.40	17.11	-33.67	-13.00	-20.67	H
7520.23	-22.78	8.10	22.20	-36.88	-13.00	-23.88	H
3759.93	-26.68	7.00	12.93	-32.61	-13.00	-19.61	V
5640.05	-26.90	8.40	17.11	-35.61	-13.00	-22.61	V
7520.23	-27.03	8.10	22.20	-41.13	-13.00	-28.13	V
LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3818.55	-27.51	7.00	12.93	-33.44	-13.00	-20.44	H
5727.70	-25.55	8.40	17.11	-34.26	-13.00	-21.26	H
7636.99	-24.73	8.10	22.20	-38.83	-13.00	-25.83	H
3818.55	-28.95	7.00	12.93	-34.88	-13.00	-21.88	V
5727.70	-26.00	8.40	17.11	-34.71	-13.00	-21.71	V
7636.99	-28.02	8.10	22.20	-42.12	-13.00	-29.12	V

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3703.02	-27.60	7.00	12.93	-33.53	-13.00	-20.53	H
5554.28	-28.49	8.40	17.11	-37.20	-13.00	-24.20	H
7406.09	-26.68	8.10	22.20	-40.78	-13.00	-27.78	H
3703.02	-29.58	7.00	12.93	-35.51	-13.00	-22.51	V
5554.28	-27.52	8.40	17.11	-36.23	-13.00	-23.23	V
7406.09	-23.75	8.10	22.20	-37.85	-13.00	-24.85	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.85	-26.31	7.00	12.93	-32.24	-13.00	-19.24	H
5640.07	-25.01	8.40	17.11	-33.72	-13.00	-20.72	H
7520.21	-23.20	8.10	22.20	-37.30	-13.00	-24.30	H
3759.85	-28.95	7.00	12.93	-34.88	-13.00	-21.88	V
5640.07	-28.80	8.40	17.11	-37.51	-13.00	-24.51	V
7520.21	-24.08	8.10	22.20	-38.18	-13.00	-25.18	V
LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3817.14	-27.62	7.00	12.93	-33.55	-13.00	-20.55	H
5725.66	-24.71	8.40	17.11	-33.42	-13.00	-20.42	H
7634.22	-24.91	8.10	22.20	-39.01	-13.00	-26.01	H
3817.14	-27.29	7.00	12.93	-33.22	-13.00	-20.22	V
5725.66	-24.30	8.40	17.11	-33.01	-13.00	-20.01	V
7634.22	-24.97	8.10	22.20	-39.07	-13.00	-26.07	V

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3705.21	-24.74	7.00	12.93	-30.67	-13.00	-17.67	H
5557.48	-25.70	8.40	17.11	-34.41	-13.00	-21.41	H
7410.25	-25.44	8.10	22.20	-39.54	-13.00	-26.54	H
3705.21	-25.31	7.00	12.93	-31.24	-13.00	-18.24	V
5557.48	-26.97	8.40	17.11	-35.68	-13.00	-22.68	V
7410.25	-24.26	8.10	22.20	-38.36	-13.00	-25.36	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.01	-24.19	7.00	12.93	-30.12	-13.00	-17.12	H
5639.88	-29.14	8.40	17.11	-37.85	-13.00	-24.85	H
7520.01	-24.11	8.10	22.20	-38.21	-13.00	-25.21	H
3760.01	-29.45	7.00	12.93	-35.38	-13.00	-22.38	V
5639.88	-28.07	8.40	17.11	-36.78	-13.00	-23.78	V
7520.01	-24.18	8.10	22.20	-38.28	-13.00	-25.28	V
LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3814.94	-25.92	7.00	12.93	-31.85	-13.00	-18.85	H
5722.47	-28.80	8.40	17.11	-37.51	-13.00	-24.51	H
7630.31	-27.09	8.10	22.20	-41.19	-13.00	-28.19	H
3814.94	-25.54	7.00	12.93	-31.47	-13.00	-18.47	V
5722.47	-26.56	8.40	17.11	-35.27	-13.00	-22.27	V
7630.31	-24.59	8.10	22.20	-38.69	-13.00	-25.69	V

LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3710.24	-24.00	7.00	12.93	-29.93	-13.00	-16.93	H
5565.19	-25.06	8.40	17.11	-33.77	-13.00	-20.77	H
7420.03	-24.26	8.10	22.20	-38.36	-13.00	-25.36	H
3710.24	-26.67	7.00	12.93	-32.60	-13.00	-19.60	V
5565.19	-27.78	8.40	17.11	-36.49	-13.00	-23.49	V
7420.03	-26.47	8.10	22.20	-40.57	-13.00	-27.57	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.04	-26.48	7.00	12.93	-32.41	-13.00	-19.41	H
5639.91	-26.49	8.40	17.11	-35.20	-13.00	-22.20	H
7519.89	-25.57	8.10	22.20	-39.67	-13.00	-26.67	H
3760.04	-25.42	7.00	12.93	-31.35	-13.00	-18.35	V
5639.91	-24.45	8.40	17.11	-33.16	-13.00	-20.16	V
7519.89	-27.33	8.10	22.20	-41.43	-13.00	-28.43	V
LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3810.16	-28.80	7.00	12.93	-34.73	-13.00	-21.73	H
5714.93	-28.06	8.40	17.11	-36.77	-13.00	-23.77	H
7619.88	-27.38	8.10	22.20	-41.48	-13.00	-28.48	H
3810.16	-26.88	7.00	12.93	-32.81	-13.00	-19.81	V
5714.93	-26.55	8.40	17.11	-35.26	-13.00	-22.26	V
7619.88	-25.21	8.10	22.20	-39.31	-13.00	-26.31	V

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3714.88	-24.49	7.00	12.93	-30.42	-13.00	-17.42	H
5572.08	-25.97	8.40	17.11	-34.68	-13.00	-21.68	H
7430.73	-25.86	8.10	22.20	-39.96	-13.00	-26.96	H
3714.88	-29.49	7.00	12.93	-35.42	-13.00	-22.42	V
5572.08	-28.88	8.40	17.11	-37.59	-13.00	-24.59	V
7430.73	-27.97	8.10	22.20	-42.07	-13.00	-29.07	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.97	-25.40	7.00	12.93	-31.33	-13.00	-18.33	H
5639.93	-27.09	8.40	17.11	-35.80	-13.00	-22.80	H
7520.27	-23.36	8.10	22.20	-37.46	-13.00	-24.46	H
3759.97	-25.93	7.00	12.93	-31.86	-13.00	-18.86	V
5639.93	-25.57	8.40	17.11	-34.28	-13.00	-21.28	V
7520.27	-23.59	8.10	22.20	-37.69	-13.00	-24.69	V
LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3805.04	-26.61	7.00	12.93	-32.54	-13.00	-19.54	H
5707.43	-24.77	8.40	17.11	-33.48	-13.00	-20.48	H
7610.05	-22.81	8.10	22.20	-36.91	-13.00	-23.91	H
3805.04	-28.64	7.00	12.93	-34.57	-13.00	-21.57	V
5707.43	-26.14	8.40	17.11	-34.85	-13.00	-21.85	V
7610.05	-26.62	8.10	22.20	-40.72	-13.00	-27.72	V

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.40	-24.75	7.00	12.93	-30.68	-13.00	-17.68	H
5580.56	-24.65	8.40	17.11	-33.36	-13.00	-20.36	H
7439.86	-26.88	8.10	22.20	-40.98	-13.00	-27.98	H
3720.40	-27.15	7.00	12.93	-33.08	-13.00	-20.08	V
5580.56	-27.55	8.40	17.11	-36.26	-13.00	-23.26	V
7439.86	-25.35	8.10	22.20	-39.45	-13.00	-26.45	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.22	-25.02	7.00	12.93	-30.95	-13.00	-17.95	H
5640.06	-27.20	8.40	17.11	-35.91	-13.00	-22.91	H
7520.18	-23.00	8.10	22.20	-37.10	-13.00	-24.10	H
3760.22	-25.18	7.00	12.93	-31.11	-13.00	-18.11	V
5640.06	-26.74	8.40	17.11	-35.45	-13.00	-22.45	V
7520.18	-26.81	8.10	22.20	-40.91	-13.00	-27.91	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.11	-27.46	7.00	12.93	-33.39	-13.00	-20.39	H
5699.77	-25.38	8.40	17.11	-34.09	-13.00	-21.09	H
7600.13	-23.74	8.10	22.20	-37.84	-13.00	-24.84	H
3800.11	-28.04	7.00	12.93	-33.97	-13.00	-20.97	V
5699.77	-27.58	8.40	17.11	-36.29	-13.00	-23.29	V
7600.13	-26.20	8.10	22.20	-40.30	-13.00	-27.30	V

LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.07	-26.12	7.20	12.56	-31.48	-13.00	-18.48	H
5131.68	-28.86	8.10	16.32	-37.08	-13.00	-24.08	H
6842.84	-26.66	8.30	21.13	-39.49	-13.00	-26.49	H
3421.07	-26.94	7.20	12.56	-32.30	-13.00	-19.30	V
5131.68	-29.14	8.10	16.32	-37.36	-13.00	-24.36	V
6842.84	-27.80	8.30	21.13	-40.63	-13.00	-27.63	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.00	-28.82	7.20	12.56	-34.18	-13.00	-21.18	H
5196.65	-26.10	8.10	16.32	-34.32	-13.00	-21.32	H
6929.88	-27.44	8.30	21.13	-40.27	-13.00	-27.27	H
3465.00	-27.61	7.20	12.56	-32.97	-13.00	-19.97	V
5196.65	-24.93	8.10	16.32	-33.15	-13.00	-20.15	V
6929.88	-26.46	8.30	21.13	-39.29	-13.00	-26.29	V
LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3508.39	-27.65	7.20	12.56	-33.01	-13.00	-20.01	H
5262.25	-28.37	8.10	16.32	-36.59	-13.00	-23.59	H
7015.51	-27.42	8.30	21.13	-40.25	-13.00	-27.25	H
3508.39	-27.30	7.20	12.56	-32.66	-13.00	-19.66	V
5262.25	-26.40	8.10	16.32	-34.62	-13.00	-21.62	V
7015.51	-23.76	8.30	21.13	-36.59	-13.00	-23.59	V

LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.82	-26.96	7.20	12.56	-32.32	-13.00	-19.32	H
5136.22	-27.83	8.10	16.32	-36.05	-13.00	-23.05	H
6848.56	-26.95	8.30	21.13	-39.78	-13.00	-26.78	H
3423.82	-28.17	7.20	12.56	-33.53	-13.00	-20.53	V
5136.22	-26.46	8.10	16.32	-34.68	-13.00	-21.68	V
6848.56	-24.58	8.30	21.13	-37.41	-13.00	-24.41	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.88	-24.67	7.20	12.56	-30.03	-13.00	-17.03	H
5196.91	-26.85	8.10	16.32	-35.07	-13.00	-22.07	H
6930.05	-27.12	8.30	21.13	-39.95	-13.00	-26.95	H
3464.88	-27.44	7.20	12.56	-32.80	-13.00	-19.80	V
5196.91	-24.56	8.10	16.32	-32.78	-13.00	-19.78	V
6930.05	-26.90	8.30	21.13	-39.73	-13.00	-26.73	V
LTE Band 4 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.99	-26.17	7.20	12.56	-31.53	-13.00	-18.53	H
5261.58	-24.63	8.10	16.32	-32.85	-13.00	-19.85	H
7012.51	-25.04	8.30	21.13	-37.87	-13.00	-24.87	H
3505.99	-27.88	7.20	12.56	-33.24	-13.00	-20.24	V
5261.58	-28.89	8.10	16.32	-37.11	-13.00	-24.11	V
7012.51	-24.50	8.30	21.13	-37.33	-13.00	-24.33	V

LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3424.83	-27.46	7.20	12.56	-32.82	-13.00	-19.82	H
5137.22	-26.46	8.10	16.32	-34.68	-13.00	-21.68	H
6849.75	-26.61	8.30	21.13	-39.44	-13.00	-26.44	H
3424.83	-29.67	7.20	12.56	-35.03	-13.00	-22.03	V
5137.22	-29.25	8.10	16.32	-37.47	-13.00	-24.47	V
6849.75	-24.52	8.30	21.13	-37.35	-13.00	-24.35	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.74	-24.01	7.20	12.56	-29.37	-13.00	-16.37	H
5196.94	-29.22	8.10	16.32	-37.44	-13.00	-24.44	H
6929.82	-23.86	8.30	21.13	-36.69	-13.00	-23.69	H
3464.74	-26.40	7.20	12.56	-31.76	-13.00	-18.76	V
5196.94	-28.67	8.10	16.32	-36.89	-13.00	-23.89	V
6929.82	-24.89	8.30	21.13	-37.72	-13.00	-24.72	V
LTE Band 4 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3505.04	-25.72	7.20	12.56	-31.08	-13.00	-18.08	H
5256.99	-26.83	8.10	16.32	-35.05	-13.00	-22.05	H
7010.12	-27.29	8.30	21.13	-40.12	-13.00	-27.12	H
3505.04	-27.47	7.20	12.56	-32.83	-13.00	-19.83	V
5256.99	-25.99	8.10	16.32	-34.21	-13.00	-21.21	V
7010.12	-23.55	8.30	21.13	-36.38	-13.00	-23.38	V

LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3429.85	-27.56	7.20	12.56	-32.92	-13.00	-19.92	H
5145.09	-27.16	8.10	16.32	-35.38	-13.00	-22.38	H
6860.16	-27.17	8.30	21.13	-40.00	-13.00	-27.00	H
3429.85	-26.80	7.20	12.56	-32.16	-13.00	-19.16	V
5145.09	-25.67	8.10	16.32	-33.89	-13.00	-20.89	V
6860.16	-24.31	8.30	21.13	-37.14	-13.00	-24.14	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.69	-27.09	7.20	12.56	-32.45	-13.00	-19.45	H
5196.45	-25.87	8.10	16.32	-34.09	-13.00	-21.09	H
6929.59	-23.22	8.30	21.13	-36.05	-13.00	-23.05	H
3464.69	-29.23	7.20	12.56	-34.59	-13.00	-21.59	V
5196.45	-28.50	8.10	16.32	-36.72	-13.00	-23.72	V
6929.59	-28.01	8.30	21.13	-40.84	-13.00	-27.84	V
LTE Band 4 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3500.19	-27.35	7.20	12.56	-32.71	-13.00	-19.71	H
5250.46	-26.84	8.10	16.32	-35.06	-13.00	-22.06	H
6999.88	-26.13	8.30	21.13	-38.96	-13.00	-25.96	H
3500.19	-26.98	7.20	12.56	-32.34	-13.00	-19.34	V
5250.46	-25.23	8.10	16.32	-33.45	-13.00	-20.45	V
6999.88	-24.37	8.30	21.13	-37.20	-13.00	-24.20	V

LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.65	-25.45	7.20	12.56	-30.81	-13.00	-17.81	H
5152.31	-28.36	8.10	16.32	-36.58	-13.00	-23.58	H
6870.63	-25.14	8.30	21.13	-37.97	-13.00	-24.97	H
3434.65	-29.68	7.20	12.56	-35.04	-13.00	-22.04	V
5152.31	-26.24	8.10	16.32	-34.46	-13.00	-21.46	V
6870.63	-23.27	8.30	21.13	-36.10	-13.00	-23.10	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.82	-26.06	7.20	12.56	-31.42	-13.00	-18.42	H
5196.67	-28.29	8.10	16.32	-36.51	-13.00	-23.51	H
6929.99	-25.08	8.30	21.13	-37.91	-13.00	-24.91	H
3464.82	-29.05	7.20	12.56	-34.41	-13.00	-21.41	V
5196.67	-25.16	8.10	16.32	-33.38	-13.00	-20.38	V
6929.99	-25.89	8.30	21.13	-38.72	-13.00	-25.72	V
LTE Band 4 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3495.47	-25.31	7.20	12.56	-30.67	-13.00	-17.67	H
5242.40	-29.27	8.10	16.32	-37.49	-13.00	-24.49	H
6989.98	-24.06	8.30	21.13	-36.89	-13.00	-23.89	H
3495.47	-26.52	7.20	12.56	-31.88	-13.00	-18.88	V
5242.40	-26.52	8.10	16.32	-34.74	-13.00	-21.74	V
6989.98	-27.65	8.30	21.13	-40.48	-13.00	-27.48	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.06	-26.57	7.20	12.56	-31.93	-13.00	-18.93	H
5159.99	-25.79	8.10	16.32	-34.01	-13.00	-21.01	H
6880.54	-23.61	8.30	21.13	-36.44	-13.00	-23.44	H
3440.06	-28.63	7.20	12.56	-33.99	-13.00	-20.99	V
5159.99	-26.81	8.10	16.32	-35.03	-13.00	-22.03	V
6880.54	-23.71	8.30	21.13	-36.54	-13.00	-23.54	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3464.89	-27.46	7.20	12.56	-32.82	-13.00	-19.82	H
5196.40	-26.24	8.10	16.32	-34.46	-13.00	-21.46	H
6929.72	-27.46	8.30	21.13	-40.29	-13.00	-27.29	H
3464.89	-28.46	7.20	12.56	-33.82	-13.00	-20.82	V
5196.40	-25.18	8.10	16.32	-33.40	-13.00	-20.40	V
6929.72	-24.46	8.30	21.13	-37.29	-13.00	-24.29	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.42	-28.61	7.20	12.56	-33.97	-13.00	-20.97	H
5235.12	-24.69	8.10	16.32	-32.91	-13.00	-19.91	H
6979.77	-24.99	8.30	21.13	-37.82	-13.00	-24.82	H
3490.42	-28.33	7.20	12.56	-33.69	-13.00	-20.69	V
5235.12	-27.07	8.10	16.32	-35.29	-13.00	-22.29	V
6979.77	-24.22	8.30	21.13	-37.05	-13.00	-24.05	V

LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1648.93	-26.12	7.40	9.72	-28.44	-13.00	-15.44	H
2473.63	-29.81	8.30	10.86	-32.37	-13.00	-19.37	H
3298.57	-26.05	7.20	11.57	-30.42	-13.00	-17.42	H
1648.93	-30.44	7.40	9.72	-32.76	-13.00	-19.76	V
2473.63	-25.64	8.30	10.86	-28.20	-13.00	-15.20	V
3298.57	-25.53	7.20	11.57	-29.90	-13.00	-16.90	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.81	-26.27	7.40	9.72	-28.59	-13.00	-15.59	H
2509.02	-26.11	8.30	10.86	-28.67	-13.00	-15.67	H
3345.53	-24.89	7.20	11.57	-29.26	-13.00	-16.26	H
1672.81	-30.42	7.40	9.72	-32.74	-13.00	-19.74	V
2509.02	-26.51	8.30	10.86	-29.07	-13.00	-16.07	V
3345.53	-25.72	7.20	11.57	-30.09	-13.00	-17.09	V
LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1696.25	-25.48	7.40	9.72	-27.80	-13.00	-14.80	H
2544.74	-28.89	8.30	10.86	-31.45	-13.00	-18.45	H
3393.09	-28.54	7.20	11.57	-32.91	-13.00	-19.91	H
1696.25	-27.02	7.40	9.72	-29.34	-13.00	-16.34	V
2544.74	-28.38	8.30	10.86	-30.94	-13.00	-17.94	V
3393.09	-24.89	7.20	11.57	-29.26	-13.00	-16.26	V

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1650.49	-25.49	7.40	9.72	-27.81	-13.00	-14.81	H
2476.05	-25.62	8.30	10.86	-28.18	-13.00	-15.18	H
3301.44	-26.36	7.20	11.57	-30.73	-13.00	-17.73	H
1650.49	-26.14	7.40	9.72	-28.46	-13.00	-15.46	V
2476.05	-25.55	8.30	10.86	-28.11	-13.00	-15.11	V
3301.44	-28.85	7.20	11.57	-33.22	-13.00	-20.22	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.23	-28.33	7.40	9.72	-30.65	-13.00	-17.65	H
2508.85	-28.87	8.30	10.86	-31.43	-13.00	-18.43	H
3345.81	-26.20	7.20	11.57	-30.57	-13.00	-17.57	H
1672.23	-30.88	7.40	9.72	-33.20	-13.00	-20.20	V
2508.85	-27.39	8.30	10.86	-29.95	-13.00	-16.95	V
3345.81	-26.16	7.20	11.57	-30.53	-13.00	-17.53	V
LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1694.67	-26.69	7.40	9.72	-29.01	-13.00	-16.01	H
2542.08	-25.71	8.30	10.86	-28.27	-13.00	-15.27	H
3389.11	-28.36	7.20	11.57	-32.73	-13.00	-19.73	H
1694.67	-30.83	7.40	9.72	-33.15	-13.00	-20.15	V
2542.08	-25.79	8.30	10.86	-28.35	-13.00	-15.35	V
3389.11	-26.06	7.20	11.57	-30.43	-13.00	-17.43	V

LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1652.62	-29.19	7.40	9.72	-31.51	-13.00	-18.51	H
2478.54	-28.08	8.30	10.86	-30.64	-13.00	-17.64	H
3305.69	-25.45	7.20	11.57	-29.82	-13.00	-16.82	H
1652.62	-29.06	7.40	9.72	-31.38	-13.00	-18.38	V
2478.54	-29.40	8.30	10.86	-31.96	-13.00	-18.96	V
3305.69	-25.61	7.20	11.57	-29.98	-13.00	-16.98	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.38	-27.27	7.40	9.72	-29.59	-13.00	-16.59	H
2508.62	-25.97	8.30	10.86	-28.53	-13.00	-15.53	H
3345.22	-25.87	7.20	11.57	-30.24	-13.00	-17.24	H
1672.38	-28.00	7.40	9.72	-30.32	-13.00	-17.32	V
2508.62	-28.39	8.30	10.86	-30.95	-13.00	-17.95	V
3345.22	-27.72	7.20	11.57	-32.09	-13.00	-19.09	V
LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1692.49	-28.12	7.40	9.72	-30.44	-13.00	-17.44	H
2538.88	-29.86	8.30	10.86	-32.42	-13.00	-19.42	H
3385.62	-26.00	7.20	11.57	-30.37	-13.00	-17.37	H
1692.49	-26.21	7.40	9.72	-28.53	-13.00	-15.53	V
2538.88	-28.74	8.30	10.86	-31.30	-13.00	-18.30	V
3385.62	-28.23	7.20	11.57	-32.60	-13.00	-19.60	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.74	-25.41	7.40	9.72	-27.73	-13.00	-14.73	H
2486.53	-27.90	8.30	10.86	-30.46	-13.00	-17.46	H
3315.04	-24.44	7.20	11.57	-28.81	-13.00	-15.81	H
1657.74	-30.57	7.40	9.72	-32.89	-13.00	-19.89	V
2486.53	-28.58	8.30	10.86	-31.14	-13.00	-18.14	V
3315.04	-29.01	7.20	11.57	-33.38	-13.00	-20.38	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.54	-27.49	7.40	9.72	-29.81	-13.00	-16.81	H
2508.83	-29.24	8.30	10.86	-31.80	-13.00	-18.80	H
3345.23	-24.42	7.20	11.57	-28.79	-13.00	-15.79	H
1672.54	-30.87	7.40	9.72	-33.19	-13.00	-20.19	V
2508.83	-28.40	8.30	10.86	-30.96	-13.00	-17.96	V
3345.23	-26.14	7.20	11.57	-30.51	-13.00	-17.51	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.43	-26.94	7.40	9.72	-29.26	-13.00	-16.26	H
2531.67	-28.69	8.30	10.86	-31.25	-13.00	-18.25	H
3375.51	-26.81	7.20	11.57	-31.18	-13.00	-18.18	H
1687.43	-28.70	7.40	9.72	-31.02	-13.00	-18.02	V
2531.67	-29.59	8.30	10.86	-32.15	-13.00	-19.15	V
3375.51	-28.79	7.20	11.57	-33.16	-13.00	-20.16	V

LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5005.02	-29.79	8.00	15.86	-37.65	-25.00	-12.65	H
7507.75	-27.58	8.30	19.28	-38.56	-25.00	-13.56	H
10010.26	-24.31	8.10	23.19	-39.40	-25.00	-14.40	H
5005.02	-31.47	8.00	15.86	-39.33	-25.00	-14.33	V
7507.75	-28.81	8.30	19.28	-39.79	-25.00	-14.79	V
10010.26	-26.66	8.10	23.19	-41.75	-25.00	-16.75	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.04	-30.76	8.00	15.86	-38.62	-25.00	-13.62	H
7604.98	-27.30	8.30	19.28	-38.28	-25.00	-13.28	H
10139.99	-27.80	8.10	23.19	-42.89	-25.00	-17.89	H
5070.04	-31.28	8.00	15.86	-39.14	-25.00	-14.14	V
7604.98	-27.55	8.30	19.28	-38.53	-25.00	-13.53	V
10139.99	-26.62	8.10	23.19	-41.71	-25.00	-16.71	V
LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5133.67	-27.08	8.00	15.86	-34.94	-25.00	-9.94	H
7701.38	-26.98	8.30	19.28	-37.96	-25.00	-12.96	H
10268.47	-28.34	8.10	23.19	-43.43	-25.00	-18.43	H
5133.67	-29.00	8.00	15.86	-36.86	-25.00	-11.86	V
7701.38	-26.32	8.30	19.28	-37.30	-25.00	-12.30	V
10268.47	-28.61	8.10	23.19	-43.70	-25.00	-18.70	V

LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5010.38	-28.99	8.00	15.86	-36.85	-25.00	-11.85	H
7515.36	-29.71	8.30	19.28	-40.69	-25.00	-15.69	H
10020.57	-26.78	8.10	23.19	-41.87	-25.00	-16.87	H
5010.38	-28.60	8.00	15.86	-36.46	-25.00	-11.46	V
7515.36	-29.54	8.30	19.28	-40.52	-25.00	-15.52	V
10020.57	-25.12	8.10	23.19	-40.21	-25.00	-15.21	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.72	-29.36	8.00	15.86	-37.22	-25.00	-12.22	H
7604.86	-28.82	8.30	19.28	-39.80	-25.00	-14.80	H
10139.71	-27.81	8.10	23.19	-42.90	-25.00	-17.90	H
5069.72	-27.41	8.00	15.86	-35.27	-25.00	-10.27	V
7604.86	-26.48	8.30	19.28	-37.46	-25.00	-12.46	V
10139.71	-27.75	8.10	23.19	-42.84	-25.00	-17.84	V
LTE Band 7 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.24	-30.74	8.00	15.86	-38.60	-25.00	-13.60	H
7694.06	-27.01	8.30	19.28	-37.99	-25.00	-12.99	H
10258.84	-25.33	8.10	23.19	-40.42	-25.00	-15.42	H
5129.24	-30.25	8.00	15.86	-38.11	-25.00	-13.11	V
7694.06	-29.77	8.30	19.28	-40.75	-25.00	-15.75	V
10258.84	-28.83	8.10	23.19	-43.92	-25.00	-18.92	V

LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5015.64	-28.05	8.00	15.86	-35.91	-25.00	-10.91	H
7523.78	-27.08	8.30	19.28	-38.06	-25.00	-13.06	H
10031.98	-25.77	8.10	23.19	-40.86	-25.00	-15.86	H
5015.64	-31.88	8.00	15.86	-39.74	-25.00	-14.74	V
7523.78	-25.31	8.30	19.28	-36.29	-25.00	-11.29	V
10031.98	-26.36	8.10	23.19	-41.45	-25.00	-16.45	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.67	-30.23	8.00	15.86	-38.09	-25.00	-13.09	H
7604.96	-26.96	8.30	19.28	-37.94	-25.00	-12.94	H
10139.83	-28.54	8.10	23.19	-43.63	-25.00	-18.63	H
5069.67	-27.31	8.00	15.86	-35.17	-25.00	-10.17	V
7604.96	-27.10	8.30	19.28	-38.08	-25.00	-13.08	V
10139.83	-24.42	8.10	23.19	-39.51	-25.00	-14.51	V
LTE Band 7 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5123.50	-26.72	8.00	15.86	-34.58	-25.00	-9.58	H
7523.82	-28.06	8.30	19.28	-39.04	-25.00	-14.04	H
10032.15	-23.66	8.10	23.19	-38.75	-25.00	-13.75	H
5123.50	-27.64	8.00	15.86	-35.50	-25.00	-10.50	V
7523.82	-26.57	8.30	19.28	-37.55	-25.00	-12.55	V
10032.15	-26.33	8.10	23.19	-41.42	-25.00	-16.42	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5020.97	-30.71	8.00	15.86	-38.57	-25.00	-13.57	H
7531.05	-27.69	8.30	19.28	-38.67	-25.00	-13.67	H
10258.76	-28.12	8.10	23.19	-43.21	-25.00	-18.21	H
5020.97	-29.38	8.00	15.86	-37.24	-25.00	-12.24	V
7531.05	-26.02	8.30	19.28	-37.00	-25.00	-12.00	V
10258.76	-24.91	8.10	23.19	-40.00	-25.00	-15.00	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5070.00	-28.89	8.00	15.86	-36.75	-25.00	-11.75	H
7605.16	-28.16	8.30	19.28	-39.14	-25.00	-14.14	H
10139.63	-27.66	8.10	23.19	-42.75	-25.00	-17.75	H
5070.00	-28.01	8.00	15.86	-35.87	-25.00	-10.87	V
7605.16	-25.27	8.30	19.28	-36.25	-25.00	-11.25	V
10139.63	-27.63	8.10	23.19	-42.72	-25.00	-17.72	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.82	-26.12	8.00	15.86	-33.98	-25.00	-8.98	H
7678.11	-26.09	8.30	19.28	-37.07	-25.00	-12.07	H
10237.70	-25.18	8.10	23.19	-40.27	-25.00	-15.27	H
5118.82	-29.77	8.00	15.86	-37.63	-25.00	-12.63	V
7678.11	-27.93	8.30	19.28	-38.91	-25.00	-13.91	V
10237.70	-28.70	8.10	23.19	-43.79	-25.00	-18.79	V

LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1413.29	-29.83	6.90	9.34	-32.27	-13.00	-19.27	H
2120.31	-27.48	8.00	10.42	-29.90	-13.00	-16.90	H
2826.40	-23.80	8.00	11.12	-26.92	-13.00	-13.92	H
1413.29	-28.62	6.90	9.34	-31.06	-13.00	-18.06	V
2120.31	-25.81	8.00	10.42	-28.23	-13.00	-15.23	V
2826.40	-28.18	8.00	11.12	-31.30	-13.00	-18.30	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.19	-29.08	6.90	9.34	-31.52	-13.00	-18.52	H
2130.23	-29.73	8.00	10.42	-32.15	-13.00	-19.15	H
2839.96	-24.28	8.00	11.12	-27.40	-13.00	-14.40	H
1420.19	-27.02	6.90	9.34	-29.46	-13.00	-16.46	V
2130.23	-26.03	8.00	10.42	-28.45	-13.00	-15.45	V
2839.96	-29.11	8.00	11.12	-32.23	-13.00	-19.23	V
LTE Band 17 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1426.07	-28.37	6.90	9.34	-30.81	-13.00	-17.81	H
2139.28	-26.09	8.00	10.42	-28.51	-13.00	-15.51	H
2852.67	-26.85	8.00	11.12	-29.97	-13.00	-16.97	H
1426.07	-30.37	6.90	9.34	-32.81	-13.00	-19.81	V
2139.28	-26.44	8.00	10.42	-28.86	-13.00	-15.86	V
2852.67	-26.04	8.00	11.12	-29.16	-13.00	-16.16	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.04	-26.39	6.90	9.34	-28.83	-13.00	-15.83	H
2127.28	-25.85	8.00	10.42	-28.27	-13.00	-15.27	H
2836.41	-27.94	8.00	11.12	-31.06	-13.00	-18.06	H
1418.04	-29.48	6.90	9.34	-31.92	-13.00	-18.92	V
2127.28	-29.29	8.00	10.42	-31.71	-13.00	-18.71	V
2836.41	-27.10	8.00	11.12	-30.22	-13.00	-17.22	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.21	-27.55	6.90	9.34	-29.99	-13.00	-16.99	H
2130.02	-28.11	8.00	10.42	-30.53	-13.00	-17.53	H
2840.08	-24.51	8.00	11.12	-27.63	-13.00	-14.63	H
1420.21	-27.25	6.90	9.34	-29.69	-13.00	-16.69	V
2130.02	-29.56	8.00	10.42	-31.98	-13.00	-18.98	V
2840.08	-27.78	8.00	11.12	-30.90	-13.00	-17.90	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.25	-26.06	6.90	9.34	-28.50	-13.00	-15.50	H
2131.92	-30.06	8.00	10.42	-32.48	-13.00	-19.48	H
2842.55	-28.30	8.00	11.12	-31.42	-13.00	-18.42	H
1421.25	-28.71	6.90	9.34	-31.15	-13.00	-18.15	V
2131.92	-25.90	8.00	10.42	-28.32	-13.00	-15.32	V
2842.55	-26.38	8.00	11.12	-29.50	-13.00	-16.50	V

LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5115.18	-30.22	8.10	15.86	-37.98	-25.00	-12.98	H
7672.72	-31.56	9.00	19.28	-41.84	-25.00	-16.84	H
10229.89	-33.46	8.70	23.19	-47.95	-25.00	-22.95	H
4997.20	-33.19	8.10	15.86	-40.95	-25.00	-15.95	V
7495.72	-31.80	9.00	19.28	-42.08	-25.00	-17.08	V
9994.50	-31.12	8.70	23.19	-45.61	-25.00	-20.61	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.88	-31.68	8.10	15.86	-39.44	-25.00	-14.44	H
7815.28	-34.23	9.00	19.28	-44.51	-25.00	-19.51	H
10419.92	-29.64	8.70	23.19	-44.13	-25.00	-19.13	H
5209.88	-35.58	8.10	15.86	-43.34	-25.00	-18.34	V
7815.28	-34.47	9.00	19.28	-44.75	-25.00	-19.75	V
10419.92	-32.52	8.70	23.19	-47.01	-25.00	-22.01	V
LTE Band 38 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5304.87	-32.57	8.10	15.86	-40.33	-25.00	-15.33	H
7957.54	-33.90	9.00	19.28	-44.18	-25.00	-19.18	H
10609.99	-30.48	8.70	23.19	-44.97	-25.00	-19.97	H
5304.87	-33.45	8.10	15.86	-41.21	-25.00	-16.21	V
7957.54	-33.27	9.00	19.28	-43.55	-25.00	-18.55	V
10609.99	-29.94	8.70	23.19	-44.43	-25.00	-19.43	V

LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5119.81	-32.35	8.10	15.86	-40.11	-25.00	-15.11	H
7680.10	-31.74	9.00	19.28	-42.02	-25.00	-17.02	H
10239.94	-29.24	8.70	23.19	-43.73	-25.00	-18.73	H
5119.81	-34.33	8.10	15.86	-42.09	-25.00	-17.09	V
7680.10	-34.82	9.00	19.28	-45.10	-25.00	-20.10	V
10239.94	-31.56	8.70	23.19	-46.05	-25.00	-21.05	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.93	-34.29	8.10	15.86	-42.05	-25.00	-17.05	H
7815.22	-31.11	9.00	19.28	-41.39	-25.00	-16.39	H
10420.15	-30.73	8.70	23.19	-45.22	-25.00	-20.22	H
5209.93	-35.72	8.10	15.86	-43.48	-25.00	-18.48	V
7815.22	-34.93	9.00	19.28	-45.21	-25.00	-20.21	V
10420.15	-29.02	8.70	23.19	-43.51	-25.00	-18.51	V
LTE Band 38 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5299.96	-33.92	8.10	15.86	-41.68	-25.00	-16.68	H
7949.96	-31.43	9.00	19.28	-41.71	-25.00	-16.71	H
10600.15	-31.81	8.70	23.19	-46.30	-25.00	-21.30	H
5299.96	-32.94	8.10	15.86	-40.70	-25.00	-15.70	V
7949.96	-33.00	9.00	19.28	-43.28	-25.00	-18.28	V
10600.15	-31.98	8.70	23.19	-46.47	-25.00	-21.47	V

LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5124.86	-31.49	8.10	15.86	-39.25	-25.00	-14.25	H
7687.83	-33.16	9.00	19.28	-43.44	-25.00	-18.44	H
10250.37	-33.13	8.70	23.19	-47.62	-25.00	-22.62	H
5124.86	-35.03	8.10	15.86	-42.79	-25.00	-17.79	V
7687.83	-35.21	9.00	19.28	-45.49	-25.00	-20.49	V
10250.37	-32.77	8.70	23.19	-47.26	-25.00	-22.26	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.16	-32.56	8.10	15.86	-40.32	-25.00	-15.32	H
7815.22	-30.75	9.00	19.28	-41.03	-25.00	-16.03	H
10420.04	-30.90	8.70	23.19	-45.39	-25.00	-20.39	H
5210.16	-33.42	8.10	15.86	-41.18	-25.00	-16.18	V
7815.22	-34.68	9.00	19.28	-44.96	-25.00	-19.96	V
10420.04	-28.62	8.70	23.19	-43.11	-25.00	-18.11	V
LTE Band 38 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5298.16	-30.79	8.10	15.86	-38.55	-25.00	-13.55	H
7942.59	-32.32	9.00	19.28	-42.60	-25.00	-17.60	H
10589.95	-33.46	8.70	23.19	-47.95	-25.00	-22.95	H
5298.16	-35.16	8.10	15.86	-42.92	-25.00	-17.92	V
7942.59	-32.16	9.00	19.28	-42.44	-25.00	-17.44	V
10589.95	-30.62	8.70	23.19	-45.11	-25.00	-20.11	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.24	-33.62	8.10	15.86	-41.38	-25.00	-16.38	H
7694.88	-30.71	9.00	19.28	-40.99	-25.00	-15.99	H
10260.01	-30.13	8.70	23.19	-44.62	-25.00	-19.62	H
5130.24	-32.65	8.10	15.86	-40.41	-25.00	-15.41	V
7694.88	-31.91	9.00	19.28	-42.19	-25.00	-17.19	V
10260.01	-28.30	8.70	23.19	-42.79	-25.00	-17.79	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5210.15	-34.38	8.10	15.86	-42.14	-25.00	-17.14	H
7815.05	-30.80	9.00	19.28	-41.08	-25.00	-16.08	H
10420.18	-31.09	8.70	23.19	-45.58	-25.00	-20.58	H
5210.15	-34.18	8.10	15.86	-41.94	-25.00	-16.94	V
7815.05	-33.78	9.00	19.28	-44.06	-25.00	-19.06	V
10420.18	-29.85	8.70	23.19	-44.34	-25.00	-19.34	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5289.87	-34.39	8.10	15.86	-42.15	-25.00	-17.15	H
7935.22	-33.51	9.00	19.28	-43.79	-25.00	-18.79	H
10580.03	-31.80	8.70	23.19	-46.29	-25.00	-21.29	H
5289.87	-32.33	8.10	15.86	-40.09	-25.00	-15.09	V
7935.22	-32.89	9.00	19.28	-43.17	-25.00	-18.17	V
10580.03	-30.20	8.70	23.19	-44.69	-25.00	-19.69	V

LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3421.09	-26.60	7.20	12.56	-31.96	-13.00	-18.96	H
5131.83	-28.15	8.10	16.32	-36.37	-13.00	-23.37	H
6842.46	-23.33	8.30	21.13	-36.16	-13.00	-23.16	H
3421.09	-29.00	7.20	12.56	-34.36	-13.00	-21.36	V
5131.83	-26.89	8.10	16.32	-35.11	-13.00	-22.11	V
6842.46	-24.91	8.30	21.13	-37.74	-13.00	-24.74	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.80	-27.34	7.20	12.56	-32.70	-13.00	-19.70	H
5235.25	-25.47	8.10	16.32	-33.69	-13.00	-20.69	H
6980.29	-27.18	8.30	21.13	-40.01	-13.00	-27.01	H
3489.80	-25.83	7.20	12.56	-31.19	-13.00	-18.19	V
5235.25	-24.50	8.10	16.32	-32.72	-13.00	-19.72	V
6980.29	-23.49	8.30	21.13	-36.32	-13.00	-23.32	V
LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.20	-26.79	7.20	12.56	-32.15	-13.00	-19.15	H
5336.91	-26.21	8.10	16.32	-34.43	-13.00	-21.43	H
7116.84	-24.82	8.30	21.13	-37.65	-13.00	-24.65	H
3558.20	-28.15	7.20	12.56	-33.51	-13.00	-20.51	V
5336.91	-28.87	8.10	16.32	-37.09	-13.00	-24.09	V
7116.84	-26.84	8.30	21.13	-39.67	-13.00	-26.67	V

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3423.19	-26.72	7.20	12.56	-32.08	-13.00	-19.08	H
5134.48	-24.55	8.10	16.32	-32.77	-13.00	-19.77	H
6845.93	-24.38	8.30	21.13	-37.21	-13.00	-24.21	H
3423.19	-26.17	7.20	12.56	-31.53	-13.00	-18.53	V
5134.48	-28.85	8.10	16.32	-37.07	-13.00	-24.07	V
6845.93	-25.37	8.30	21.13	-38.20	-13.00	-25.20	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.00	-26.40	7.20	12.56	-31.76	-13.00	-18.76	H
5234.94	-25.16	8.10	16.32	-33.38	-13.00	-20.38	H
6980.18	-26.89	8.30	21.13	-39.72	-13.00	-26.72	H
3490.00	-27.96	7.20	12.56	-33.32	-13.00	-20.32	V
5234.94	-25.84	8.10	16.32	-34.06	-13.00	-21.06	V
6980.18	-26.00	8.30	21.13	-38.83	-13.00	-25.83	V
LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3557.17	-26.06	7.20	12.56	-31.42	-13.00	-18.42	H
5262.37	-24.67	8.10	16.32	-32.89	-13.00	-19.89	H
7114.13	-24.14	8.30	21.13	-36.97	-13.00	-23.97	H
3557.17	-26.53	7.20	12.56	-31.89	-13.00	-18.89	V
5262.37	-25.18	8.10	16.32	-33.40	-13.00	-20.40	V
7114.13	-27.07	8.30	21.13	-39.90	-13.00	-26.90	V

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3425.49	-25.37	7.20	12.56	-30.73	-13.00	-17.73	H
5137.39	-24.62	8.10	16.32	-32.84	-13.00	-19.84	H
6849.98	-24.80	8.30	21.13	-37.63	-13.00	-24.63	H
3425.49	-25.53	7.20	12.56	-30.89	-13.00	-17.89	V
5137.39	-24.57	8.10	16.32	-32.79	-13.00	-19.79	V
6849.98	-23.82	8.30	21.13	-36.65	-13.00	-23.65	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.12	-26.73	7.20	12.56	-32.09	-13.00	-19.09	H
5235.03	-25.01	8.10	16.32	-33.23	-13.00	-20.23	H
6980.26	-24.37	8.30	21.13	-37.20	-13.00	-24.20	H
3490.12	-28.81	7.20	12.56	-34.17	-13.00	-21.17	V
5235.03	-26.26	8.10	16.32	-34.48	-13.00	-21.48	V
6980.26	-27.99	8.30	21.13	-40.82	-13.00	-27.82	V
LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3558.10	-25.20	7.20	12.56	-30.56	-13.00	-17.56	H
5234.78	-28.05	8.10	16.32	-36.27	-13.00	-23.27	H
7109.85	-26.33	8.30	21.13	-39.16	-13.00	-26.16	H
3558.10	-26.60	7.20	12.56	-31.96	-13.00	-18.96	V
5234.78	-26.11	8.10	16.32	-34.33	-13.00	-21.33	V
7109.85	-24.15	8.30	21.13	-36.98	-13.00	-23.98	V

LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3430.10	-24.08	7.20	12.56	-29.44	-13.00	-16.44	H
5145.13	-24.98	8.10	16.32	-33.20	-13.00	-20.20	H
6880.04	-25.07	8.30	21.13	-37.90	-13.00	-24.90	H
3430.10	-27.00	7.20	12.56	-32.36	-13.00	-19.36	V
5145.13	-28.72	8.10	16.32	-36.94	-13.00	-23.94	V
6880.04	-28.04	8.30	21.13	-40.87	-13.00	-27.87	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.22	-24.84	7.20	12.56	-30.20	-13.00	-17.20	H
5234.90	-27.32	8.10	16.32	-35.54	-13.00	-22.54	H
6979.92	-26.42	8.30	21.13	-39.25	-13.00	-26.25	H
3490.22	-25.98	7.20	12.56	-31.34	-13.00	-18.34	V
5234.90	-24.56	8.10	16.32	-32.78	-13.00	-19.78	V
6979.92	-23.96	8.30	21.13	-36.79	-13.00	-23.79	V
LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3550.58	-26.30	7.20	12.56	-31.66	-13.00	-18.66	H
5235.08	-27.61	8.10	16.32	-35.83	-13.00	-22.83	H
7100.30	-25.15	8.30	21.13	-37.98	-13.00	-24.98	H
3550.58	-27.82	7.20	12.56	-33.18	-13.00	-20.18	V
5235.08	-24.50	8.10	16.32	-32.72	-13.00	-19.72	V
7100.30	-23.23	8.30	21.13	-36.06	-13.00	-23.06	V

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3434.82	-28.75	7.20	12.56	-34.11	-13.00	-21.11	H
5152.48	-26.06	8.10	16.32	-34.28	-13.00	-21.28	H
6870.21	-23.29	8.30	21.13	-36.12	-13.00	-23.12	H
3434.82	-25.55	7.20	12.56	-30.91	-13.00	-17.91	V
5152.48	-27.78	8.10	16.32	-36.00	-13.00	-23.00	V
6870.21	-24.61	8.30	21.13	-37.44	-13.00	-24.44	V
LTE Band 66 /15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.87	-26.70	7.20	12.56	-32.06	-13.00	-19.06	H
5235.01	-28.47	8.10	16.32	-36.69	-13.00	-23.69	H
6980.21	-24.95	8.30	21.13	-37.78	-13.00	-24.78	H
3489.87	-25.72	7.20	12.56	-31.08	-13.00	-18.08	V
5235.01	-25.60	8.10	16.32	-33.82	-13.00	-20.82	V
6980.21	-26.91	8.30	21.13	-39.74	-13.00	-26.74	V
LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3544.73	-27.28	7.20	12.56	-32.64	-13.00	-19.64	H
5332.56	-29.43	8.10	16.32	-37.65	-13.00	-24.65	H
7089.85	-24.08	8.30	21.13	-36.91	-13.00	-23.91	H
3544.73	-25.12	7.20	12.56	-30.48	-13.00	-17.48	V
5332.56	-24.97	8.10	16.32	-33.19	-13.00	-20.19	V
7089.85	-25.39	8.30	21.13	-38.22	-13.00	-25.22	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.93	-26.69	7.20	12.56	-32.05	-13.00	-19.05	H
5160.09	-29.05	8.10	16.32	-37.27	-13.00	-24.27	H
6879.82	-25.69	8.30	21.13	-38.52	-13.00	-25.52	H
3439.93	-27.01	7.20	12.56	-32.37	-13.00	-19.37	V
5160.09	-25.68	8.10	16.32	-33.90	-13.00	-20.90	V
6879.82	-26.51	8.30	21.13	-39.34	-13.00	-26.34	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3489.83	-24.56	7.20	12.56	-29.92	-13.00	-16.92	H
5235.06	-25.12	8.10	16.32	-33.34	-13.00	-20.34	H
6980.07	-26.46	8.30	21.13	-39.29	-13.00	-26.29	H
3489.83	-28.30	7.20	12.56	-33.66	-13.00	-20.66	V
5235.06	-24.68	8.10	16.32	-32.90	-13.00	-19.90	V
6980.07	-26.96	8.30	21.13	-39.79	-13.00	-26.79	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.91	-24.81	7.20	12.56	-30.17	-13.00	-17.17	H
5309.94	-27.73	8.10	16.32	-35.95	-13.00	-22.95	H
7080.60	-24.94	8.30	21.13	-37.77	-13.00	-24.77	H
3539.91	-26.15	7.20	12.56	-31.51	-13.00	-18.51	V
5309.94	-24.74	8.10	16.32	-32.96	-13.00	-19.96	V
7080.60	-25.50	8.30	21.13	-38.33	-13.00	-25.33	V

※※※※※END OF THE REPORT※※※※※