





MAX__Output_Power_NVNT_ANT2_802_11n(HT40)_2437




MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2452



MAX_Output_Power_NVNT_ANT2_802_11n(HT40)_2452




MAX_Output_Power_NVNT_ANT1_802_11ax(HE40)_2422




MAX__Output_Power_NVNT_ANT2_802_11ax(HE40)_2422



MAX__Output_Power_NVNT_ANT1_802_11ax(HE40)_2437



MAX__Output_Power_NVNT_ANT2_802_11ax(HE40)_2437



MAX__Output_Power_NVNT_ANT1_802_11ax(HE40)_2452



MAX__Output_Power_NVNT_ANT2_802_11ax(HE40)_2452



Appendix E: Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	SA_PSD (dBm/30kHz)	Duty factor (dB)	RB factor (dB)	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	-0.41	0.00	-10.00	-10.41	8	Pass
NVNT	ANT2	802.11b	2412.00	-1.13	0.00	-10.00	-11.13	8	Pass
NVNT	ANT1	802.11b	2437.00	-0.94	0.00	-10.00	-10.94	8	Pass
NVNT	ANT2	802.11b	2437.00	-1.48	0.00	-10.00	-11.48	8	Pass
NVNT	ANT1	802.11b	2462.00	-1.13	0.00	-10.00	-11.13	8	Pass
NVNT	ANT2	802.11b	2462.00	-1.61	0.00	-10.00	-11.61	8	Pass
NVNT	ANT1	802.11g	2412.00	-0.90	0.00	-10.00	-10.90	8	Pass
NVNT	ANT2	802.11g	2412.00	-1.16	0.00	-10.00	-11.15	8	Pass
NVNT	ANT1	802.11g	2437.00	-1.19	0.00	-10.00	-11.19	8	Pass
NVNT	ANT2	802.11g	2437.00	-1.56	0.00	-10.00	-11.56	8	Pass
NVNT	ANT1	802.11g	2462.00	-1.37	0.00	-10.00	-11.37	8	Pass
NVNT	ANT2	802.11g	2462.00	-1.68	0.00	-10.00	-11.68	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	-1.49	0.00	-10.00	-11.49	8	Pass
NVNT	ANT2	802.11n(HT20)	2412.00	-1.85	0.00	-10.00	-11.85	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	-1.69	0.00	-10.00	-11.69	8	Pass
NVNT	ANT2	802.11n(HT20)	2437.00	-2.32	0.00	-10.00	-12.32	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	-1.89	0.00	-10.00	-11.89	8	Pass
NVNT	ANT2	802.11n(HT20)	2462.00	-2.30	0.00	-10.00	-12.30	8	Pass
NVNT	ANT1	802.11ax(HEW20)	2412.00	-1.90	0.00	-10.00	-11.90	8	Pass
NVNT	ANT2	802.11ax(HEW20)	2412.00	-2.17	0.00	-10.00	-12.17	8	Pass
NVNT	ANT1	802.11ax(HEW20)	2437.00	-2.08	0.00	-10.00	-12.07	8	Pass
NVNT	ANT2	802.11ax(HEW20)	2437.00	-2.61	0.00	-10.00	-12.61	8	Pass
NVNT	ANT1	802.11ax(HEW20)	2462.00	-2.31	0.00	-10.00	-12.31	8	Pass
NVNT	ANT2	802.11ax(HEW20)	2462.00	-2.45	0.00	-10.00	-12.45	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-5.47	0.00	-10.00	-15.47	8	Pass
NVNT	ANT2	802.11n(HT40)	2422.00	-5.91	0.00	-10.00	-15.91	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-5.47	0.00	-10.00	-15.47	8	Pass
NVNT	ANT2	802.11n(HT40)	2437.00	-6.29	0.00	-10.00	-16.29	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-6.02	0.00	-10.00	-16.02	8	Pass
NVNT	ANT2	802.11n(HT40)	2452.00	-6.83	0.00	-10.00	-16.83	8	Pass
NVNT	ANT1	802.11ax(HEW40)	2422.00	-5.11	0.00	-10.00	-15.11	8	Pass
NVNT	ANT2	802.11ax(HEW40)	2422.00	-5.95	0.00	-10.00	-15.95	8	Pass
NVNT	ANT1	802.11ax(HEW40)	2437.00	-5.14	0.00	-10.00	-15.14	8	Pass
NVNT	ANT2	802.11ax(HEW40)	2437.00	-6.27	0.00	-10.00	-16.27	8	Pass
NVNT	ANT1	802.11ax(HEW40)	2452.00	-5.65	0.00	-10.00	-15.65	8	Pass
NVNT	ANT2	802.11ax(HEW40)	2452.00	-6.52	0.00	-10.00	-16.52	8	Pass

Note: 1. The cable loss are compensated in the graph.

2. $PSD(dBm/3kHz) = PSD(dBm/30kHz) - (10 \cdot \log(30/3))$.

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

 Hotline
400-003-0500
www.anbotech.com

Power_Spectral_Density_NVNT_ANT1_802_11b_2412



Power_Spectral_Density_NVNT_ANT2_802_11b_2412



Power_Spectral_Density_NVNT_ANT1_802_11b_2437



Power_Spectral_Density_NVNT_ANT2_802_11b_2437




Power_Spectral_Density_NVNT_ANT1_802_11b_2462



Power_Spectral_Density_NVNT_ANT2_802_11b_2462




Power_Spectral_Density_NVNT_ANT1_802_11g_2412




Power_Spectral_Density_NVNT_ANT2_802_11g_2412




Power_Spectral_Density_NVNT_ANT1_802_11g_2437




Power_Spectral_Density_NVNT_ANT2_802_11g_2437




Power_Spectral_Density_NVNT_ANT1_802_11g_2462




Power_Spectral_Density_NVNT_ANT2_802_11g_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2412




Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_2412




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2437



Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_2437




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2462




Power_Spectral_Density_NVNT_ANT2_802_11n(HT20)_2462



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_2412



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_2412



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_2437



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_2437



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_2462



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE20)_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2422

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_2422




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2437



Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_2437




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2452




Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_2452




Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_2422




Power_Spectral_Density_NVNT_ANT2_802_11ax(HE40)_2422




Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_2437




Power_Spectral_Density_NVNT_ANT2_802_11ax(HE40)_2437



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_2452



Power_Spectral_Density_NVNT_ANT2_802_11ax(HE40)_2452



Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

Condition	Antenna	Modulation	Frequency (MHz)	SA_MIMO_PSD(dBm/30kHz)	RB factor(dB)	MIMO_PSD(dBm/3kHz)	limit(dBm/3kHz)	Result
NVNT	MIMO_TX	802.11n(HT20)	2412.00	1.34	-10	-8.66	6.4	Pass
NVNT	MIMO_TX	802.11n(HT20)	2437.00	0.94	-10	-9.06	6.4	Pass
NVNT	MIMO_TX	802.11n(HT20)	2462.00	0.91	-10	-9.09	6.4	Pass
NVNT	MIMO_TX	802.11ax(HEW20)	2412.00	0.97	-10	-9.03	6.4	Pass
NVNT	MIMO_TX	802.11ax(HEW20)	2437.00	0.61	-10	-9.39	6.4	Pass
NVNT	MIMO_TX	802.11ax(HEW20)	2462.00	0.63	-10	-9.37	6.4	Pass
NVNT	MIMO_TX	802.11n(HT40)	2422.00	-2.67	-10	-12.67	6.4	Pass
NVNT	MIMO_TX	802.11n(HT40)	2437.00	-2.85	-10	-12.85	6.4	Pass
NVNT	MIMO_TX	802.11n(HT40)	2452.00	-3.42	-10	-13.42	6.4	Pass
NVNT	MIMO_TX	802.11ax(HEW40)	2422.00	-2.50	-10	-12.50	6.4	Pass
NVNT	MIMO_TX	802.11ax(HEW40)	2437.00	-2.66	-10	-12.66	6.4	Pass
NVNT	MIMO_TX	802.11ax(HEW40)	2452.00	-3.05	-10	-13.05	6.4	Pass

Note:



- As Directional gain = $10 \log[(10G^{1/20} + 10G^{2/20})^2 / N_{ANT}]$ dBi= 7.6 > 6dBi,
so limit=8dBm/3kHz-(7.6-6)=6.4dBm/3kHz

Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com




Hotline
400-003-0500
www.anbotech.com




NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_2462




NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_2412





NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_2437




NVNT_MIMO_TX_802_11ax(HE20)_Power_Spectral_Density_2462




NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_2422





NVNT_MIMO_TX_802_11n(HT40)_Power_Spectral_Density_2452



NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_2422



NVNT_MIMO_TX_802_11ax(HE40)_Power_Spectral_Density_2437



Appendix F: Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level (dBm)	Limit (dBm)	Result
NVNT	ANT1	802.11b	2412	2399.488	4.024	-40.515	-25.976	Pass
NVNT	ANT2	802.11b	2412	2399.488	4.024	-43.635	-25.976	Pass
NVNT	ANT1	802.11b	2462	2487.664	3.292	-52.92	-26.708	Pass
NVNT	ANT2	802.11b	2462	2487.712	3.292	-53.263	-26.708	Pass
NVNT	ANT1	802.11g	2412	2399.936	3.862	-48.465	-26.138	Pass
NVNT	ANT2	802.11g	2412	2399.824	3.862	-47.088	-26.138	Pass
NVNT	ANT1	802.11g	2462	2488.528	3.594	-51.083	-26.406	Pass
NVNT	ANT2	802.11g	2462	2494.528	3.594	-51.705	-26.406	Pass
NVNT	MIMO	802.11n(HT20)	2412	2398.592	3.663	-43.923	-26.337	Pass
NVNT	MIMO	802.11n(HT20)	2462	2483.92	3.15	-53.214	-26.85	Pass
NVNT	MIMO	802.11ax(HEW20)	2412	2397.92	3.444	-45.512	-26.556	Pass
NVNT	MIMO	802.11ax(HEW20)	2462	2487.76	3.17	-53.958	-26.83	Pass
NVNT	MIMO	802.11n(HT40)	2422	2399.892	0.509	-48.115	-29.491	Pass
NVNT	MIMO	802.11n(HT40)	2452	2489.46	0.004	-49.002	-29.996	Pass
NVNT	MIMO	802.11ax(HEW40)	2422	2398.44	0.242	-47.419	-29.758	Pass
NVNT	MIMO	802.11ax(HEW40)	2452	2489.46	0.028	-47.683	-29.972	Pass

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com


1_Reference_Level_NVNT_ANT1_802_11b_2412




1_Reference_Level_NVNT_ANT2_802_11b_2412



2_Bandedge_NVNT_ANT1_802_11b_2412



2_Bandedge_NVNT_ANT2_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2462



1_Reference_Level_NVNT_ANT2_802_11b_2462



2_Bandedge_NVNT_ANT1_802_11b_2462

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com




2_Bandedge_NVNT_ANT2_802_11b_2462



1_Reference_Level_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT2_802_11g_2412




2_Bandedge_NVNT_ANT1_802_11g_2412


Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com




2_Bandedge_NVNT_ANT2_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2462




1_Reference_Level_NVNT_ANT2_802_11g_2462



2_Bandedge_NVNT_ANT1_802_11g_2462



2_Bandedge_NVNT_ANT2_802_11g_2462



1_Reference_Level_NVNT_MIMO_802_11n(HT20)_2412



2_Bandedge_NVNT_MIMO_802_11n(HT20)_2412



1_Reference_Level_NVNT_MIMO_802_11n(HT20)_2462



2_Bandedge_NVNT_MIMO_802_11n(HT20)_2462



1_Reference_Level_NVNT_MIMO_802_11ax(HE20)_2412



2_Bandedge_NVNT_MIMO_802_11ax(HE20)_2412




1_Reference_Level_NVNT_MIMO_802_11ax(HE20)_2462




2_Bandedge_NVNT_MIMO_802_11ax(HE20)_2462




1_Reference_Level_NVNT_MIMO_802_11n(HT40)_2422




2_Bandedge_NVNT_MIMO_802_11n(HT40)_2422



1_Reference_Level_NVNT_MIMO_802_11n(HT40)_2452




2_Bandedge_NVNT_MIMO_802_11n(HT40)_2452



1_Reference_Level_NVNT_MIMO_802_11ax(HE40)_2422




2_Bandedge_NVNT_MIMO_802_11ax(HE40)_2422



1_Reference_Level_NVNT_MIMO_802_11ax(HE40)_2452



2_Bandedge_NVNT_MIMO_802_11ax(HE40)_2452



Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

Appendix G: Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level (dBm)	Limit (dBm)	Result
NVNT	ANT1	802.11b	2412	24797.743	4.024	-45.183	-25.976	Pass
NVNT	ANT2	802.11b	2412	24313.325	4.024	-45.204	-25.976	Pass
NVNT	ANT1	802.11b	2437	24003.697	3.581	-44.784	-26.419	Pass
NVNT	ANT2	802.11b	2437	888.968	3.581	-39.892	-26.419	Pass
NVNT	ANT1	802.11b	2462	24747.803	3.292	-48.613	-26.708	Pass
NVNT	ANT2	802.11b	2462	24675.39	3.292	-48.961	-26.708	Pass
NVNT	ANT1	802.11g	2412	24790.252	3.862	-44.884	-26.138	Pass
NVNT	ANT2	802.11g	2412	24131.044	3.862	-45.252	-26.138	Pass
NVNT	ANT1	802.11g	2437	24353.277	3.535	-44.969	-26.465	Pass
NVNT	ANT2	802.11g	2437	24862.665	3.535	-44.628	-26.465	Pass
NVNT	ANT1	802.11g	2462	22006.097	3.594	-44.073	-26.406	Pass
NVNT	ANT2	802.11g	2462	24862.665	3.594	-44.235	-26.406	Pass
NVNT	MIMO	802.11n(HT20)	2412	24905.114	3.663	-44.973	-26.337	Pass
NVNT	MIMO	802.11n(HT20)	2437	24892.629	3.749	-45.18	-26.251	Pass
NVNT	MIMO	802.11n(HT20)	2462	24345.786	3.15	-44.671	-26.85	Pass
NVNT	MIMO	802.11ax(HEW20)	2412	24185.978	3.855	-53.984	-26.145	Pass
NVNT	MIMO	802.11ax(HEW20)	2437	24997.503	3.219	-45.264	-26.781	Pass
NVNT	MIMO	802.11ax(HEW20)	2462	24802.737	3.17	-48.739	-26.83	Pass
NVNT	MIMO	802.11n(HT40)	2422	24865.162	0.509	-51.392	-29.491	Pass
NVNT	MIMO	802.11n(HT40)	2437	24845.186	0.333	-51.944	-29.667	Pass
NVNT	MIMO	802.11n(HT40)	2452	24827.707	0.004	-47.389	-29.996	Pass
NVNT	MIMO	802.11ax(HEW40)	2422	24847.683	0.242	-50.575	-29.758	Pass
NVNT	MIMO	802.11ax(HEW40)	2437	24897.623	0.116	-51.817	-29.884	Pass
NVNT	MIMO	802.11ax(HEW40)	2452	2504.527	0.028	-56.566	-29.972	Pass


1_Reference_Level_NVNT_ANT1_802_11b_2412




1_Reference_Level_NVNT_ANT2_802_11b_2412



2_Spurious_Emission_NVNT_ANT1_802_11b_2412



2_Spurious_Emission_NVNT_ANT2_802_11b_2412




1_Reference_Level_NVNT_ANT1_802_11b_2437




1_Reference_Level_NVNT_ANT2_802_11b_2437



2_Spurious_Emission_NVNT_ANT1_802_11b_2437



2_Spurious_Emission_NVNT_ANT2_802_11b_2437



1_Reference_Level_NVNT_ANT1_802_11b_2462



1_Reference_Level_NVNT_ANT2_802_11b_2462



2_Spurious_Emission_NVNT_ANT1_802_11b_2462


Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline
400-003-0500
www.anbotech.com




2_Spurious_Emission_NVNT_ANT2_802_11b_2462




1_Reference_Level_NVNT_ANT1_802_11g_2412




1_Reference_Level_NVNT_ANT2_802_11g_2412




2_Spurious_Emission_NVNT_ANT1_802_11g_2412




2_Spurious_Emission_NVNT_ANT2_802_11g_2412




1_Reference_Level_NVNT_ANT1_802_11g_2437




1_Reference_Level_NVNT_ANT2_802_11g_2437



2_Spurious_Emission_NVNT_ANT1_802_11g_2437




2_Spurious_Emission_NVNT_ANT2_802_11g_2437




1_Reference_Level_NVNT_ANT1_802_11g_2462




1_Reference_Level_NVNT_ANT2_802_11g_2462



2_Spurious_Emission_NVNT_ANT1_802_11g_2462



2_Spurious_Emission_NVNT_ANT2_802_11g_2462



Shenzhen Anbotech Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com

1_Reference_Level_NVNT_MIMO_802_11n(HT20)_2412




2_Spurious_Emission_NVNT_MIMO_802_11n(HT20)_2412



1_Reference_Level_NVNT_MIMO_802_11n(HT20)_2437




2_Spurious_Emission_NVNT_MIMO_802_11n(HT20)_2437



1_Reference_Level_NVNT_MIMO_802_11n(HT20)_2462




2_Spurious_Emission_NVNT_MIMO_802_11n(HT20)_2462



1_Reference_Level_NVNT_MIMO_802_11ax(HE20)_2412




2_Spurious_Emission_NVNT_MIMO_802_11ax(HE20)_2412



1_Reference_Level_NVNT_MIMO_802_11ax(HE20)_2437




2_Spurious_Emission_NVNT_MIMO_802_11ax(HE20)_2437




1_Reference_Level_NVNT_MIMO_802_11ax(HE20)_2462




2_Spurious_Emission_NVNT_MIMO_802_11ax(HE20)_2462



1_Reference_Level_NVNT_MIMO_802_11n(HT40)_2422




2_Spurious_Emission_NVNT_MIMO_802_11n(HT40)_2422




1_Reference_Level_NVNT_MIMO_802_11n(HT40)_2437




2_Spurious_Emission_NVNT_MIMO_802_11n(HT40)_2437



1_Reference_Level_NVNT_MIMO_802_11n(HT40)_2452




2_Spurious_Emission_NVNT_MIMO_802_11n(HT40)_2452




1_Reference_Level_NVNT_MIMO_802_11ax(HE40)_2422




2_Spurious_Emission_NVNT_MIMO_802_11ax(HE40)_2422



1_Reference_Level_NVNT_MIMO_802_11ax(HE40)_2437




2_Spurious_Emission_NVNT_MIMO_802_11ax(HE40)_2437



1_Reference_Level_NVNT_MIMO_802_11ax(HE40)_2452



2_Spurious_Emission_NVNT_MIMO_802_11ax(HE40)_2452



---END---