



802.11b CH11



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Meas. Time (s)	Height (m)	Pol	Azimuth (deg)	Corr. (dB/m)
1,161.000	42.38	74.00	31.62	30.30	54.00	23.70	1.000	1.00	V	255.7	-5.53
1,298.200	42.71	74.00	31.29	31.26	54.00	22.74	1.000	1.00	V	159.2	-3.85
1,594.400	44.22	74.00	29.78	32.88	54.00	21.12	1.000	1.00	V	32.8	-1.80
2,068.600	46.00	74.00	28.00	34.14	54.00	19.86	1.000	2.00	H	2.4	0.89
2,355.200	46.86	74.00	27.14	35.18	54.00	18.82	1.000	2.00	H	178.7	2.16
2,515.400	47.45	74.00	26.55	35.91	54.00	18.09	1.000	1.00	V	143.8	3.03


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11g CH1



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Meas. Time (s)	Height (m)	Pol	Azimuth (deg)	Corr. (dB/m)
1,106.200	41.28	74.00	32.72	29.56	54.00	24.45	1.000	1.00	V	219.1	-6.00
1,327.000	43.18	74.00	30.82	30.30	54.00	23.70	1.000	2.00	H	130.6	-3.66
1,595.600	44.91	74.00	29.09	32.76	54.00	21.24	1.000	2.00	V	358.9	-1.79
1,958.200	45.42	74.00	28.58	33.86	54.00	20.14	1.000	2.00	H	138	0.37
2,389.400	53.48	74.00	20.52	40.04	54.00	13.96	1.000	2.00	H	232.4	2.42
2,502.400	47.84	74.00	26.16	35.55	54.00	18.45	1.000	1.00	V	120.4	2.89


Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average

802.11g CH6



Note: The signal beyond the limit is carrier.
Radiates Emission from 1GHz to 3GHz



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Peak Limit (dBμV/m)	Peak Margin (dB)	Average (dBμV/m)	Average Limit (dBμV/m)	Average Margin (dB)	Meas. Time (s)	Height (m)	Pol	Azimuth (deg)	Corr. (dB/m)
1,197.200	42.57	74.00	31.43	30.83	54.00	23.17	1.000	1.00	V	37.2	-4.67
1,427.200	43.96	74.00	30.04	32.05	54.00	21.95	1.000	1.00	H	357.8	-2.90
1,637.400	44.89	74.00	29.11	32.71	54.00	21.29	1.000	1.00	H	360	-1.50
2,192.600	47.05	74.00	26.95	35.06	54.00	18.94	1.000	2.00	V	15.2	1.69
2,387.000	47.03	74.00	26.97	35.27	54.00	18.73	1.000	2.00	H	30.7	2.38
2,514.800	47.62	74.00	26.38	36.11	54.00	17.89	1.000	2.00	H	127.6	3.02

Remark: 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit –MAX Peak/ Average