

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

BLE-Horizontal-TX

Test result

Project Number: Test

Test Time: 2024-01-16_10.05.08

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

RÉmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.455	19.24	-28.26	40.0	20.76	Peak	351.70	100	Horizontal	Pass
2	62.002	20.46	-25.92	40.0	19.54	Peak	161.60	100	Horizontal	Pass
3	124.794	17.35	-28.09	43.5	26.15	Peak	215.20	100	Horizontal	Pass
4	275.834	33.13	-23.18	46.0	12.87	Peak	12.70	100	Horizontal	Pass
5	432.449	18.33	-18.90	46.0	27.67	Peak	354.10	100	Horizontal	Pass
6	959.513	31.16	-7.59	46.0	14.84	Peak	265.00	100	Horizontal	Pass

BLE-Vertical-TX

Test result

Project Number: Test

Test Time: 2024-01-16_09.56.21

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

R emission Test case_FCC_Part 15C_FCC 15.247(Z4G)_30MHz-1GHz



No.	Frequen cy (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.243	22.89	-26.02	40.0	17.11	Peak	293.70	100	Vertical	Pass
2	62.002	31.62	-25.92	40.0	8.38	Peak	328.30	100	Vertical	Pass
3	124.794	23.71	-28.09	43.5	19.79	Peak	298.60	100	Vertical	Pass
4	275.591	35.79	-23.19	46.0	10.21	Peak	355.10	100	Vertical	Pass
5	439.965	20.82	-18.78	46.0	25.18	Peak	358.20	100	Vertical	Pass
6	959.513	31.45	-7.59	46.0	14.55	Peak	201.40	100	Vertical	Pass

1-18G

BLE-Low channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.50.31

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	43.93	-14.09	74.0	30.07	Peak	58.50	100	Horizontal	Pass
1**	1114.000	37.96	-14.09	54.0	16.04	AV	58.50	100	Horizontal	Pass
2	1657.500	45.06	-12.88	74.0	28.94	Peak	310.40	100	Horizontal	Pass
2**	1657.500	37.84	-12.88	54.0	16.16	AV	310.40	100	Horizontal	Pass
3	2401.250	48.61	-4.69	74.0	25.39	Peak	294.70	100	Horizontal	Pass
3**	2401.250	39.85	-4.69	54.0	14.15	AV	294.70	100	Horizontal	Pass
4	2850.000	47.79	-4.26	74.0	26.21	Peak	182.00	100	Horizontal	Pass
4**	2850.000	37.67	-4.26	54.0	16.33	AV	182.00	100	Horizontal	Pass
5	4709.000	50.70	-0.83	74.0	23.30	Peak	360.00	100	Horizontal	Pass
5**	4709.000	41.15	-0.83	54.0	12.85	AV	360.00	100	Horizontal	Pass
6	6808.000	56.83	4.11	74.0	17.17	Peak	353.30	100	Horizontal	Pass
6**	6808.000	46.52	4.11	54.0	7.48	AV	353.30	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_17.52.21

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247.7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8754.500	35.28	3.85	74.0	38.72	Peak	113.20	100	Horizontal	Pass
1**	8754.500	25.32	3.85	54.0	28.68	AV	113.20	100	Horizontal	Pass
2	9466.750	37.77	6.83	74.0	36.23	Peak	113.20	100	Horizontal	Pass
2**	9466.750	27.96	6.83	54.0	26.04	AV	113.20	100	Horizontal	Pass
3	11259.750	42.53	11.18	74.0	31.47	Peak	357.40	100	Horizontal	Pass
3**	11259.750	32.49	11.18	54.0	21.51	AV	357.40	100	Horizontal	Pass
4	12423.000	44.03	11.83	74.0	29.97	Peak	0.00	100	Horizontal	Pass
4**	12423.000	34.72	11.83	54.0	19.28	AV	0.00	100	Horizontal	Pass
5	14215.999	51.52	18.08	74.0	22.48	Peak	0.00	100	Horizontal	Pass
5**	14215.999	40.22	18.08	54.0	13.78	AV	0.00	100	Horizontal	Pass
6	17969.750	61.30	28.06	74.0	12.70	Peak	113.20	100	Horizontal	Pass
6**	17969.750	50.74	28.06	54.0	3.26	AV	113.20	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2024-01-19_16.43.23

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G) 1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.250	43.57	-14.32	74.0	30.43	Peak	16.80	100	Vertical	Pass
1**	1039.250	38.94	-14.32	54.0	15.06	AV	16.80	100	Vertical	Pass
2	1262.500	45.98	-13.27	74.0	28.02	Peak	321.10	100	Vertical	Pass
2**	1262.500	38.58	-13.27	54.0	15.42	AV	321.10	100	Vertical	Pass
3	2048.750	52.44	-10.31	74.0	21.56	Peak	360.00	100	Vertical	Pass
3**	2048.750	33.37	-10.31	54.0	20.63	AV	360.00	100	Vertical	Pass
4	2424.750	48.31	-5.16	74.0	25.69	Peak	307.00	100	Vertical	Pass
4**	2424.750	38.58	-5.16	54.0	15.42	AV	307.00	100	Vertical	Pass
5	3622.000	47.83	-2.29	74.0	26.17	Peak	0.00	100	Vertical	Pass
5**	3622.000	37.56	-2.29	54.0	16.44	AV	0.00	100	Vertical	Pass
6	5119.000	52.31	0.38	74.0	21.69	Peak	1.10	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_17.42.30

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX

Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8980.000	35.71	7.10	74.0	38.29	Peak	94.60	100	Vertical	Pass
1**	8980.000	26.41	7.10	54.0	27.59	AV	94.60	100	Vertical	Pass
2	10151.500	41.35	8.38	74.0	32.65	Peak	301.10	100	Vertical	Pass
2**	10151.500	30.09	8.38	54.0	23.91	AV	301.10	100	Vertical	Pass
3	11829.000	43.30	10.82	74.0	30.70	Peak	360.00	100	Vertical	Pass
3**	11829.000	32.61	10.82	54.0	21.39	AV	360.00	100	Vertical	Pass
4	13822.750	46.97	14.01	74.0	27.03	Peak	45.10	100	Vertical	Pass
4**	13822.750	36.66	14.01	54.0	17.34	AV	45.10	100	Vertical	Pass
5	14760.500	50.42	17.94	74.0	23.58	Peak	301.10	100	Vertical	Pass
5**	14760.500	39.97	17.94	54.0	14.03	AV	301.10	100	Vertical	Pass
6	17835.000	57.16	23.38	74.0	16.84	Peak	126.30	100	Vertical	Pass

BLE-Middle channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.59.32

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.250	43.57	-14.09	74.0	30.43	Peak	80.50	100	Horizontal	Pass
1**	1114.250	36.65	-14.09	54.0	17.35	AV	80.50	100	Horizontal	Pass
2	1336.500	44.62	-12.90	74.0	29.38	Peak	319.10	100	Horizontal	Pass
2**	1336.500	37.93	-12.90	54.0	16.07	AV	319.10	100	Horizontal	Pass
3	1657.250	45.98	-12.88	74.0	28.02	Peak	360.00	100	Horizontal	Pass
3**	1657.250	39.10	-12.88	54.0	14.90	AV	360.00	100	Horizontal	Pass
4	2430.250	48.96	-5.27	74.0	25.04	Peak	164.00	100	Horizontal	Pass
4**	2430.250	37.07	-5.27	54.0	16.93	AV	164.00	100	Horizontal	Pass
5	3838.500	48.38	-3.23	74.0	25.62	Peak	318.00	100	Horizontal	Pass
5**	3838.500	38.21	-3.23	54.0	15.79	AV	318.00	100	Horizontal	Pass
6	5177.000	51.99	0.25	74.0	22.01	Peak	16.60	100	Horizontal	Pass
6**	5177.000	41.74	0.25	54.0	12.26	AV	16.60	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_17.49.24

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): N.A

Hum.: N.A

Test Engineer: CJY


Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8485.000	34.10	2.89	74.0	39.90	Peak	309.50	100	Horizontal	Pass
1**	8485.000	24.52	2.89	54.0	29.48	AV	309.50	100	Horizontal	Pass
2	10478.750	41.03	9.01	74.0	32.97	Peak	261.10	100	Horizontal	Pass
2**	10478.750	30.34	9.01	54.0	23.66	AV	261.10	100	Horizontal	Pass
3	11279.000	43.31	11.44	74.0	30.69	Peak	200.80	100	Horizontal	Pass
3**	11279.000	32.56	11.44	54.0	21.44	AV	200.80	100	Horizontal	Pass
4	13195.750	46.29	13.20	74.0	27.71	Peak	151.70	100	Horizontal	Pass
4**	13195.750	35.66	13.20	54.0	18.34	AV	151.70	100	Horizontal	Pass
5	14559.750	50.32	16.37	74.0	23.68	Peak	261.10	100	Horizontal	Pass
5**	14559.750	39.53	16.37	54.0	14.47	AV	261.10	100	Horizontal	Pass
6	17491.249	54.02	21.63	74.0	19.98	Peak	0.00	100	Horizontal	Pass
6**	17491.249	44.73	21.63	54.0	9.27	AV	0.00	100	Horizontal	Pass

BLE-Middle channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.40.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.500	44.27	-14.33	74.0	29.73	Peak	360.00	100	Vertical	Pass
1**	1039.500	39.05	-14.33	54.0	14.95	AV	360.00	100	Vertical	Pass
2	1262.000	47.41	-13.28	74.0	26.59	Peak	51.80	100	Vertical	Pass
2**	1262.000	38.18	-13.28	54.0	15.82	AV	51.80	100	Vertical	Pass
3	1999.500	54.94	-10.91	74.0	19.06	Peak	360.00	100	Vertical	Pass
3**	1999.500	38.81	-10.91	54.0	15.19	AV	360.00	100	Vertical	Pass
4	2951.000	48.27	-4.02	74.0	25.73	Peak	360.00	100	Vertical	Pass
4**	2951.000	37.85	-4.02	54.0	16.15	AV	360.00	100	Vertical	Pass
5	4042.500	48.86	-1.57	74.0	25.14	Peak	303.50	100	Vertical	Pass
5**	4042.500	39.55	-1.57	54.0	14.45	AV	303.50	100	Vertical	Pass
6	6011.500	53.36	1.80	74.0	20.64	Peak	360.00	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_17.45.55

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8809.500	35.57	4.21	74.0	38.43	Peak	114.30	100	Vertical	Pass
1**	8809.500	25.80	4.21	54.0	28.20	AV	114.30	100	Vertical	Pass
2	9915.000	39.68	8.98	74.0	34.32	Peak	328.60	100	Vertical	Pass
2**	9915.000	29.72	8.98	54.0	24.28	AV	328.60	100	Vertical	Pass
3	11246.000	43.15	10.99	74.0	30.85	Peak	114.30	100	Vertical	Pass
3**	11246.000	32.73	10.99	54.0	21.27	AV	114.30	100	Vertical	Pass
4	14188.500	49.94	18.65	74.0	24.06	Peak	28.30	100	Vertical	Pass
4**	14188.500	40.84	18.65	54.0	13.16	AV	28.30	100	Vertical	Pass
5	17447.250	54.47	20.86	74.0	19.53	Peak	0.00	100	Vertical	Pass
5**	17447.250	44.28	20.86	54.0	9.72	AV	0.00	100	Vertical	Pass
6	17859.750	57.41	23.63	74.0	16.59	Peak	328.60	100	Vertical	Pass

BLE-High channel-Horizontal-TX

Test result

Project Number: Test

Test Time: 2024-01-19_17.06.31

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G)_1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1114.000	42.97	-14.09	74.0	31.03	Peak	49.90	100	Horizontal	Pass
1**	1114.000	36.98	-14.09	54.0	17.02	AV	49.90	100	Horizontal	Pass
2	1658.000	45.78	-12.88	74.0	28.22	Peak	32.80	100	Horizontal	Pass
2**	1658.000	35.98	-12.88	54.0	18.02	AV	32.80	100	Horizontal	Pass
3	2402.750	48.61	-4.72	74.0	25.39	Peak	357.50	100	Horizontal	Pass
3**	2402.750	39.00	-4.72	54.0	15.00	AV	357.50	100	Horizontal	Pass
4	3756.500	48.15	-2.53	74.0	25.85	Peak	252.10	100	Horizontal	Pass
4**	3756.500	38.06	-2.53	54.0	15.94	AV	252.10	100	Horizontal	Pass
5	5092.000	52.01	0.32	74.0	21.99	Peak	268.10	100	Horizontal	Pass
5**	5092.000	41.22	0.32	54.0	12.78	AV	268.10	100	Horizontal	Pass
6	6559.000	56.45	3.22	74.0	17.55	Peak	252.10	100	Horizontal	Pass
6**	6559.000	45.63	3.22	54.0	8.37	AV	252.10	100	Horizontal	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_17.50.46

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): N.A

Hum.: N.A


Test Engineer: CJY

Test Standard: FCC

Work Addition: TX

Load: Full load

Remark: DR-RSE01-E23100101-01#01



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9942.500	39.85	8.81	74.0	34.15	Peak	109.80	100	Horizontal	Pass
1**	9942.500	29.75	8.81	54.0	24.25	AV	109.80	100	Horizontal	Pass
2	10547.500	42.22	9.47	74.0	31.78	Peak	109.80	100	Horizontal	Pass
2**	10547.500	30.13	9.47	54.0	23.87	AV	109.80	100	Horizontal	Pass
3	11292.750	43.08	11.49	74.0	30.92	Peak	157.60	100	Horizontal	Pass
3**	11292.750	32.40	11.49	54.0	21.60	AV	157.60	100	Horizontal	Pass
4	13165.500	45.73	13.13	74.0	28.27	Peak	157.60	100	Horizontal	Pass
4**	13165.500	36.05	13.13	54.0	17.95	AV	157.60	100	Horizontal	Pass
5	14700.000	49.76	17.24	74.0	24.24	Peak	48.40	100	Horizontal	Pass
5**	14700.000	40.40	17.24	54.0	13.60	AV	48.40	100	Horizontal	Pass
6	17480.249	54.90	21.63	74.0	19.10	Peak	360.00	100	Horizontal	Pass
6**	17480.249	44.47	21.63	54.0	9.53	AV	360.00	100	Horizontal	Pass

BLE-High channel-Vertical-TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.38.37

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247(2.4G) 1GHz-7GHz RSE



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1039.000	43.46	-14.32	74.0	30.54	Peak	0.00	100	Vertical	Pass
1**	1039.000	37.80	-14.32	54.0	16.20	AV	0.00	100	Vertical	Pass
2	1262.750	48.08	-13.27	74.0	25.92	Peak	61.50	100	Vertical	Pass
2**	1262.750	36.29	-13.27	54.0	17.71	AV	61.50	100	Vertical	Pass
3	1998.750	55.00	-10.92	74.0	19.00	Peak	0.00	100	Vertical	Pass
3**	1998.750	41.53	-10.92	54.0	12.47	AV	0.00	100	Vertical	Pass
4	2454.500	53.69	-5.75	74.0	20.31	Peak	92.80	100	Vertical	Pass
4**	2454.500	49.06	-5.75	54.0	4.94	AV	92.80	100	Vertical	Pass
5	4024.000	49.30	-1.63	74.0	24.70	Peak	272.20	100	Vertical	Pass
5**	4024.000	38.21	-1.63	54.0	15.79	AV	272.20	100	Vertical	Pass
6	5766.000	53.65	1.32	74.0	20.35	Peak	304.60	100	Vertical	Pass

Test result

Project Number: Test

Test Time: 2023-12-10_17.47.34

EUT Name: N.A

Test Engineer: CJY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): N.A

Load: Full load

Hum.: N.A

Remark: DR-RSE01-E23100101-01#01

REmission Test case_FCC_Part 15C_FCC 15.247_7GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8839.750	35.48	4.40	74.0	38.52	Peak	130.80	100	Vertical	Pass
1**	8839.750	25.71	4.40	54.0	28.29	AV	130.80	100	Vertical	Pass
2	9923.250	40.80	8.94	74.0	33.20	Peak	130.80	100	Vertical	Pass
2**	9923.250	29.66	8.94	54.0	24.34	AV	130.80	100	Vertical	Pass
3	13138.000	46.10	13.07	74.0	27.90	Peak	130.80	100	Vertical	Pass
3**	13138.000	35.99	13.07	54.0	18.01	AV	130.80	100	Vertical	Pass
4	14177.500	49.41	18.32	74.0	24.59	Peak	130.80	100	Vertical	Pass
4**	14177.500	39.91	18.32	54.0	14.09	AV	130.80	100	Vertical	Pass
5	14826.500	50.09	17.12	74.0	23.91	Peak	193.00	100	Vertical	Pass
5**	14826.500	39.44	17.12	54.0	14.56	AV	193.00	100	Vertical	Pass
6	17999.999	61.29	30.03	74.0	12.71	Peak	223.80	100	Vertical	Pass

BLE-Bandedge -Low channel- Horizontal –TX

Test result

Project Number: Test

Test Time: 2024-01-19_17.10.57

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R/Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.74	-10.27	74.0	24.26	Peak	120.31	100	H	Pass
1**	2390.000	41.91	-10.27	54.0	12.09	AV	120.31	100	H	Pass

BLE-Bandedge -Low channel- Vertical -TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.33.31

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R:Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.72	-10.27	74.0	24.28	Peak	224.15	100	V	Pass
1**	2390.000	41.53	-10.27	54.0	12.47	AV	224.15	100	V	Pass

BLE-Bandedge -High channel- Horizontal –TX

Test result

Project Number: Test

Test Time: 2024-01-19_17.08.42

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.68	-9.82	74.0	22.32	Peak	207.24	100	H	Pass
1**	2483.500	42.25	-9.82	54.0	11.75	AV	207.24	100	H	Pass

BLE-Bandedge -High channel- Vertical –TX

Test result

Project Number: Test

Test Time: 2024-01-19_16.35.19

EUT Name: N.A

Test Engineer: ZY

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: TX


Temp.(oC): 20.5

Load: full load

Hum.: 45

Remark: DR-RSE01-E23100101-01#01

R/Emission Test case_FCC_Part 15C_FCC 15.247(2.4G)_bandedge 2400



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.59	-9.82	74.0	22.41	Peak	28.22	100	V	Pass
1**	2483.500	42.87	-9.82	54.0	11.13	AV	28.22	100	V	Pass