

Grandstream Networks, Inc.

126 Brookline Ave, 3rd Floor Boston, MA 02215. USA Tel : +1 (617) 566 - 9300 Fax: +1 (617) 249 - 1987

www.grandstream.com





GWN7700 & GWN7701

5&8-port Unmanaged Gigabit Switch


Quick Installation Guide



For Certification, Warranty and RMA information, please visit: www.grandstream.com



CONNECTION



LED indicator

Power	ON	Power ON
	OFF	Power OFF
Link/ Activity	ON	Link present but not activity
	OFF	No link
	Flashing	Transmitting/receiving data

The operation environment and peripheral

Operation Temperature: 0°C to 40°C Storage Temperature: -10°C to 60°C Humidity: 10% to 90% Non-condensing Adapter: Output: +5VDC, 0.6A, 3W, UL certified Ethernet port: 10/100/1000Mbps RJ-45 port Power Jack: 5V DC power port; UL Certified

Refer to online documents and FAQ for more detailed information: https://www.grandstream.com/our-products

U.S. FCC Part 15 Regulatory Information

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.

CAN ICES-003(B) / NMB-003(B)

If trouble is experienced with this equipment, please contact (Agent in the US): Company Name: Grandstream Networks, Inc. Address: 126 Brookline Ave, 3rd Floor Boston, MA 02215, USA Tel: 1-617-5669300 Fax: 1-617-2491987