

Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-29.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.29	-13	Pass	2986
30	500	0.1	Peak	410	-43.24	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.74	-13	N/A	5001
1000	10000	1	Peak	9587	-40.06	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-22.82	-13	Pass	2986
30	500	0.1	Peak	470.9	-43.07	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.79	-13	N/A	5001
1000	10000	1	Peak	9531	-40.25	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-29.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-21.81	-13	Pass	2986
30	500	0.1	Peak	271	-42.14	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.35	-13	N/A	5001
1000	10000	1	Peak	9525	-39.29	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.25	-13	Pass	401
0.15	30	0.01	Peak	0.48	-56.42	-13	Pass	2986
30	1000	0.1	Peak	461.1	-43.77	-13	Pass	9701
1000	3000	1	Peak	1850	29.87	-13	N/A	2001
3000	20000	1	Peak	19392	-35.5	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-60.44	-13	Pass	401
0.15	30	0.01	Peak	13.85	-56.66	-13	Pass	2986
30	1000	0.1	Peak	836.8	-44.44	-13	Pass	9701
1000	3000	1	Peak	1880	29.46	-13	N/A	2001
3000	20000	1	Peak	19765	-35.39	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.94	-13	Pass	401
0.15	30	0.01	Peak	25.32	-56.27	-13	Pass	2986
30	1000	0.1	Peak	886.925	-44.39	-13	Pass	9701
1000	3000	1	Peak	1910	28.72	-13	N/A	2001
3000	20000	1	Peak	19415	-35.35	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-28.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-20.91	-13	Pass	2986
30	500	0.1	Peak	428.5	-43.4	-13	Pass	4701
500	1000	0.1	Peak	824.3	26.21	-13	N/A	5001
1000	10000	1	Peak	8365	-40.25	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-30.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-21.89	-13	Pass	2986
30	500	0.1	Peak	489.6	-42.91	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.17	-13	N/A	5001
1000	10000	1	Peak	9958	-39.93	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-22.16	-13	Pass	2986
30	500	0.1	Peak	488.5	-42.71	-13	Pass	4701
500	1000	0.1	Peak	848.8	27.46	-13	N/A	5001
1000	10000	1	Peak	8388	-40.05	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.58	-13	Pass	401
0.15	30	0.01	Peak	1.57	-56.67	-13	Pass	2986
30	1000	0.1	Peak	875.417	-44.91	-13	Pass	9701
1000	3000	1	Peak	1850	28.71	-13	N/A	2001
3000	20000	1	Peak	19620	-35.39	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.18	-13	Pass	401
0.15	30	0.01	Peak	0.35	-57	-13	Pass	2986
30	1000	0.1	Peak	459.4	-44.59	-13	Pass	9701
1000	3000	1	Peak	1880	27.15	-13	N/A	2001
3000	20000	1	Peak	19788	-35.2	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.21	-13	Pass	401
0.15	30	0.01	Peak	0.6	-56.86	-13	Pass	2986
30	1000	0.1	Peak	919.146	-43.97	-13	Pass	9701
1000	3000	1	Peak	1910	28.88	-13	N/A	2001
3000	20000	1	Peak	19847	-34.67	-13	Pass	17003



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.02	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.29	-13	Pass	2986
30	1000	0.1	Peak	881.9	-51.32	-13	Pass	9701
1000	3000	1	Peak	1854	23.26	-13	N/A	2001
3000	20000	1	Peak	19755	-26.06	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-36.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.04	-13	Pass	2986
30	1000	0.1	Peak	839.1	-51.54	-13	Pass	9701
1000	3000	1	Peak	1879	22.98	-13	N/A	2001
3000	20000	1	Peak	19991	-25.37	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.94	-13	Pass	2986
30	1000	0.1	Peak	912	-50.2	-13	Pass	9701
1000	3000	1	Peak	1906	23.46	-13	N/A	2001
3000	20000	1	Peak	20000	-23.12	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28	-13	Pass	2986
30	1000	0.1	Peak	873.7	-51.5	-13	Pass	9701
1000	3000	1	Peak	1711	23.16	-13	N/A	2001
3000	20000	1	Peak	19982	-25.76	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-36.74	-13	Pass	401
0.15	30	0.01	Peak	0.16	-28.36	-13	Pass	2986
30	1000	0.1	Peak	964.4	-51.64	-13	Pass	9701
1000	3000	1	Peak	1734	23.59	-13	N/A	2001
3000	20000	1	Peak	20000	-25.18	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-36.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-25.6	-13	Pass	2986
30	1000	0.1	Peak	916.8	-50.94	-13	Pass	9701
1000	3000	1	Peak	1754	23.15	-13	N/A	2001
3000	20000	1	Peak	19998	-25.55	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-25.78	-13	Pass	2986
30	500	0.1	Peak	474.1	-53.58	-13	Pass	4701
500	1000	0.1	Peak	827.6	18.09	-13	N/A	5001
1000	10000	1	Peak	7757	-30.58	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.07	-13	Pass	401
0.15	30	0.01	Peak	0.17	-28.26	-13	Pass	2986
30	500	0.1	Peak	464.4	-53.04	-13	Pass	4701
500	1000	0.1	Peak	835.6	18.39	-13	N/A	5001
1000	10000	1	Peak	8168	-31.1	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-38.08	-13	Pass	401
0.15	30	0.01	Peak	0.17	-29.02	-13	Pass	2986
30	500	0.1	Peak	492.9	-52.68	-13	Pass	4701
500	1000	0.1	Peak	845.9	17.61	-13	N/A	5001
1000	10000	1	Peak	7724	-30.87	-13	Pass	9001



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.65	-13	Pass	2986
30	1000	0.1	RMS	919	-62.35	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1850.2	22.46	60	Pass	401
1920	3000	1	RMS	2646	-46.97	-13	Pass	1081
3000	12000	1	RMS	11851	-40.77	-13	Pass	9001
12000	20000	1	RMS	19994	-28.33	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.52	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.27	-13	Pass	9701
1000	1840	1	RMS	1839	-50.69	-13	Pass	841
1840	1920	1	RMS	1850.2	19.63	60	Pass	401
1920	3000	1	RMS	2649	-46.97	-13	Pass	1081
3000	12000	1	RMS	11951	-40.75	-13	Pass	9001
12000	20000	1	RMS	20000	-28.29	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-44.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.44	-13	Pass	2986
30	1000	0.1	RMS	894.1	-62.21	-13	Pass	9701
1000	1840	1	RMS	1836	-50.86	-13	Pass	841
1840	1920	1	RMS	1879.8	20.14	60	Pass	401
1920	3000	1	RMS	2654	-46.94	-13	Pass	1081
3000	12000	1	RMS	11960	-40.68	-13	Pass	9001
12000	20000	1	RMS	19996	-28.31	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.21	-13	Pass	2986
30	1000	0.1	RMS	924.5	-62.25	-13	Pass	9701
1000	1840	1	RMS	1829	-50.88	-13	Pass	841
1840	1920	1	RMS	1879.8	20.19	60	Pass	401
1920	3000	1	RMS	2649	-46.99	-13	Pass	1081
3000	12000	1	RMS	11842	-40.77	-13	Pass	9001
12000	20000	1	RMS	20000	-28.31	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.22	-13	Pass	2986
30	1000	0.1	RMS	936.3	-62.35	-13	Pass	9701
1000	1840	1	RMS	1838	-50.9	-13	Pass	841
1840	1920	1	RMS	1909.2	20.8	60	Pass	401
1920	3000	1	RMS	2650	-46.87	-13	Pass	1081
3000	12000	1	RMS	11960	-40.74	-13	Pass	9001
12000	20000	1	RMS	19996	-28.29	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.34	-13	Pass	2986
30	1000	0.1	RMS	912.8	-62.4	-13	Pass	9701
1000	1840	1	RMS	1835	-50.89	-13	Pass	841
1840	1920	1	RMS	1908.8	19.46	60	Pass	401
1920	3000	1	RMS	2647	-46.99	-13	Pass	1081
3000	12000	1	RMS	11956	-40.66	-13	Pass	9001
12000	20000	1	RMS	20000	-28.26	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.35	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.4	-13	Pass	9701
1000	1840	1	RMS	1840	-50.05	-13	Pass	841
1840	1920	1	RMS	1850	20.37	60	Pass	401
1920	3000	1	RMS	2654	-46.94	-13	Pass	1081
3000	12000	1	RMS	11854	-40.75	-13	Pass	9001
12000	20000	1	RMS	20000	-28.39	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.27	-13	Pass	2986
30	1000	0.1	RMS	901.7	-62.39	-13	Pass	9701
1000	1840	1	RMS	1840	-50.77	-13	Pass	841
1840	1920	1	RMS	1850.4	20.83	60	Pass	401
1920	3000	1	RMS	2648	-46.94	-13	Pass	1081
3000	12000	1	RMS	11945	-40.68	-13	Pass	9001
12000	20000	1	RMS	20000	-28.35	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.38	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.26	-13	Pass	9701
1000	1840	1	RMS	1834	-50.89	-13	Pass	841
1840	1920	1	RMS	1878.6	21.94	60	Pass	401
1920	3000	1	RMS	2652	-46.92	-13	Pass	1081
3000	12000	1	RMS	11858	-40.73	-13	Pass	9001
12000	20000	1	RMS	20000	-28.38	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.13	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.37	-13	Pass	9701
1000	1840	1	RMS	1836	-50.89	-13	Pass	841
1840	1920	1	RMS	1879	20.28	60	Pass	401
1920	3000	1	RMS	2650	-46.96	-13	Pass	1081
3000	12000	1	RMS	11962	-40.69	-13	Pass	9001
12000	20000	1	RMS	19992	-28.41	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.36	-13	Pass	2986
30	1000	0.1	RMS	918.1	-62.31	-13	Pass	9701
1000	1840	1	RMS	1834	-50.87	-13	Pass	841
1840	1920	1	RMS	1907.2	22.07	60	Pass	401
1920	3000	1	RMS	2657	-46.98	-13	Pass	1081
3000	12000	1	RMS	11968	-40.76	-13	Pass	9001
12000	20000	1	RMS	20000	-28.35	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.4	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.37	-13	Pass	9701
1000	1840	1	RMS	1837	-50.9	-13	Pass	841
1840	1920	1	RMS	1907.2	21.39	60	Pass	401
1920	3000	1	RMS	2652	-46.96	-13	Pass	1081
3000	12000	1	RMS	11868	-40.71	-13	Pass	9001
12000	20000	1	RMS	19999	-28.39	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.28	-13	Pass	2986
30	1000	0.1	RMS	959	-62.37	-13	Pass	9701
1000	1840	1	RMS	1840	-50.57	-13	Pass	841
1840	1920	1	RMS	1850.4	22.49	60	Pass	401
1920	3000	1	RMS	2651	-46.94	-13	Pass	1081
3000	12000	1	RMS	11950	-40.68	-13	Pass	9001
12000	20000	1	RMS	19998	-28.36	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.35	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1850.4	21.54	60	Pass	401
1920	3000	1	RMS	2654	-46.93	-13	Pass	1081
3000	12000	1	RMS	11953	-40.71	-13	Pass	9001
12000	20000	1	RMS	20000	-28.37	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.95	-13	Pass	2986
30	1000	0.1	RMS	911.4	-62.34	-13	Pass	9701
1000	1840	1	RMS	1839	-50.81	-13	Pass	841
1840	1920	1	RMS	1877.8	22.31	60	Pass	401
1920	3000	1	RMS	2653	-46.99	-13	Pass	1081
3000	12000	1	RMS	11959	-40.75	-13	Pass	9001
12000	20000	1	RMS	20000	-28.4	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.28	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.26	-13	Pass	9701
1000	1840	1	RMS	1827	-50.89	-13	Pass	841
1840	1920	1	RMS	1877.8	21.32	60	Pass	401
1920	3000	1	RMS	2641	-46.94	-13	Pass	1081
3000	12000	1	RMS	11844	-40.72	-13	Pass	9001
12000	20000	1	RMS	19995	-28.34	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.72	-13	Pass	2986
30	1000	0.1	RMS	890.7	-62.28	-13	Pass	9701
1000	1840	1	RMS	1836	-50.89	-13	Pass	841
1840	1920	1	RMS	1905.4	22.34	60	Pass	401
1920	3000	1	RMS	2656	-46.91	-13	Pass	1081
3000	12000	1	RMS	11949	-40.71	-13	Pass	9001
12000	20000	1	RMS	19999	-28.35	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.15	-13	Pass	2986
30	1000	0.1	RMS	916.1	-62.32	-13	Pass	9701
1000	1840	1	RMS	1836	-50.84	-13	Pass	841
1840	1920	1	RMS	1905.4	21.3	60	Pass	401
1920	3000	1	RMS	2647	-46.95	-13	Pass	1081
3000	12000	1	RMS	11949	-40.7	-13	Pass	9001
12000	20000	1	RMS	19997	-28.35	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.67	-13	Pass	2986
30	1000	0.1	RMS	932.4	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1850.6	22.44	60	Pass	401
1920	3000	1	RMS	2647	-46.95	-13	Pass	1081
3000	12000	1	RMS	11854	-40.77	-13	Pass	9001
12000	20000	1	RMS	19995	-28.37	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.24	-13	Pass	2986
30	1000	0.1	RMS	927.2	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	Pass	841
1840	1920	1	RMS	1850.6	21.66	60	Pass	401
1920	3000	1	RMS	2652	-46.9	-13	Pass	1081
3000	12000	1	RMS	11852	-40.69	-13	Pass	9001
12000	20000	1	RMS	19999	-28.32	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.63	-13	Pass	2986
30	1000	0.1	RMS	893.9	-62.32	-13	Pass	9701
1000	1840	1	RMS	1839	-50.91	-13	Pass	841
1840	1920	1	RMS	1875.8	21.73	60	Pass	401
1920	3000	1	RMS	2650	-46.98	-13	Pass	1081
3000	12000	1	RMS	11947	-40.58	-13	Pass	9001
12000	20000	1	RMS	19995	-28.36	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.61	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.18	-13	Pass	9701
1000	1840	1	RMS	1835	-50.95	-13	Pass	841
1840	1920	1	RMS	1875.8	20.69	60	Pass	401
1920	3000	1	RMS	2650	-46.92	-13	Pass	1081
3000	12000	1	RMS	11853	-40.69	-13	Pass	9001
12000	20000	1	RMS	19996	-28.33	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.17	-13	Pass	2986
30	1000	0.1	RMS	941.6	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.91	-13	Pass	841
1840	1920	1	RMS	1900.6	22.17	60	Pass	401
1920	3000	1	RMS	2647	-47	-13	Pass	1081
3000	12000	1	RMS	11945	-40.72	-13	Pass	9001
12000	20000	1	RMS	19997	-28.31	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.23	-13	Pass	2986
30	1000	0.1	RMS	941.3	-62.23	-13	Pass	9701
1000	1840	1	RMS	1839	-50.87	-13	Pass	841
1840	1920	1	RMS	1900.6	21.42	60	Pass	401
1920	3000	1	RMS	2652	-46.99	-13	Pass	1081
3000	12000	1	RMS	11930	-40.72	-13	Pass	9001
12000	20000	1	RMS	19998	-28.33	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.79	-13	Pass	2986
30	1000	0.1	RMS	938.9	-62.35	-13	Pass	9701
1000	1840	1	RMS	1838	-50.1	-13	Pass	841
1840	1920	1	RMS	1850.8	22.31	60	Pass	401
1920	3000	1	RMS	2651	-46.93	-13	Pass	1081
3000	12000	1	RMS	11948	-40.73	-13	Pass	9001
12000	20000	1	RMS	19999	-28.38	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.46	-13	Pass	2986
30	1000	0.1	RMS	891.5	-62.4	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1920	1	RMS	1850.8	21.72	60	Pass	401
1920	3000	1	RMS	2649	-46.96	-13	Pass	1081
3000	12000	1	RMS	11860	-40.73	-13	Pass	9001
12000	20000	1	RMS	19999	-28.38	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.7	-13	Pass	2986
30	1000	0.1	RMS	927.4	-62.37	-13	Pass	9701
1000	1840	1	RMS	1838	-50.77	-13	Pass	841
1840	1920	1	RMS	1873.4	22.11	60	Pass	401
1920	3000	1	RMS	2657	-46.98	-13	Pass	1081
3000	12000	1	RMS	11954	-40.71	-13	Pass	9001
12000	20000	1	RMS	19995	-28.37	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.77	-13	Pass	2986
30	1000	0.1	RMS	942.9	-62.44	-13	Pass	9701
1000	1840	1	RMS	1834	-50.92	-13	Pass	841
1840	1920	1	RMS	1873.4	21.31	60	Pass	401
1920	3000	1	RMS	2656	-47.01	-13	Pass	1081
3000	12000	1	RMS	11860	-40.66	-13	Pass	9001
12000	20000	1	RMS	19996	-28.24	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.82	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.34	-13	Pass	9701
1000	1840	1	RMS	1840	-50.91	-13	Pass	841
1840	1920	1	RMS	1895.8	22.12	60	Pass	401
1920	3000	1	RMS	2645	-46.95	-13	Pass	1081
3000	12000	1	RMS	11947	-40.74	-13	Pass	9001
12000	20000	1	RMS	20000	-28.31	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.09	-13	Pass	2986
30	1000	0.1	RMS	914.6	-62.26	-13	Pass	9701
1000	1840	1	RMS	1837	-50.91	-13	Pass	841
1840	1920	1	RMS	1895.8	21.45	60	Pass	401
1920	3000	1	RMS	2648	-46.95	-13	Pass	1081
3000	12000	1	RMS	11956	-40.68	-13	Pass	9001
12000	20000	1	RMS	19997	-28.29	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.1	-13	Pass	2986
30	1000	0.1	RMS	941.1	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1920	1	RMS	1851	22.23	60	Pass	401
1920	3000	1	RMS	2649	-46.98	-13	Pass	1081
3000	12000	1	RMS	11956	-40.64	-13	Pass	9001
12000	20000	1	RMS	19995	-28.34	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.66	-13	Pass	2986
30	1000	0.1	RMS	891.4	-62.36	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1851.2	21.27	60	Pass	401
1920	3000	1	RMS	2650	-46.97	-13	Pass	1081
3000	12000	1	RMS	11952	-40.75	-13	Pass	9001
12000	20000	1	RMS	19996	-28.41	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.43	-13	Pass	2986
30	1000	0.1	RMS	941.8	-62.41	-13	Pass	9701
1000	1840	1	RMS	1839	-50.85	-13	Pass	841
1840	1920	1	RMS	1871	22.23	60	Pass	401
1920	3000	1	RMS	2644	-46.92	-13	Pass	1081
3000	12000	1	RMS	11950	-40.74	-13	Pass	9001
12000	20000	1	RMS	19992	-28.5	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.1	-13	Pass	2986
30	1000	0.1	RMS	924.9	-62.47	-13	Pass	9701
1000	1840	1	RMS	1840	-50.94	-13	Pass	841
1840	1920	1	RMS	1871	21.11	60	Pass	401
1920	3000	1	RMS	2656	-47.02	-13	Pass	1081
3000	12000	1	RMS	11965	-40.79	-13	Pass	9001
12000	20000	1	RMS	19999	-28.46	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.63	-13	Pass	2986
30	1000	0.1	RMS	935.9	-62.34	-13	Pass	9701
1000	1840	1	RMS	1839	-50.93	-13	Pass	841
1840	1920	1	RMS	1891	21.96	60	Pass	401
1920	3000	1	RMS	2654	-47.03	-13	Pass	1081
3000	12000	1	RMS	11957	-40.84	-13	Pass	9001
12000	20000	1	RMS	20000	-28.46	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.12	-13	Pass	2986
30	1000	0.1	RMS	913.4	-62.39	-13	Pass	9701
1000	1840	1	RMS	1837	-50.97	-13	Pass	841
1840	1920	1	RMS	1891	21.34	60	Pass	401
1920	3000	1	RMS	2654	-46.99	-13	Pass	1081
3000	12000	1	RMS	11856	-40.88	-13	Pass	9001
12000	20000	1	RMS	19998	-28.52	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.12	-13	Pass	2986
30	1000	0.1	RMS	922.7	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1765	1	RMS	1710.238	22.44	60	Pass	401
1765	3000	1	RMS	2651	-46.99	-13	Pass	1236
3000	12000	1	RMS	11880	-40.85	-13	Pass	9001
12000	20000	1	RMS	20000	-28.37	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.36	-13	Pass	2986
30	1000	0.1	RMS	946.7	-62.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1765	1	RMS	1710.238	21.57	60	Pass	401
1765	3000	1	RMS	2651	-47.02	-13	Pass	1236
3000	12000	1	RMS	11956	-40.78	-13	Pass	9001
12000	20000	1	RMS	19996	-28.48	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.35	-13	Pass	2986
30	1000	0.1	RMS	918.2	-62.33	-13	Pass	9701
1000	1700	1	RMS	1694	-51.49	-13	Pass	701
1700	1765	1	RMS	1732.013	22.63	60	Pass	401
1765	3000	1	RMS	2657	-46.97	-13	Pass	1236
3000	12000	1	RMS	11945	-40.85	-13	Pass	9001
12000	20000	1	RMS	19995	-28.35	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.69	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.51	-13	Pass	701
1700	1765	1	RMS	1732.013	21.68	60	Pass	401
1765	3000	1	RMS	2657	-47.05	-13	Pass	1236
3000	12000	1	RMS	11848	-40.87	-13	Pass	9001
12000	20000	1	RMS	19999	-28.45	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.83	-13	Pass	2986
30	1000	0.1	RMS	926.2	-62.33	-13	Pass	9701
1000	1700	1	RMS	1693	-51.52	-13	Pass	701
1700	1765	1	RMS	1753.788	22.46	60	Pass	401
1765	3000	1	RMS	2648	-47	-13	Pass	1236
3000	12000	1	RMS	11928	-40.73	-13	Pass	9001
12000	20000	1	RMS	19998	-28.46	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.74	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.27	-13	Pass	9701
1000	1700	1	RMS	1699	-51.51	-13	Pass	701
1700	1765	1	RMS	1753.788	21.58	60	Pass	401
1765	3000	1	RMS	2654	-47.06	-13	Pass	1236
3000	12000	1	RMS	11844	-40.83	-13	Pass	9001
12000	20000	1	RMS	19999	-28.49	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.15	-13	Pass	2986
30	1000	0.1	RMS	937	-62.45	-13	Pass	9701
1000	1700	1	RMS	1700	-50.3	-13	Pass	701
1700	1765	1	RMS	1710.238	22.54	60	Pass	401
1765	3000	1	RMS	2656	-47.02	-13	Pass	1236
3000	12000	1	RMS	11945	-40.86	-13	Pass	9001
12000	20000	1	RMS	19998	-28.5	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.61	-13	Pass	2986
30	1000	0.1	RMS	938	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.29	-13	Pass	701
1700	1765	1	RMS	1710.238	21.58	60	Pass	401
1765	3000	1	RMS	2648	-47.02	-13	Pass	1236
3000	12000	1	RMS	11851	-40.82	-13	Pass	9001
12000	20000	1	RMS	19992	-28.47	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.81	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.48	-13	Pass	9701
1000	1700	1	RMS	1700	-51.48	-13	Pass	701
1700	1765	1	RMS	1731.2	22.48	60	Pass	401
1765	3000	1	RMS	2652	-46.98	-13	Pass	1236
3000	12000	1	RMS	11958	-40.83	-13	Pass	9001
12000	20000	1	RMS	19998	-28.43	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.01	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62.46	-13	Pass	9701
1000	1700	1	RMS	1695	-51.51	-13	Pass	701
1700	1765	1	RMS	1731.2	21.62	60	Pass	401
1765	3000	1	RMS	2651	-47.02	-13	Pass	1236
3000	12000	1	RMS	11921	-40.85	-13	Pass	9001
12000	20000	1	RMS	19990	-28.44	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.32	-13	Pass	2986
30	1000	0.1	RMS	933	-62.22	-13	Pass	9701
1000	1700	1	RMS	1695	-51.53	-13	Pass	701
1700	1765	1	RMS	1752.163	22.39	60	Pass	401
1765	3000	1	RMS	2651	-47	-13	Pass	1236
3000	12000	1	RMS	11969	-40.85	-13	Pass	9001
12000	20000	1	RMS	20000	-28.42	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.43	-13	Pass	2986
30	1000	0.1	RMS	943.9	-62.22	-13	Pass	9701
1000	1700	1	RMS	1689	-51.52	-13	Pass	701
1700	1765	1	RMS	1752.163	21.43	60	Pass	401
1765	3000	1	RMS	2651	-46.99	-13	Pass	1236
3000	12000	1	RMS	11851	-40.81	-13	Pass	9001
12000	20000	1	RMS	20000	-28.42	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.56	-13	Pass	2986
30	1000	0.1	RMS	918.3	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1765	1	RMS	1710.4	22.44	60	Pass	401
1765	3000	1	RMS	2652	-47.02	-13	Pass	1236
3000	12000	1	RMS	11935	-40.81	-13	Pass	9001
12000	20000	1	RMS	19998	-28.45	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.42	-13	Pass	2986
30	1000	0.1	RMS	940.9	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1765	1	RMS	1710.4	21.5	60	Pass	401
1765	3000	1	RMS	2643	-46.97	-13	Pass	1236
3000	12000	1	RMS	11937	-40.78	-13	Pass	9001
12000	20000	1	RMS	19999	-28.48	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.25	-13	Pass	2986
30	1000	0.1	RMS	946	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	Pass	701
1700	1765	1	RMS	1730.388	22.48	60	Pass	401
1765	3000	1	RMS	2651	-47	-13	Pass	1236
3000	12000	1	RMS	11955	-40.82	-13	Pass	9001
12000	20000	1	RMS	19995	-28.45	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-34.56	-13	Pass	2986
30	1000	0.1	RMS	957.5	-62.25	-13	Pass	9701
1000	1700	1	RMS	1585	-51.47	-13	Pass	701
1700	1765	1	RMS	1730.388	21.5	60	Pass	401
1765	3000	1	RMS	2661	-47	-13	Pass	1236
3000	12000	1	RMS	11840	-40.79	-13	Pass	9001
12000	20000	1	RMS	19992	-28.53	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.17	-13	Pass	2986
30	1000	0.1	RMS	912.1	-62.5	-13	Pass	9701
1000	1700	1	RMS	1586	-51.47	-13	Pass	701
1700	1765	1	RMS	1750.375	22.49	60	Pass	401
1765	3000	1	RMS	2653	-47.04	-13	Pass	1236
3000	12000	1	RMS	11957	-40.82	-13	Pass	9001
12000	20000	1	RMS	20000	-28.4	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-43.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.86	-13	Pass	2986
30	1000	0.1	RMS	890.3	-62.47	-13	Pass	9701
1000	1700	1	RMS	1638	-51.53	-13	Pass	701
1700	1765	1	RMS	1750.375	21.65	60	Pass	401
1765	3000	1	RMS	2652	-46.99	-13	Pass	1236
3000	12000	1	RMS	11850	-40.85	-13	Pass	9001
12000	20000	1	RMS	19997	-28.48	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.26	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.563	22.41	60	Pass	401
1765	3000	1	RMS	2653	-47.05	-13	Pass	1236
3000	12000	1	RMS	11931	-40.83	-13	Pass	9001
12000	20000	1	RMS	20000	-28.51	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.69	-13	Pass	2986
30	1000	0.1	RMS	924.3	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1710.563	21.58	60	Pass	401
1765	3000	1	RMS	2652	-47.01	-13	Pass	1236
3000	12000	1	RMS	11942	-40.84	-13	Pass	9001
12000	20000	1	RMS	19999	-28.46	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.24	-13	Pass	2986
30	1000	0.1	RMS	972.2	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	Pass	701
1700	1765	1	RMS	1728.113	22.53	60	Pass	401
1765	3000	1	RMS	2651	-47.02	-13	Pass	1236
3000	12000	1	RMS	11844	-40.82	-13	Pass	9001
12000	20000	1	RMS	19996	-28.45	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.14	-13	Pass	2986
30	1000	0.1	RMS	916.9	-62.4	-13	Pass	9701
1000	1700	1	RMS	1696	-51.51	-13	Pass	701
1700	1765	1	RMS	1728.113	21.53	60	Pass	401
1765	3000	1	RMS	2652	-47.05	-13	Pass	1236
3000	12000	1	RMS	11951	-40.8	-13	Pass	9001
12000	20000	1	RMS	19999	-28.49	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.35	-13	Pass	2986
30	1000	0.1	RMS	934	-62.37	-13	Pass	9701
1000	1700	1	RMS	1698	-51.52	-13	Pass	701
1700	1765	1	RMS	1745.663	22.34	60	Pass	401
1765	3000	1	RMS	2656	-47	-13	Pass	1236
3000	12000	1	RMS	11947	-40.78	-13	Pass	9001
12000	20000	1	RMS	19999	-28.36	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.78	-13	Pass	2986
30	1000	0.1	RMS	910.8	-62.32	-13	Pass	9701
1000	1700	1	RMS	1670	-51.54	-13	Pass	701
1700	1765	1	RMS	1745.663	21.6	60	Pass	401
1765	3000	1	RMS	2651	-47.06	-13	Pass	1236
3000	12000	1	RMS	11951	-40.79	-13	Pass	9001
12000	20000	1	RMS	19993	-28.44	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.28	-13	Pass	2986
30	1000	0.1	RMS	958.6	-62.45	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1765	1	RMS	1710.888	22.21	60	Pass	401
1765	3000	1	RMS	2654	-47.01	-13	Pass	1236
3000	12000	1	RMS	11956	-40.87	-13	Pass	9001
12000	20000	1	RMS	19999	-28.4	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.21	-13	Pass	2986
30	1000	0.1	RMS	940.8	-62.3	-13	Pass	9701
1000	1700	1	RMS	1698	-51.17	-13	Pass	701
1700	1765	1	RMS	1710.888	21.44	60	Pass	401
1765	3000	1	RMS	2646	-47.03	-13	Pass	1236
3000	12000	1	RMS	11851	-40.81	-13	Pass	9001
12000	20000	1	RMS	19995	-28.43	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.22	-13	Pass	2986
30	1000	0.1	RMS	943.3	-62.44	-13	Pass	9701
1000	1700	1	RMS	1697	-51.45	-13	Pass	701
1700	1765	1	RMS	1725.838	22.35	60	Pass	401
1765	3000	1	RMS	2651	-47.02	-13	Pass	1236
3000	12000	1	RMS	11960	-40.84	-13	Pass	9001
12000	20000	1	RMS	20000	-28.46	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.59	-13	Pass	2986
30	1000	0.1	RMS	934.2	-62.41	-13	Pass	9701
1000	1700	1	RMS	1697	-51.43	-13	Pass	701
1700	1765	1	RMS	1725.838	21.54	60	Pass	401
1765	3000	1	RMS	2646	-47.05	-13	Pass	1236
3000	12000	1	RMS	11935	-40.86	-13	Pass	9001
12000	20000	1	RMS	20000	-28.52	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.19	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.43	-13	Pass	9701
1000	1700	1	RMS	1611	-51.52	-13	Pass	701
1700	1765	1	RMS	1740.625	20.7	60	Pass	401
1765	3000	1	RMS	2649	-47	-13	Pass	1236
3000	12000	1	RMS	11873	-40.81	-13	Pass	9001
12000	20000	1	RMS	19997	-28.48	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.27	-13	Pass	2986
30	1000	0.1	RMS	909.4	-62.39	-13	Pass	9701
1000	1700	1	RMS	1697	-51.53	-13	Pass	701
1700	1765	1	RMS	1740.95	21.19	60	Pass	401
1765	3000	1	RMS	2650	-47.04	-13	Pass	1236
3000	12000	1	RMS	11971	-40.77	-13	Pass	9001
12000	20000	1	RMS	19995	-28.44	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.91	-13	Pass	2986
30	1000	0.1	RMS	953.3	-62.42	-13	Pass	9701
1000	1700	1	RMS	1700	-51.09	-13	Pass	701
1700	1765	1	RMS	1711.05	22.37	60	Pass	401
1765	3000	1	RMS	2654	-46.96	-13	Pass	1236
3000	12000	1	RMS	11938	-40.88	-13	Pass	9001
12000	20000	1	RMS	19992	-28.45	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.65	-13	Pass	2986
30	1000	0.1	RMS	944.3	-62.33	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1765	1	RMS	1710.725	19.81	60	Pass	401
1765	3000	1	RMS	2646	-47.04	-13	Pass	1236
3000	12000	1	RMS	11958	-40.85	-13	Pass	9001
12000	20000	1	RMS	20000	-28.42	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.48	-13	Pass	2986
30	1000	0.1	RMS	963.1	-62.29	-13	Pass	9701
1000	1700	1	RMS	1696	-51.15	-13	Pass	701
1700	1765	1	RMS	1723.888	20.56	60	Pass	401
1765	3000	1	RMS	2649	-47.01	-13	Pass	1236
3000	12000	1	RMS	11853	-40.84	-13	Pass	9001
12000	20000	1	RMS	20000	-28.44	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.86	-13	Pass	2986
30	1000	0.1	RMS	948.7	-62.38	-13	Pass	9701
1000	1700	1	RMS	1651	-51.49	-13	Pass	701
1700	1765	1	RMS	1723.725	20.96	60	Pass	401
1765	3000	1	RMS	2652	-47.06	-13	Pass	1236
3000	12000	1	RMS	11943	-40.85	-13	Pass	9001
12000	20000	1	RMS	19999	-28.43	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.79	-13	Pass	2986
30	1000	0.1	RMS	945.3	-62.4	-13	Pass	9701
1000	1700	1	RMS	1695	-51.52	-13	Pass	701
1700	1765	1	RMS	1736.238	21.15	60	Pass	401
1765	3000	1	RMS	2654	-47.04	-13	Pass	1236
3000	12000	1	RMS	11963	-40.77	-13	Pass	9001
12000	20000	1	RMS	19999	-28.43	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.38	-13	Pass	2986
30	1000	0.1	RMS	946.1	-62.35	-13	Pass	9701
1000	1700	1	RMS	1603	-51.53	-13	Pass	701
1700	1765	1	RMS	1736.238	20.51	60	Pass	401
1765	3000	1	RMS	2655	-47.06	-13	Pass	1236
3000	12000	1	RMS	11940	-40.86	-13	Pass	9001
12000	20000	1	RMS	19997	-28.46	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.33	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.06	-13	Pass	7841
814	860	0.1	RMS	824.2	20.38	60	Pass	461
860	1000	0.1	RMS	929.6	-62.53	-13	Pass	1401
1000	3000	1	RMS	2648	-46.99	-13	Pass	2001
3000	10000	1	RMS	7732	-42.52	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.33	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.23	-13	Pass	7841
814	860	0.1	RMS	824.3	19.36	60	Pass	461
860	1000	0.1	RMS	932.5	-62.62	-13	Pass	1401
1000	3000	1	RMS	2651	-46.96	-13	Pass	2001
3000	10000	1	RMS	7737	-42.46	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.46	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.58	-13	Pass	7841
814	860	0.1	RMS	836	20.26	60	Pass	461
860	1000	0.1	RMS	898.3	-62.66	-13	Pass	1401
1000	3000	1	RMS	2648	-46.98	-13	Pass	2001
3000	10000	1	RMS	7738	-42.58	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.23	-13	Pass	2986
30	814	0.1	RMS	798.8	-62.67	-13	Pass	7841
814	860	0.1	RMS	836.1	19.29	60	Pass	461
860	1000	0.1	RMS	913.7	-62.57	-13	Pass	1401
1000	3000	1	RMS	2655	-47	-13	Pass	2001
3000	10000	1	RMS	7740	-42.54	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.18	-13	Pass	2986
30	814	0.1	RMS	788.5	-62.63	-13	Pass	7841
814	860	0.1	RMS	847.8	20.27	60	Pass	461
860	1000	0.1	RMS	935.6	-62.69	-13	Pass	1401
1000	3000	1	RMS	2652	-47	-13	Pass	2001
3000	10000	1	RMS	7742	-42.57	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.5	-13	Pass	2986
30	814	0.1	RMS	778.5	-62.62	-13	Pass	7841
814	860	0.1	RMS	847.9	19.28	60	Pass	461
860	1000	0.1	RMS	940.3	-62.71	-13	Pass	1401
1000	3000	1	RMS	2651	-47.05	-13	Pass	2001
3000	10000	1	RMS	7737	-42.6	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-42.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.79	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.17	-13	Pass	7841
814	860	0.1	RMS	824.2	20.25	60	Pass	461
860	1000	0.1	RMS	931.9	-62.48	-13	Pass	1401
1000	3000	1	RMS	2652	-47.03	-13	Pass	2001
3000	10000	1	RMS	7732	-42.46	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.32	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.36	-13	Pass	7841
814	860	0.1	RMS	824.2	19.29	60	Pass	461
860	1000	0.1	RMS	937.1	-62.69	-13	Pass	1401
1000	3000	1	RMS	2657	-47.05	-13	Pass	2001
3000	10000	1	RMS	7752	-42.58	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.55	-13	Pass	2986
30	814	0.1	RMS	807.1	-62.64	-13	Pass	7841
814	860	0.1	RMS	835.2	20.47	60	Pass	461
860	1000	0.1	RMS	945.7	-62.58	-13	Pass	1401
1000	3000	1	RMS	2657	-47	-13	Pass	2001
3000	10000	1	RMS	7734	-42.57	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.02	-13	Pass	2986
30	814	0.1	RMS	810	-62.49	-13	Pass	7841
814	860	0.1	RMS	835.2	19.68	60	Pass	461
860	1000	0.1	RMS	923	-62.7	-13	Pass	1401
1000	3000	1	RMS	2652	-47.02	-13	Pass	2001
3000	10000	1	RMS	7726	-42.5	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.82	-13	Pass	2986
30	814	0.1	RMS	800.3	-62.59	-13	Pass	7841
814	860	0.1	RMS	846.2	20.42	60	Pass	461
860	1000	0.1	RMS	955	-62.54	-13	Pass	1401
1000	3000	1	RMS	2648	-47.01	-13	Pass	2001
3000	10000	1	RMS	7743	-42.54	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.58	-13	Pass	2986
30	814	0.1	RMS	811.5	-62.59	-13	Pass	7841
814	860	0.1	RMS	846.2	19.51	60	Pass	461
860	1000	0.1	RMS	930.7	-62.54	-13	Pass	1401
1000	3000	1	RMS	2657	-46.99	-13	Pass	2001
3000	10000	1	RMS	7731	-42.57	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.57	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.16	-13	Pass	7841
814	860	0.1	RMS	824.3	20.42	60	Pass	461
860	1000	0.1	RMS	917.4	-62.72	-13	Pass	1401
1000	3000	1	RMS	2648	-46.98	-13	Pass	2001
3000	10000	1	RMS	7746	-42.52	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.13	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.45	-13	Pass	7841
814	860	0.1	RMS	824.3	19.43	60	Pass	461
860	1000	0.1	RMS	952	-62.77	-13	Pass	1401
1000	3000	1	RMS	2653	-47.02	-13	Pass	2001
3000	10000	1	RMS	7733	-42.52	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.46	-13	Pass	2986
30	814	0.1	RMS	810.1	-62.62	-13	Pass	7841
814	860	0.1	RMS	834.3	20.4	60	Pass	461
860	1000	0.1	RMS	916.6	-62.58	-13	Pass	1401
1000	3000	1	RMS	2650	-46.99	-13	Pass	2001
3000	10000	1	RMS	9541	-42.58	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.53	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.59	-13	Pass	7841
814	860	0.1	RMS	834.3	19.82	60	Pass	461
860	1000	0.1	RMS	933.2	-62.61	-13	Pass	1401
1000	3000	1	RMS	2655	-46.99	-13	Pass	2001
3000	10000	1	RMS	9541	-42.51	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.1	-13	Pass	2986
30	814	0.1	RMS	779.6	-62.65	-13	Pass	7841
814	860	0.1	RMS	844.3	20.39	60	Pass	461
860	1000	0.1	RMS	927.5	-62.53	-13	Pass	1401
1000	3000	1	RMS	2651	-47.01	-13	Pass	2001
3000	10000	1	RMS	7748	-42.58	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.12	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.55	-13	Pass	7841
814	860	0.1	RMS	844.3	19.64	60	Pass	461
860	1000	0.1	RMS	927.3	-62.61	-13	Pass	1401
1000	3000	1	RMS	2658	-47.03	-13	Pass	2001
3000	10000	1	RMS	7738	-42.55	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.78	-13	Pass	2986
30	814	0.1	RMS	812	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.6	20.89	60	Pass	461
860	1000	0.1	RMS	906.3	-62.53	-13	Pass	1401
1000	3000	1	RMS	2651	-46.98	-13	Pass	2001
3000	10000	1	RMS	7747	-42.56	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.71	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.32	-13	Pass	7841
814	860	0.1	RMS	824.6	20.02	60	Pass	461
860	1000	0.1	RMS	968.3	-62.74	-13	Pass	1401
1000	3000	1	RMS	2653	-47.02	-13	Pass	2001
3000	10000	1	RMS	7735	-42.58	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-43.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.24	-13	Pass	2986
30	814	0.1	RMS	792.6	-62.56	-13	Pass	7841
814	860	0.1	RMS	832.1	20.9	60	Pass	461
860	1000	0.1	RMS	923.3	-62.64	-13	Pass	1401
1000	3000	1	RMS	2656	-47	-13	Pass	2001
3000	10000	1	RMS	7747	-42.52	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.79	-13	Pass	2986
30	814	0.1	RMS	807.8	-62.54	-13	Pass	7841
814	860	0.1	RMS	832.1	20.02	60	Pass	461
860	1000	0.1	RMS	911.8	-62.62	-13	Pass	1401
1000	3000	1	RMS	2653	-47.03	-13	Pass	2001
3000	10000	1	RMS	7736	-42.61	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.31	-13	Pass	2986
30	814	0.1	RMS	807.9	-62.62	-13	Pass	7841
814	860	0.1	RMS	839.6	20.9	60	Pass	461
860	1000	0.1	RMS	940.4	-62.56	-13	Pass	1401
1000	3000	1	RMS	2652	-47	-13	Pass	2001
3000	10000	1	RMS	7728	-42.51	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.54	-13	Pass	2986
30	814	0.1	RMS	806.1	-62.62	-13	Pass	7841
814	860	0.1	RMS	839.6	20.06	60	Pass	461
860	1000	0.1	RMS	935.5	-62.66	-13	Pass	1401
1000	3000	1	RMS	2654	-47.01	-13	Pass	2001
3000	10000	1	RMS	7755	-42.59	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.73	-25	Pass	2986
30	1000	0.1	RMS	947.9	-62.44	-25	Pass	9701
1000	2490	1	RMS	2490	-46.41	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.5	60	Pass	401
2580	3000	1	RMS	2650	-47.02	-25	Pass	421
3000	12000	1	RMS	11843	-64.23	-25	Pass	9001
12000	26000	1	RMS	25015	-46.35	-25	Pass	14001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.17	-25	Pass	2986
30	1000	0.1	RMS	929	-62.35	-25	Pass	9701
1000	2490	1	RMS	2490	-46.94	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.43	60	Pass	401
2580	3000	1	RMS	2648	-47.07	-25	Pass	421
3000	12000	1	RMS	11849	-64.24	-25	Pass	9001
12000	26000	1	RMS	25009	-41.68	-25	Pass	14001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.66	-25	Pass	2986
30	1000	0.1	RMS	913.5	-62.33	-25	Pass	9701
1000	2490	1	RMS	2482	-48.09	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.22	60	Pass	401
2580	3000	1	RMS	2584	-44.45	-25	Pass	421
3000	12000	1	RMS	11850	-64.26	-25	Pass	9001
12000	26000	1	RMS	25013	-41.65	-25	Pass	14001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.6	-25	Pass	2986
30	1000	0.1	RMS	950.8	-62.42	-25	Pass	9701
1000	2490	1	RMS	2490	-48.12	-25	Pass	1491
2490	2580	1	RMS	2532.975	21.29	60	Pass	401
2580	3000	1	RMS	2584	-45.55	-25	Pass	421
3000	12000	1	RMS	11845	-64.26	-25	Pass	9001
12000	26000	1	RMS	25017	-41.71	-25	Pass	14001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.73	-25	Pass	2986
30	1000	0.1	RMS	906.8	-62.43	-25	Pass	9701
1000	2490	1	RMS	2489	-48.15	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.46	60	Pass	401
2580	3000	1	RMS	2653	-47.03	-25	Pass	421
3000	12000	1	RMS	11860	-64.19	-25	Pass	9001
12000	26000	1	RMS	25016	-41.64	-25	Pass	14001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.49	-25	Pass	2986
30	1000	0.1	RMS	903.9	-62.33	-25	Pass	9701
1000	2490	1	RMS	2486	-48.21	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.58	60	Pass	401
2580	3000	1	RMS	2650	-47.07	-25	Pass	421
3000	12000	1	RMS	11845	-64.21	-25	Pass	9001
12000	26000	1	RMS	25014	-41.75	-25	Pass	14001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.94	-25	Pass	2986
30	1000	0.1	RMS	903.7	-62.32	-25	Pass	9701
1000	2490	1	RMS	2490	-46.87	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.4	60	Pass	401
2580	3000	1	RMS	2652	-47.04	-25	Pass	421
3000	12000	1	RMS	11854	-64.27	-25	Pass	9001
12000	26000	1	RMS	25014	-41.67	-25	Pass	14001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.56	-25	Pass	2986
30	1000	0.1	RMS	916.9	-62.47	-25	Pass	9701
1000	2490	1	RMS	2490	-47.33	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.54	60	Pass	401
2580	3000	1	RMS	2651	-47.05	-25	Pass	421
3000	12000	1	RMS	11848	-64.29	-25	Pass	9001
12000	26000	1	RMS	25010	-41.73	-25	Pass	14001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.91	-25	Pass	2986
30	1000	0.1	RMS	925.3	-62.37	-25	Pass	9701
1000	2490	1	RMS	2480	-48.13	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.24	60	Pass	401
2580	3000	1	RMS	2582	-43.9	-25	Pass	421
3000	12000	1	RMS	11852	-64.21	-25	Pass	9001
12000	26000	1	RMS	25012	-41.71	-25	Pass	14001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.1	-25	Pass	2986
30	1000	0.1	RMS	943.2	-62.38	-25	Pass	9701
1000	2490	1	RMS	2489	-48.19	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.56	60	Pass	401
2580	3000	1	RMS	2582	-44.26	-25	Pass	421
3000	12000	1	RMS	11847	-64.23	-25	Pass	9001
12000	26000	1	RMS	25011	-41.49	-25	Pass	14001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.99	-25	Pass	2986
30	1000	0.1	RMS	925.8	-62.38	-25	Pass	9701
1000	2490	1	RMS	2485	-48.24	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.25	60	Pass	401
2580	3000	1	RMS	2652	-47.07	-25	Pass	421
3000	12000	1	RMS	11848	-64.25	-25	Pass	9001
12000	26000	1	RMS	25014	-41.68	-25	Pass	14001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.88	-25	Pass	2986
30	1000	0.1	RMS	952.4	-62.31	-25	Pass	9701
1000	2490	1	RMS	2488	-48.24	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.41	60	Pass	401
2580	3000	1	RMS	2649	-47.05	-25	Pass	421
3000	12000	1	RMS	11853	-64.27	-25	Pass	9001
12000	26000	1	RMS	25013	-41.68	-25	Pass	14001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-35.58	-25	Pass	2986
30	1000	0.1	RMS	931.1	-62.39	-25	Pass	9701
1000	2490	1	RMS	2490	-46.84	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.96	60	Pass	401
2580	3000	1	RMS	2658	-47.07	-25	Pass	421
3000	12000	1	RMS	11849	-64.25	-25	Pass	9001
12000	26000	1	RMS	25012	-41.61	-25	Pass	14001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-35.14	-25	Pass	2986
30	1000	0.1	RMS	947.3	-62.36	-25	Pass	9701
1000	2490	1	RMS	2490	-47.23	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.26	60	Pass	401
2580	3000	1	RMS	2650	-47.08	-25	Pass	421
3000	12000	1	RMS	11844	-64.24	-25	Pass	9001
12000	26000	1	RMS	25012	-41.61	-25	Pass	14001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.58	-25	Pass	2986
30	1000	0.1	RMS	932.6	-62.43	-25	Pass	9701
1000	2490	1	RMS	2489	-48.16	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.17	60	Pass	401
2580	3000	1	RMS	2580	-44.35	-25	Pass	421
3000	12000	1	RMS	11844	-64.21	-25	Pass	9001
12000	26000	1	RMS	25010	-41.66	-25	Pass	14001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.64	-25	Pass	2986
30	1000	0.1	RMS	920.3	-62.27	-25	Pass	9701
1000	2490	1	RMS	2490	-48.2	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.23	60	Pass	401
2580	3000	1	RMS	2580	-44.65	-25	Pass	421
3000	12000	1	RMS	11854	-64.24	-25	Pass	9001
12000	26000	1	RMS	25009	-41.68	-25	Pass	14001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.63	-25	Pass	2986
30	1000	0.1	RMS	920.2	-62.36	-25	Pass	9701
1000	2490	1	RMS	2489	-48.19	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.11	60	Pass	401
2595	3000	1	RMS	2651	-47.05	-25	Pass	406
3000	12000	1	RMS	11862	-64.26	-25	Pass	9001
12000	26000	1	RMS	25005	-41.69	-25	Pass	14001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.67	-25	Pass	2986
30	1000	0.1	RMS	931.7	-62.24	-25	Pass	9701
1000	2490	1	RMS	2488	-48.34	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.27	60	Pass	401
2595	3000	1	RMS	2648	-47.09	-25	Pass	406
3000	12000	1	RMS	11856	-64.23	-25	Pass	9001
12000	26000	1	RMS	25009	-41.68	-25	Pass	14001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.09	-25	Pass	2986
30	1000	0.1	RMS	921.5	-62.35	-25	Pass	9701
1000	2490	1	RMS	2490	-46.75	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.07	60	Pass	401
2580	3000	1	RMS	2653	-47.04	-25	Pass	421
3000	12000	1	RMS	11858	-64.15	-25	Pass	9001
12000	26000	1	RMS	25011	-41.7	-25	Pass	14001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35	-25	Pass	2986
30	1000	0.1	RMS	935.3	-62.47	-25	Pass	9701
1000	2490	1	RMS	2490	-47.29	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.24	60	Pass	401
2580	3000	1	RMS	2655	-47.06	-25	Pass	421
3000	12000	1	RMS	11854	-64.2	-25	Pass	9001
12000	26000	1	RMS	25013	-41.67	-25	Pass	14001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.59	-25	Pass	2986
30	1000	0.1	RMS	919.8	-62.34	-25	Pass	9701
1000	2490	1	RMS	2489	-47.99	-25	Pass	1491
2490	2580	1	RMS	2526	21.91	60	Pass	401
2580	3000	1	RMS	2651	-47.07	-25	Pass	421
3000	12000	1	RMS	11855	-64.25	-25	Pass	9001
12000	26000	1	RMS	25010	-41.7	-25	Pass	14001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.52	-25	Pass	2986
30	1000	0.1	RMS	941.3	-62.38	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2580	1	RMS	2526	21.13	60	Pass	401
2580	3000	1	RMS	2651	-47.04	-25	Pass	421
3000	12000	1	RMS	11860	-64.19	-25	Pass	9001
12000	26000	1	RMS	25009	-41.67	-25	Pass	14001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.37	-25	Pass	2986
30	1000	0.1	RMS	923.3	-62.41	-25	Pass	9701
1000	2490	1	RMS	2490	-48.29	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.04	60	Pass	401
2595	3000	1	RMS	2649	-47.07	-25	Pass	406
3000	12000	1	RMS	11870	-64.21	-25	Pass	9001
12000	26000	1	RMS	25015	-41.69	-25	Pass	14001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.21	-25	Pass	2986
30	1000	0.1	RMS	950.9	-62.41	-25	Pass	9701
1000	2490	1	RMS	2490	-48.28	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.19	60	Pass	401
2595	3000	1	RMS	2655	-47.06	-25	Pass	406
3000	12000	1	RMS	11849	-64.28	-25	Pass	9001
12000	26000	1	RMS	25009	-41.64	-25	Pass	14001



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.48	-13	Pass	2986
30	689	0.1	RMS	687	-63.54	-13	Pass	6591
689	726	0.1	RMS	699.268	20.67	60	Pass	401
726	1000	0.1	RMS	931.6	-62.19	-13	Pass	2741
1000	3000	1	RMS	2653	-46.99	-13	Pass	2001
3000	10000	1	RMS	7730	-42.54	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.93	-13	Pass	2986
30	689	0.1	RMS	688.3	-63.58	-13	Pass	6591
689	726	0.1	RMS	699.268	19.79	60	Pass	401
726	1000	0.1	RMS	890.3	-62.47	-13	Pass	2741
1000	3000	1	RMS	2651	-46.93	-13	Pass	2001
3000	10000	1	RMS	7743	-42.55	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.17	-13	Pass	2986
30	689	0.1	RMS	686.5	-63.53	-13	Pass	6591
689	726	0.1	RMS	707.038	20.62	60	Pass	401
726	1000	0.1	RMS	937.1	-62.26	-13	Pass	2741
1000	3000	1	RMS	2645	-47	-13	Pass	2001
3000	10000	1	RMS	7737	-42.53	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.05	-13	Pass	2986
30	689	0.1	RMS	684.7	-63.61	-13	Pass	6591
689	726	0.1	RMS	707.038	19.81	60	Pass	401
726	1000	0.1	RMS	938.7	-62.21	-13	Pass	2741
1000	3000	1	RMS	2643	-47	-13	Pass	2001
3000	10000	1	RMS	7735	-42.45	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.58	-13	Pass	2986
30	689	0.1	RMS	520.9	-63.54	-13	Pass	6591
689	726	0.1	RMS	714.808	20.21	60	Pass	401
726	1000	0.1	RMS	930.4	-62.34	-13	Pass	2741
1000	3000	1	RMS	2643	-47.02	-13	Pass	2001
3000	10000	1	RMS	7733	-42.56	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.85	-13	Pass	2986
30	689	0.1	RMS	535.9	-63.74	-13	Pass	6591
689	726	0.1	RMS	714.808	19.19	60	Pass	401
726	1000	0.1	RMS	961.8	-62.18	-13	Pass	2741
1000	3000	1	RMS	2646	-47.02	-13	Pass	2001
3000	10000	1	RMS	7731	-42.56	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.38	-13	Pass	2986
30	689	0.1	RMS	669.2	-63.51	-13	Pass	6591
689	726	0.1	RMS	699.268	20.48	60	Pass	401
726	1000	0.1	RMS	914.5	-62.27	-13	Pass	2741
1000	3000	1	RMS	2653	-46.97	-13	Pass	2001
3000	10000	1	RMS	9547	-42.55	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-43.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.32	-13	Pass	2986
30	689	0.1	RMS	513.1	-63.63	-13	Pass	6591
689	726	0.1	RMS	699.268	19.71	60	Pass	401
726	1000	0.1	RMS	920.8	-62.42	-13	Pass	2741
1000	3000	1	RMS	2651	-47.04	-13	Pass	2001
3000	10000	1	RMS	9546	-42.57	-13	Pass	7001



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.39	-13	Pass	2986
30	689	0.1	RMS	517	-63.61	-13	Pass	6591
689	726	0.1	RMS	706.205	20.35	60	Pass	401
726	1000	0.1	RMS	926.6	-62.32	-13	Pass	2741
1000	3000	1	RMS	2649	-47	-13	Pass	2001
3000	10000	1	RMS	7728	-42.55	-13	Pass	7001



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.86	-13	Pass	2986
30	689	0.1	RMS	675.7	-63.64	-13	Pass	6591
689	726	0.1	RMS	706.205	19.44	60	Pass	401
726	1000	0.1	RMS	955.1	-62.42	-13	Pass	2741
1000	3000	1	RMS	2652	-47.03	-13	Pass	2001
3000	10000	1	RMS	9546	-42.53	-13	Pass	7001



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.14	-13	Pass	2986
30	689	0.1	RMS	515.8	-63.56	-13	Pass	6591
689	726	0.1	RMS	713.235	20.59	60	Pass	401
726	1000	0.1	RMS	927	-62.34	-13	Pass	2741
1000	3000	1	RMS	2653	-47	-13	Pass	2001
3000	10000	1	RMS	7741	-42.45	-13	Pass	7001



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.97	-13	Pass	2986
30	689	0.1	RMS	511.4	-63.56	-13	Pass	6591
689	726	0.1	RMS	713.235	19.92	60	Pass	401
726	1000	0.1	RMS	945.4	-62.27	-13	Pass	2741
1000	3000	1	RMS	2648	-47.03	-13	Pass	2001
3000	10000	1	RMS	7736	-42.56	-13	Pass	7001



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.18	-13	Pass	2986
30	689	0.1	RMS	515.4	-63.44	-13	Pass	6591
689	726	0.1	RMS	699.36	20.53	60	Pass	401
726	1000	0.1	RMS	917	-62.44	-13	Pass	2741
1000	3000	1	RMS	2656	-47.02	-13	Pass	2001
3000	10000	1	RMS	7732	-42.51	-13	Pass	7001



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.01	-13	Pass	2986
30	689	0.1	RMS	511.2	-63.69	-13	Pass	6591
689	726	0.1	RMS	699.36	19.92	60	Pass	401
726	1000	0.1	RMS	906.9	-62.47	-13	Pass	2741
1000	3000	1	RMS	2652	-47.03	-13	Pass	2001
3000	10000	1	RMS	7733	-42.54	-13	Pass	7001



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.57	-13	Pass	2986
30	689	0.1	RMS	686.9	-63.61	-13	Pass	6591
689	726	0.1	RMS	705.373	20.29	60	Pass	401
726	1000	0.1	RMS	917.4	-62.41	-13	Pass	2741
1000	3000	1	RMS	2649	-47.01	-13	Pass	2001
3000	10000	1	RMS	9550	-42.53	-13	Pass	7001



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.29	-13	Pass	2986
30	689	0.1	RMS	504.9	-63.64	-13	Pass	6591
689	726	0.1	RMS	705.373	19.67	60	Pass	401
726	1000	0.1	RMS	895.9	-62.49	-13	Pass	2741
1000	3000	1	RMS	2648	-47.02	-13	Pass	2001
3000	10000	1	RMS	7730	-42.53	-13	Pass	7001



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.12	-13	Pass	2986
30	689	0.1	RMS	682.4	-63.56	-13	Pass	6591
689	726	0.1	RMS	711.385	20.27	60	Pass	401
726	1000	0.1	RMS	928	-62.32	-13	Pass	2741
1000	3000	1	RMS	2653	-47.03	-13	Pass	2001
3000	10000	1	RMS	7738	-42.53	-13	Pass	7001



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.01	-13	Pass	2986
30	689	0.1	RMS	681.5	-63.61	-13	Pass	6591
689	726	0.1	RMS	711.293	19.33	60	Pass	401
726	1000	0.1	RMS	941.1	-62.31	-13	Pass	2741
1000	3000	1	RMS	2652	-47.01	-13	Pass	2001
3000	10000	1	RMS	7732	-42.52	-13	Pass	7001



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.42	-13	Pass	2986
30	689	0.1	RMS	510.4	-63.32	-13	Pass	6591
689	726	0.1	RMS	699.545	20.16	60	Pass	401
726	1000	0.1	RMS	917.9	-62.16	-13	Pass	2741
1000	3000	1	RMS	2643	-47.02	-13	Pass	2001
3000	10000	1	RMS	7733	-42.52	-13	Pass	7001



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.84	-13	Pass	2986
30	689	0.1	RMS	505.9	-63.61	-13	Pass	6591
689	726	0.1	RMS	699.545	19.52	60	Pass	401
726	1000	0.1	RMS	921.7	-62.4	-13	Pass	2741
1000	3000	1	RMS	2649	-47.02	-13	Pass	2001
3000	10000	1	RMS	7739	-42.56	-13	Pass	7001



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-44.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.93	-13	Pass	2986
30	689	0.1	RMS	513.1	-63.56	-13	Pass	6591
689	726	0.1	RMS	703.06	20.58	60	Pass	401
726	1000	0.1	RMS	909.3	-62.32	-13	Pass	2741
1000	3000	1	RMS	2650	-47	-13	Pass	2001
3000	10000	1	RMS	7742	-42.54	-13	Pass	7001



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.26	-13	Pass	2986
30	689	0.1	RMS	520.7	-63.51	-13	Pass	6591
689	726	0.1	RMS	703.06	19.69	60	Pass	401
726	1000	0.1	RMS	897.6	-62.3	-13	Pass	2741
1000	3000	1	RMS	2648	-47.01	-13	Pass	2001
3000	10000	1	RMS	7739	-42.54	-13	Pass	7001



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.89	-13	Pass	2986
30	689	0.1	RMS	508.2	-63.48	-13	Pass	6591
689	726	0.1	RMS	706.575	20.62	60	Pass	401
726	1000	0.1	RMS	918.2	-62.41	-13	Pass	2741
1000	3000	1	RMS	2653	-47	-13	Pass	2001
3000	10000	1	RMS	7726	-42.56	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.14	-13	Pass	2986
30	689	0.1	RMS	671.9	-63.64	-13	Pass	6591
689	726	0.1	RMS	706.575	19.73	60	Pass	401
726	1000	0.1	RMS	899.1	-62.38	-13	Pass	2741
1000	3000	1	RMS	2649	-47.04	-13	Pass	2001
3000	10000	1	RMS	7742	-42.57	-13	Pass	7001



13. LTE_Band13


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.18	-13	Pass	2986
30	767	0.1	RMS	758.7	-62.97	-13	Pass	7371
767	797	0.1	RMS	777.35	21.28	60	Pass	401
797	1000	0.1	RMS	925	-62.35	-13	Pass	2031
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	7749	-42.57	-13	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.21	-13	Pass	2986
30	767	0.1	RMS	762.7	-62.97	-13	Pass	7371
767	797	0.1	RMS	777.35	20.11	60	Pass	401
797	1000	0.1	RMS	943.8	-62.54	-13	Pass	2031
1000	3000	1	RMS	2649	-47.01	-13	Pass	2001
3000	10000	1	RMS	7739	-42.56	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.42	-13	Pass	2986
30	767	0.1	RMS	761.6	-62.86	-13	Pass	7371
767	797	0.1	RMS	779.825	21	60	Pass	401
797	1000	0.1	RMS	936.3	-62.53	-13	Pass	2031
1000	3000	1	RMS	2647	-46.98	-13	Pass	2001
3000	10000	1	RMS	7745	-42.58	-13	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-42.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.36	-13	Pass	2986
30	767	0.1	RMS	757.4	-62.9	-13	Pass	7371
767	797	0.1	RMS	779.825	20.08	60	Pass	401
797	1000	0.1	RMS	922.1	-62.47	-13	Pass	2031
1000	3000	1	RMS	2654	-47.01	-13	Pass	2001
3000	10000	1	RMS	7739	-42.59	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.46	-13	Pass	2986
30	767	0.1	RMS	765.4	-62.86	-13	Pass	7371
767	797	0.1	RMS	782.3	20.77	60	Pass	401
797	1000	0.1	RMS	949.4	-62.29	-13	Pass	2031
1000	3000	1	RMS	2649	-46.97	-13	Pass	2001
3000	10000	1	RMS	7748	-42.55	-13	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.05	-13	Pass	2986
30	767	0.1	RMS	766.7	-62.95	-13	Pass	7371
767	797	0.1	RMS	782.3	19.82	60	Pass	401
797	1000	0.1	RMS	943.2	-62.48	-13	Pass	2031
1000	3000	1	RMS	2657	-46.99	-13	Pass	2001
3000	10000	1	RMS	7733	-42.54	-13	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.52	-13	Pass	2986
30	767	0.1	RMS	757.6	-62.87	-13	Pass	7371
767	797	0.1	RMS	777.575	21.05	60	Pass	401
797	1000	0.1	RMS	971.2	-62.57	-13	Pass	2031
1000	3000	1	RMS	2654	-47.01	-13	Pass	2001
3000	10000	1	RMS	7750	-42.54	-13	Pass	7001



13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.85	-13	Pass	2986
30	767	0.1	RMS	765.2	-62.91	-13	Pass	7371
767	797	0.1	RMS	777.575	20.15	60	Pass	401
797	1000	0.1	RMS	932.4	-62.5	-13	Pass	2031
1000	3000	1	RMS	2654	-47.02	-13	Pass	2001
3000	10000	1	RMS	7731	-42.52	-13	Pass	7001



14. LTE_Band17


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.39	-13	Pass	2986
30	694	0.1	RMS	694	-63.5	-13	Pass	6641
694	726	0.1	RMS	704.32	20.72	60	Pass	401
726	1000	0.1	RMS	935.4	-62.41	-13	Pass	2741
1000	3000	1	RMS	2650	-46.97	-13	Pass	2001
3000	10000	1	RMS	7721	-42.52	-13	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-34.92	-13	Pass	2986
30	694	0.1	RMS	692.1	-63.37	-13	Pass	6641
694	726	0.1	RMS	704.32	19.88	60	Pass	401
726	1000	0.1	RMS	924.7	-62.43	-13	Pass	2741
1000	3000	1	RMS	2649	-46.96	-13	Pass	2001
3000	10000	1	RMS	7748	-42.57	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-36.09	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.52	-13	Pass	6641
694	726	0.1	RMS	707.84	21.09	60	Pass	401
726	1000	0.1	RMS	918.4	-62.33	-13	Pass	2741
1000	3000	1	RMS	2649	-46.96	-13	Pass	2001
3000	10000	1	RMS	7723	-42.55	-13	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.65	-13	Pass	2986
30	694	0.1	RMS	693.1	-63.29	-13	Pass	6641
694	726	0.1	RMS	707.84	20	60	Pass	401
726	1000	0.1	RMS	890.9	-62.23	-13	Pass	2741
1000	3000	1	RMS	2655	-47.01	-13	Pass	2001
3000	10000	1	RMS	7742	-42.51	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.18	-13	Pass	2986
30	694	0.1	RMS	693.5	-63.5	-13	Pass	6641
694	726	0.1	RMS	711.36	20.54	60	Pass	401
726	1000	0.1	RMS	922.9	-62.27	-13	Pass	2741
1000	3000	1	RMS	2648	-47.01	-13	Pass	2001
3000	10000	1	RMS	7737	-42.54	-13	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.95	-13	Pass	2986
30	694	0.1	RMS	692.5	-63.52	-13	Pass	6641
694	726	0.1	RMS	711.36	19.91	60	Pass	401
726	1000	0.1	RMS	894.6	-62.44	-13	Pass	2741
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	7728	-42.53	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.68	-13	Pass	2986
30	694	0.1	RMS	693.2	-63.32	-13	Pass	6641
694	726	0.1	RMS	704.56	20.54	60	Pass	401
726	1000	0.1	RMS	897	-62.42	-13	Pass	2741
1000	3000	1	RMS	2647	-46.97	-13	Pass	2001
3000	10000	1	RMS	7729	-42.52	-13	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.54	-13	Pass	2986
30	694	0.1	RMS	694	-63.45	-13	Pass	6641
694	726	0.1	RMS	704.56	19.88	60	Pass	401
726	1000	0.1	RMS	911.5	-62.32	-13	Pass	2741
1000	3000	1	RMS	2654	-47.02	-13	Pass	2001
3000	10000	1	RMS	7730	-42.56	-13	Pass	7001



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.46	-13	Pass	2986
30	694	0.1	RMS	693.2	-63.08	-13	Pass	6641
694	726	0.1	RMS	705.6	20.89	60	Pass	401
726	1000	0.1	RMS	898.7	-62.38	-13	Pass	2741
1000	3000	1	RMS	2653	-47.02	-13	Pass	2001
3000	10000	1	RMS	7732	-42.49	-13	Pass	7001



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.88	-13	Pass	2986
30	694	0.1	RMS	693.8	-63.38	-13	Pass	6641
694	726	0.1	RMS	705.6	20.08	60	Pass	401
726	1000	0.1	RMS	945.1	-62.28	-13	Pass	2741
1000	3000	1	RMS	2654	-47.02	-13	Pass	2001
3000	10000	1	RMS	7733	-42.54	-13	Pass	7001



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-43.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.19	-13	Pass	2986
30	694	0.1	RMS	694	-63.39	-13	Pass	6641
694	726	0.1	RMS	706.56	20.56	60	Pass	401
726	1000	0.1	RMS	909.8	-62.32	-13	Pass	2741
1000	3000	1	RMS	2654	-46.98	-13	Pass	2001
3000	10000	1	RMS	7744	-42.52	-13	Pass	7001



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.86	-13	Pass	2986
30	694	0.1	RMS	693.5	-62.55	-13	Pass	6641
694	726	0.1	RMS	706.56	19.79	60	Pass	401
726	1000	0.1	RMS	925.8	-62.41	-13	Pass	2741
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	9545	-42.54	-13	Pass	7001



15. LTE_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.59	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.3	-13	Pass	7841
814	860	0.1	RMS	824.2	20.16	60	Pass	461
860	1000	0.1	RMS	938.5	-62.45	-13	Pass	1401
1000	3000	1	RMS	2651	-46.98	-13	Pass	2001
3000	10000	1	RMS	7733	-42.45	-13	Pass	7001




15.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.89	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.36	-13	Pass	7841
814	860	0.1	RMS	824.3	19.14	60	Pass	461
860	1000	0.1	RMS	915.5	-62.54	-13	Pass	1401
1000	3000	1	RMS	2646	-47.02	-13	Pass	2001
3000	10000	1	RMS	7742	-42.53	-13	Pass	7001




15.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.1	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.57	-13	Pass	7841
814	860	0.1	RMS	836.1	20.3	60	Pass	461
860	1000	0.1	RMS	943.7	-62.56	-13	Pass	1401
1000	3000	1	RMS	2650	-47	-13	Pass	2001
3000	10000	1	RMS	7735	-42.55	-13	Pass	7001




15.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.86	-13	Pass	2986
30	814	0.1	RMS	813	-62.54	-13	Pass	7841
814	860	0.1	RMS	836	19.52	60	Pass	461
860	1000	0.1	RMS	906.8	-62.65	-13	Pass	1401
1000	3000	1	RMS	2655	-47.05	-13	Pass	2001
3000	10000	1	RMS	7735	-42.56	-13	Pass	7001




15.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.41	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.57	-13	Pass	7841
814	860	0.1	RMS	847.9	20.33	60	Pass	461
860	1000	0.1	RMS	872.5	-62.59	-13	Pass	1401
1000	3000	1	RMS	2645	-46.97	-13	Pass	2001
3000	10000	1	RMS	7742	-42.55	-13	Pass	7001




15.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.57	-13	Pass	2986
30	814	0.1	RMS	775.5	-62.55	-13	Pass	7841
814	860	0.1	RMS	847.9	19.32	60	Pass	461
860	1000	0.1	RMS	898.3	-62.69	-13	Pass	1401
1000	3000	1	RMS	2650	-47.03	-13	Pass	2001
3000	10000	1	RMS	7745	-42.55	-13	Pass	7001




15.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.18	-13	Pass	2986
30	814	0.1	RMS	814	-61.11	-13	Pass	7841
814	860	0.1	RMS	824.2	20.55	60	Pass	461
860	1000	0.1	RMS	938.5	-62.56	-13	Pass	1401
1000	3000	1	RMS	2652	-47.03	-13	Pass	2001
3000	10000	1	RMS	7731	-42.41	-13	Pass	7001




15.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.57	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.34	-13	Pass	7841
814	860	0.1	RMS	824.2	19.59	60	Pass	461
860	1000	0.1	RMS	937.9	-62.56	-13	Pass	1401
1000	3000	1	RMS	2650	-47.01	-13	Pass	2001
3000	10000	1	RMS	7727	-42.53	-13	Pass	7001



15.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.64	-13	Pass	2986
30	814	0.1	RMS	808.1	-62.58	-13	Pass	7841
814	860	0.1	RMS	835.2	20.41	60	Pass	461
860	1000	0.1	RMS	932.4	-62.6	-13	Pass	1401
1000	3000	1	RMS	2649	-46.97	-13	Pass	2001
3000	10000	1	RMS	7740	-42.47	-13	Pass	7001



15.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.65	-13	Pass	2986
30	814	0.1	RMS	807.3	-62.53	-13	Pass	7841
814	860	0.1	RMS	835.2	19.59	60	Pass	461
860	1000	0.1	RMS	934.9	-62.6	-13	Pass	1401
1000	3000	1	RMS	2648	-46.97	-13	Pass	2001
3000	10000	1	RMS	7742	-42.54	-13	Pass	7001



15.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.75	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.59	-13	Pass	7841
814	860	0.1	RMS	846.2	20.32	60	Pass	461
860	1000	0.1	RMS	923.2	-62.66	-13	Pass	1401
1000	3000	1	RMS	2658	-47	-13	Pass	2001
3000	10000	1	RMS	7749	-42.57	-13	Pass	7001



15.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.81	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.64	-13	Pass	7841
814	860	0.1	RMS	846.2	19.63	60	Pass	461
860	1000	0.1	RMS	929.5	-62.65	-13	Pass	1401
1000	3000	1	RMS	2648	-47.01	-13	Pass	2001
3000	10000	1	RMS	7747	-42.46	-13	Pass	7001



15.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.1	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.31	-13	Pass	7841
814	860	0.1	RMS	824.3	20.39	60	Pass	461
860	1000	0.1	RMS	927.7	-62.58	-13	Pass	1401
1000	3000	1	RMS	2652	-47	-13	Pass	2001
3000	10000	1	RMS	7744	-42.54	-13	Pass	7001



15.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.62	-13	Pass	2986
30	814	0.1	RMS	814	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.3	19.77	60	Pass	461
860	1000	0.1	RMS	954.4	-62.71	-13	Pass	1401
1000	3000	1	RMS	2649	-46.99	-13	Pass	2001
3000	10000	1	RMS	7734	-42.57	-13	Pass	7001



15.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.11	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.58	-13	Pass	7841
814	860	0.1	RMS	834.3	20.59	60	Pass	461
860	1000	0.1	RMS	928.1	-62.58	-13	Pass	1401
1000	3000	1	RMS	2654	-47	-13	Pass	2001
3000	10000	1	RMS	9547	-42.51	-13	Pass	7001



15.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.35	-13	Pass	2986
30	814	0.1	RMS	800.2	-62.68	-13	Pass	7841
814	860	0.1	RMS	834.3	19.76	60	Pass	461
860	1000	0.1	RMS	940.6	-62.65	-13	Pass	1401
1000	3000	1	RMS	2651	-46.99	-13	Pass	2001
3000	10000	1	RMS	7733	-42.53	-13	Pass	7001



15.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.13	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.67	-13	Pass	7841
814	860	0.1	RMS	844.3	20.28	60	Pass	461
860	1000	0.1	RMS	939	-62.66	-13	Pass	1401
1000	3000	1	RMS	2654	-46.99	-13	Pass	2001
3000	10000	1	RMS	7734	-42.56	-13	Pass	7001



15.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.13	-13	Pass	2986
30	814	0.1	RMS	782	-62.64	-13	Pass	7841
814	860	0.1	RMS	844.3	19.65	60	Pass	461
860	1000	0.1	RMS	938.5	-62.65	-13	Pass	1401
1000	3000	1	RMS	2650	-47.02	-13	Pass	2001
3000	10000	1	RMS	7740	-42.53	-13	Pass	7001



15.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.42	-13	Pass	2986
30	814	0.1	RMS	811.9	-61.09	-13	Pass	7841
814	860	0.1	RMS	824.6	21.01	60	Pass	461
860	1000	0.1	RMS	977.4	-62.63	-13	Pass	1401
1000	3000	1	RMS	2654	-47.04	-13	Pass	2001
3000	10000	1	RMS	7731	-42.55	-13	Pass	7001



15.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-36.1	-13	Pass	2986
30	814	0.1	RMS	811.8	-61.33	-13	Pass	7841
814	860	0.1	RMS	824.6	19.84	60	Pass	461
860	1000	0.1	RMS	924.1	-62.45	-13	Pass	1401
1000	3000	1	RMS	2656	-46.99	-13	Pass	2001
3000	10000	1	RMS	7748	-42.55	-13	Pass	7001



15.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-43.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.48	-13	Pass	2986
30	814	0.1	RMS	776	-62.63	-13	Pass	7841
814	860	0.1	RMS	832.1	21.12	60	Pass	461
860	1000	0.1	RMS	923.7	-62.59	-13	Pass	1401
1000	3000	1	RMS	2649	-46.99	-13	Pass	2001
3000	10000	1	RMS	7734	-42.56	-13	Pass	7001



15.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.3	-13	Pass	2986
30	814	0.1	RMS	778.8	-62.65	-13	Pass	7841
814	860	0.1	RMS	832.1	20.05	60	Pass	461
860	1000	0.1	RMS	931.9	-62.55	-13	Pass	1401
1000	3000	1	RMS	2651	-47	-13	Pass	2001
3000	10000	1	RMS	7736	-42.54	-13	Pass	7001



15.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.72	-13	Pass	2986
30	814	0.1	RMS	797.8	-62.51	-13	Pass	7841
814	860	0.1	RMS	839.6	21.06	60	Pass	461
860	1000	0.1	RMS	941.8	-62.65	-13	Pass	1401
1000	3000	1	RMS	2649	-47.02	-13	Pass	2001
3000	10000	1	RMS	9556	-42.55	-13	Pass	7001



15.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.89	-13	Pass	2986
30	814	0.1	RMS	798.9	-62.64	-13	Pass	7841
814	860	0.1	RMS	839.6	20.05	60	Pass	461
860	1000	0.1	RMS	965	-62.65	-13	Pass	1401
1000	3000	1	RMS	2650	-46.96	-13	Pass	2001
3000	10000	1	RMS	7756	-42.57	-13	Pass	7001



15.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.02	-13	Pass	2986
30	814	0.1	RMS	812.4	-61.54	-13	Pass	7841
814	860	0.1	RMS	824.8	20.54	60	Pass	461
860	1000	0.1	RMS	926.9	-62.59	-13	Pass	1401
1000	3000	1	RMS	2648	-46.99	-13	Pass	2001
3000	10000	1	RMS	7747	-42.5	-13	Pass	7001



15.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.23	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.23	-13	Pass	7841
814	860	0.1	RMS	824.8	19.27	60	Pass	461
860	1000	0.1	RMS	942.2	-62.67	-13	Pass	1401
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	7734	-42.45	-13	Pass	7001



15.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.12	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.29	-13	Pass	7841
814	860	0.1	RMS	829.8	20.16	60	Pass	461
860	1000	0.1	RMS	934.4	-62.6	-13	Pass	1401
1000	3000	1	RMS	2652	-47.02	-13	Pass	2001
3000	10000	1	RMS	7742	-42.58	-13	Pass	7001



15.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.96	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.45	-13	Pass	7841
814	860	0.1	RMS	829.8	19.26	60	Pass	461
860	1000	0.1	RMS	948.6	-62.7	-13	Pass	1401
1000	3000	1	RMS	2651	-47.02	-13	Pass	2001
3000	10000	1	RMS	7731	-42.53	-13	Pass	7001



15.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.48	-13	Pass	2986
30	814	0.1	RMS	808.5	-61.53	-13	Pass	7841
814	860	0.1	RMS	834.8	20.16	60	Pass	461
860	1000	0.1	RMS	889	-62.47	-13	Pass	1401
1000	3000	1	RMS	2651	-47	-13	Pass	2001
3000	10000	1	RMS	7729	-42.51	-13	Pass	7001



15.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.66	-13	Pass	2986
30	814	0.1	RMS	809.1	-62.29	-13	Pass	7841
814	860	0.1	RMS	834.8	19.42	60	Pass	461
860	1000	0.1	RMS	968.8	-62.66	-13	Pass	1401
1000	3000	1	RMS	2656	-47.06	-13	Pass	2001
3000	10000	1	RMS	7736	-42.61	-13	Pass	7001



16. LTE_Band26(part90)


16.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.53	-13	Pass	401
0.15	30	0.01	Peak	0.17	-28.48	-13	Pass	2986
30	809	0.1	Peak	807.5	-51.6	-13	Pass	7791
809	829	0.1	Peak	814.2	25.53	60	Pass	401
829	1000	0.1	Peak	860.9	-51.25	-13	Pass	1711
1000	3000	1	Peak	2662	-35.03	-13	Pass	2001
3000	10000	1	Peak	7432	-31.1	-13	Pass	7001




16.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-26.59	-13	Pass	2986
30	809	0.1	Peak	790.9	-51.65	-13	Pass	7791
809	829	0.1	Peak	814.2	25.64	60	Pass	401
829	1000	0.1	Peak	834	-52.07	-13	Pass	1711
1000	3000	1	Peak	2997	-35.39	-13	Pass	2001
3000	10000	1	Peak	8111	-31.32	-13	Pass	7001




16.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.76	-13	Pass	2986
30	809	0.1	Peak	751.6	-52.12	-13	Pass	7791
809	829	0.1	Peak	818.5	25.55	60	Pass	401
829	1000	0.1	Peak	893.6	-51.39	-13	Pass	1711
1000	3000	1	Peak	2987	-35.77	-13	Pass	2001
3000	10000	1	Peak	5912	-29.92	-13	Pass	7001




16.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.72	-13	Pass	401
0.15	30	0.01	Peak	0.18	-28.01	-13	Pass	2986
30	809	0.1	Peak	807.4	-52.27	-13	Pass	7791
809	829	0.1	Peak	818.5	25.95	60	Pass	401
829	1000	0.1	Peak	879.5	-51.94	-13	Pass	1711
1000	3000	1	Peak	2650	-35.58	-13	Pass	2001
3000	10000	1	Peak	7684	-30.57	-13	Pass	7001




16.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.69	-13	Pass	2986
30	809	0.1	Peak	777.5	-52.33	-13	Pass	7791
809	829	0.1	Peak	822.85	25.42	60	Pass	401
829	1000	0.1	Peak	989.2	-50.91	-13	Pass	1711
1000	3000	1	Peak	2752	-35.16	-13	Pass	2001
3000	10000	1	Peak	7701	-30.52	-13	Pass	7001




16.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.46	-13	Pass	401
0.15	30	0.01	Peak	0.16	-28.04	-13	Pass	2986
30	809	0.1	Peak	715.6	-51.56	-13	Pass	7791
809	829	0.1	Peak	822.8	25.78	60	Pass	401
829	1000	0.1	Peak	849.9	-51.34	-13	Pass	1711
1000	3000	1	Peak	2794	-35.17	-13	Pass	2001
3000	10000	1	Peak	7720	-30.02	-13	Pass	7001




16.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-29.13	-13	Pass	2986
30	809	0.1	Peak	809	-36.78	-13	Pass	7791
809	829	0.1	Peak	814.25	25.23	60	Pass	401
829	1000	0.1	Peak	829.2	-44.02	-13	Pass	1711
1000	3000	1	Peak	2625	-35.58	-13	Pass	2001
3000	10000	1	Peak	7738	-31.27	-13	Pass	7001




16.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-37.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.65	-13	Pass	2986
30	809	0.1	Peak	808.8	-44.45	-13	Pass	7791
809	829	0.1	Peak	814.2	26.01	60	Pass	401
829	1000	0.1	Peak	858.1	-51.65	-13	Pass	1711
1000	3000	1	Peak	2632	-34.25	-13	Pass	2001
3000	10000	1	Peak	7691	-30.75	-13	Pass	7001




16.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-25.7	-13	Pass	2986
30	809	0.1	Peak	807.7	-38.93	-13	Pass	7791
809	829	0.1	Peak	817.8	25.38	60	Pass	401
829	1000	0.1	Peak	829.2	-50.64	-13	Pass	1711
1000	3000	1	Peak	2510	-35.41	-13	Pass	2001
3000	10000	1	Peak	7759	-30.92	-13	Pass	7001




16.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-36.73	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.64	-13	Pass	2986
30	809	0.1	Peak	807.6	-47.03	-13	Pass	7791
809	829	0.1	Peak	817.7	25.99	60	Pass	401
829	1000	0.1	Peak	929.3	-52	-13	Pass	1711
1000	3000	1	Peak	2761	-35.17	-13	Pass	2001
3000	10000	1	Peak	7712	-30.62	-13	Pass	7001




16.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-37.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.26	-13	Pass	2986
30	809	0.1	Peak	486.8	-51.77	-13	Pass	7791
809	829	0.1	Peak	821.2	25.46	60	Pass	401
829	1000	0.1	Peak	831.2	-32.5	-13	Pass	1711
1000	3000	1	Peak	2745	-35.52	-13	Pass	2001
3000	10000	1	Peak	7749	-30.87	-13	Pass	7001




16.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.67	-13	Pass	2986
30	809	0.1	Peak	807.5	-51.5	-13	Pass	7791
809	829	0.1	Peak	821.3	25.97	60	Pass	401
829	1000	0.1	Peak	831.5	-43.37	-13	Pass	1711
1000	3000	1	Peak	2683	-35.46	-13	Pass	2001
3000	10000	1	Peak	7731	-31	-13	Pass	7001




16.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.07	-13	Pass	401
0.15	30	0.01	Peak	0.16	-25.96	-13	Pass	2986
30	809	0.1	Peak	807.9	-39.57	-13	Pass	7791
809	829	0.1	Peak	814.3	25.46	60	Pass	401
829	1000	0.1	Peak	893.5	-51.94	-13	Pass	1711
1000	3000	1	Peak	2656	-35.31	-13	Pass	2001
3000	10000	1	Peak	8131	-30.92	-13	Pass	7001




16.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.7	-13	Pass	2986
30	809	0.1	Peak	808	-46.95	-13	Pass	7791
809	829	0.1	Peak	814.3	25.56	60	Pass	401
829	1000	0.1	Peak	835.1	-51.76	-13	Pass	1711
1000	3000	1	Peak	2660	-35.35	-13	Pass	2001
3000	10000	1	Peak	9522	-30.72	-13	Pass	7001




16.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37.13	-13	Pass	401
0.15	30	0.01	Peak	0.17	-27.73	-13	Pass	2986
30	809	0.1	Peak	808.1	-43.55	-13	Pass	7791
809	829	0.1	Peak	816.8	25.25	60	Pass	401
829	1000	0.1	Peak	919.1	-52	-13	Pass	1711
1000	3000	1	Peak	2725	-35.46	-13	Pass	2001
3000	10000	1	Peak	7723	-30.6	-13	Pass	7001




16.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.42	-13	Pass	2986
30	809	0.1	Peak	808.3	-35.12	-13	Pass	7791
809	829	0.1	Peak	816.85	25.95	60	Pass	401
829	1000	0.1	Peak	862.9	-51.85	-13	Pass	1711
1000	3000	1	Peak	2637	-35.21	-13	Pass	2001
3000	10000	1	Peak	8355	-30.36	-13	Pass	7001




16.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.72	-13	Pass	401
0.15	30	0.01	Peak	0.17	-29.66	-13	Pass	2986
30	809	0.1	Peak	786.6	-51.79	-13	Pass	7791
809	829	0.1	Peak	819.3	25.4	60	Pass	401
829	1000	0.1	Peak	866.8	-51.01	-13	Pass	1711
1000	3000	1	Peak	2645	-35.39	-13	Pass	2001
3000	10000	1	Peak	7719	-30.99	-13	Pass	7001




**16.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-27.27	-13	Pass	2986
30	809	0.1	Peak	802.9	-51.92	-13	Pass	7791
809	829	0.1	Peak	819.3	25.58	60	Pass	401
829	1000	0.1	Peak	830.1	-45.51	-13	Pass	1711
1000	3000	1	Peak	2957	-34.63	-13	Pass	2001
3000	10000	1	Peak	7712	-30.64	-13	Pass	7001




16.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.37	-13	Pass	401
0.15	30	0.01	Peak	0.17	-28.63	-13	Pass	2986
30	809	0.1	Peak	808.9	-45.43	-13	Pass	7791
809	829	0.1	Peak	814.55	25.33	60	Pass	401
829	1000	0.1	Peak	923.5	-51.26	-13	Pass	1711
1000	3000	1	Peak	2638	-35.19	-13	Pass	2001
3000	10000	1	Peak	9532	-30.56	-13	Pass	7001



16.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-28.03	-13	Pass	2986
30	809	0.1	Peak	808.7	-45.75	-13	Pass	7791
809	829	0.1	Peak	814.55	25.73	60	Pass	401
829	1000	0.1	Peak	913.7	-51.19	-13	Pass	1711
1000	3000	1	Peak	2953	-35.44	-13	Pass	2001
3000	10000	1	Peak	7708	-30.63	-13	Pass	7001



17. LTE_Band66


17.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.79	-13	Pass	2986
30	1000	0.1	RMS	946.1	-62.43	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1710.125	22.8	60	Pass	401
1790	3000	1	RMS	2650	-46.92	-13	Pass	1211
3000	12000	1	RMS	11945	-40.82	-13	Pass	9001
12000	20000	1	RMS	19994	-28.49	-13	Pass	8001




17.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.09	-13	Pass	2986
30	1000	0.1	RMS	940	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-51.17	-13	Pass	701
1700	1790	1	RMS	1710.125	21.83	60	Pass	401
1790	3000	1	RMS	2658	-47.06	-13	Pass	1211
3000	12000	1	RMS	11861	-40.87	-13	Pass	9001
12000	20000	1	RMS	19995	-28.46	-13	Pass	8001




17.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.42	-13	Pass	2986
30	1000	0.1	RMS	915.7	-62.37	-13	Pass	9701
1000	1700	1	RMS	1698	-51.46	-13	Pass	701
1700	1790	1	RMS	1744.55	22.89	60	Pass	401
1790	3000	1	RMS	2660	-47.01	-13	Pass	1211
3000	12000	1	RMS	11940	-40.77	-13	Pass	9001
12000	20000	1	RMS	19998	-28.44	-13	Pass	8001




17.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.53	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.35	-13	Pass	9701
1000	1700	1	RMS	1608	-51.53	-13	Pass	701
1700	1790	1	RMS	1744.55	22.08	60	Pass	401
1790	3000	1	RMS	2651	-47.03	-13	Pass	1211
3000	12000	1	RMS	11950	-40.83	-13	Pass	9001
12000	20000	1	RMS	20000	-28.44	-13	Pass	8001




17.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.98	-13	Pass	2986
30	1000	0.1	RMS	908.1	-62.38	-13	Pass	9701
1000	1700	1	RMS	1692	-51.51	-13	Pass	701
1700	1790	1	RMS	1778.75	22.87	60	Pass	401
1790	3000	1	RMS	2654	-46.98	-13	Pass	1211
3000	12000	1	RMS	11845	-40.82	-13	Pass	9001
12000	20000	1	RMS	19995	-28.48	-13	Pass	8001




17.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.32	-13	Pass	2986
30	1000	0.1	RMS	945.8	-62.36	-13	Pass	9701
1000	1700	1	RMS	1585	-51.47	-13	Pass	701
1700	1790	1	RMS	1778.75	22.09	60	Pass	401
1790	3000	1	RMS	2655	-47.01	-13	Pass	1211
3000	12000	1	RMS	11936	-40.86	-13	Pass	9001
12000	20000	1	RMS	20000	-28.35	-13	Pass	8001




17.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.51	-13	Pass	2986
30	1000	0.1	RMS	941.3	-62.23	-13	Pass	9701
1000	1700	1	RMS	1699	-50.98	-13	Pass	701
1700	1790	1	RMS	1710.125	22.66	60	Pass	401
1790	3000	1	RMS	2644	-47.01	-13	Pass	1211
3000	12000	1	RMS	11928	-40.79	-13	Pass	9001
12000	20000	1	RMS	19997	-28.44	-13	Pass	8001




17.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.58	-13	Pass	2986
30	1000	0.1	RMS	936.8	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1790	1	RMS	1710.35	21.87	60	Pass	401
1790	3000	1	RMS	2656	-47.09	-13	Pass	1211
3000	12000	1	RMS	11835	-40.81	-13	Pass	9001
12000	20000	1	RMS	20000	-28.51	-13	Pass	8001



17.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.28	-13	Pass	2986
30	1000	0.1	RMS	919.6	-62.45	-13	Pass	9701
1000	1700	1	RMS	1686	-51.52	-13	Pass	701
1700	1790	1	RMS	1743.65	22.77	60	Pass	401
1790	3000	1	RMS	2646	-47.03	-13	Pass	1211
3000	12000	1	RMS	11859	-40.84	-13	Pass	9001
12000	20000	1	RMS	19997	-28.51	-13	Pass	8001



17.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.91	-13	Pass	2986
30	1000	0.1	RMS	940.3	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.47	-13	Pass	701
1700	1790	1	RMS	1743.65	21.86	60	Pass	401
1790	3000	1	RMS	2654	-47.05	-13	Pass	1211
3000	12000	1	RMS	11910	-40.83	-13	Pass	9001
12000	20000	1	RMS	20000	-28.43	-13	Pass	8001



17.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.52	-13	Pass	2986
30	1000	0.1	RMS	910.8	-62.38	-13	Pass	9701
1000	1700	1	RMS	1697	-51.53	-13	Pass	701
1700	1790	1	RMS	1777.175	22.98	60	Pass	401
1790	3000	1	RMS	2649	-47.04	-13	Pass	1211
3000	12000	1	RMS	11838	-40.85	-13	Pass	9001
12000	20000	1	RMS	20000	-28.43	-13	Pass	8001



17.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.25	-13	Pass	2986
30	1000	0.1	RMS	911.4	-62.42	-13	Pass	9701
1000	1700	1	RMS	1612	-51.51	-13	Pass	701
1700	1790	1	RMS	1777.175	22.1	60	Pass	401
1790	3000	1	RMS	2649	-47.01	-13	Pass	1211
3000	12000	1	RMS	11982	-40.85	-13	Pass	9001
12000	20000	1	RMS	19997	-28.45	-13	Pass	8001



17.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.34	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.4	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1710.35	22.91	60	Pass	401
1790	3000	1	RMS	2648	-47	-13	Pass	1211
3000	12000	1	RMS	11958	-40.77	-13	Pass	9001
12000	20000	1	RMS	19996	-28.49	-13	Pass	8001



17.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.52	-13	Pass	2986
30	1000	0.1	RMS	933.9	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1790	1	RMS	1710.35	21.91	60	Pass	401
1790	3000	1	RMS	2649	-47.01	-13	Pass	1211
3000	12000	1	RMS	11943	-40.81	-13	Pass	9001
12000	20000	1	RMS	19996	-28.49	-13	Pass	8001



17.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.92	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-51.5	-13	Pass	701
1700	1790	1	RMS	1742.75	22.83	60	Pass	401
1790	3000	1	RMS	2657	-47.08	-13	Pass	1211
3000	12000	1	RMS	11955	-40.84	-13	Pass	9001
12000	20000	1	RMS	19999	-28.35	-13	Pass	8001



17.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-36.23	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.37	-13	Pass	9701
1000	1700	1	RMS	1696	-51.52	-13	Pass	701
1700	1790	1	RMS	1742.75	21.88	60	Pass	401
1790	3000	1	RMS	2646	-47.04	-13	Pass	1211
3000	12000	1	RMS	11941	-40.86	-13	Pass	9001
12000	20000	1	RMS	19999	-28.45	-13	Pass	8001



17.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.78	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.41	-13	Pass	9701
1000	1700	1	RMS	1600	-51.47	-13	Pass	701
1700	1790	1	RMS	1775.375	23.01	60	Pass	401
1790	3000	1	RMS	2657	-47.02	-13	Pass	1211
3000	12000	1	RMS	11956	-40.79	-13	Pass	9001
12000	20000	1	RMS	20000	-28.5	-13	Pass	8001



17.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.17	-13	Pass	2986
30	1000	0.1	RMS	944	-62.31	-13	Pass	9701
1000	1700	1	RMS	1698	-51.51	-13	Pass	701
1700	1790	1	RMS	1775.6	21.31	60	Pass	401
1790	3000	1	RMS	2650	-47.05	-13	Pass	1211
3000	12000	1	RMS	11852	-40.84	-13	Pass	9001
12000	20000	1	RMS	20000	-28.33	-13	Pass	8001



17.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-43.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.17	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.43	-13	Pass	9701
1000	1700	1	RMS	1692	-51.36	-13	Pass	701
1700	1790	1	RMS	1710.8	22.13	60	Pass	401
1790	3000	1	RMS	2644	-47	-13	Pass	1211
3000	12000	1	RMS	11954	-40.84	-13	Pass	9001
12000	20000	1	RMS	19995	-28.49	-13	Pass	8001



17.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.35	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.43	-13	Pass	9701
1000	1700	1	RMS	1692	-51.35	-13	Pass	701
1700	1790	1	RMS	1710.575	21.9	60	Pass	401
1790	3000	1	RMS	2648	-47.05	-13	Pass	1211
3000	12000	1	RMS	11969	-40.79	-13	Pass	9001
12000	20000	1	RMS	19998	-28.42	-13	Pass	8001



17.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.98	-13	Pass	2986
30	1000	0.1	RMS	906	-62.37	-13	Pass	9701
1000	1700	1	RMS	1621	-51.53	-13	Pass	701
1700	1790	1	RMS	1740.725	22.42	60	Pass	401
1790	3000	1	RMS	2653	-47.07	-13	Pass	1211
3000	12000	1	RMS	11926	-40.82	-13	Pass	9001
12000	20000	1	RMS	20000	-28.4	-13	Pass	8001



17.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.43	-13	Pass	2986
30	1000	0.1	RMS	941.7	-62.43	-13	Pass	9701
1000	1700	1	RMS	1695	-51.55	-13	Pass	701
1700	1790	1	RMS	1740.5	22.16	60	Pass	401
1790	3000	1	RMS	2649	-47.06	-13	Pass	1211
3000	12000	1	RMS	11854	-40.76	-13	Pass	9001
12000	20000	1	RMS	19994	-28.5	-13	Pass	8001



17.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.33	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.39	-13	Pass	9701
1000	1700	1	RMS	1697	-51.53	-13	Pass	701
1700	1790	1	RMS	1770.875	21.75	60	Pass	401
1790	3000	1	RMS	2650	-46.99	-13	Pass	1211
3000	12000	1	RMS	11853	-40.83	-13	Pass	9001
12000	20000	1	RMS	19999	-28.51	-13	Pass	8001



17.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-35.76	-13	Pass	2986
30	1000	0.1	RMS	930.6	-62.35	-13	Pass	9701
1000	1700	1	RMS	1694	-51.52	-13	Pass	701
1700	1790	1	RMS	1770.65	20.12	60	Pass	401
1790	3000	1	RMS	2651	-47.03	-13	Pass	1211
3000	12000	1	RMS	11940	-40.83	-13	Pass	9001
12000	20000	1	RMS	20000	-28.36	-13	Pass	8001



17.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.21	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.35	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1790	1	RMS	1710.8	22.22	60	Pass	401
1790	3000	1	RMS	2650	-46.99	-13	Pass	1211
3000	12000	1	RMS	11839	-40.82	-13	Pass	9001
12000	20000	1	RMS	20000	-28.43	-13	Pass	8001



17.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-36.01	-13	Pass	2986
30	1000	0.1	RMS	937.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1699	-51.15	-13	Pass	701
1700	1790	1	RMS	1710.8	19.85	60	Pass	401
1790	3000	1	RMS	2657	-47.03	-13	Pass	1211
3000	12000	1	RMS	11947	-40.74	-13	Pass	9001
12000	20000	1	RMS	20000	-28.45	-13	Pass	8001



17.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.53	-13	Pass	2986
30	1000	0.1	RMS	937.2	-62.3	-13	Pass	9701
1000	1700	1	RMS	1695	-51.46	-13	Pass	701
1700	1790	1	RMS	1738.25	19.96	60	Pass	401
1790	3000	1	RMS	2660	-47.05	-13	Pass	1211
3000	12000	1	RMS	11940	-40.76	-13	Pass	9001
12000	20000	1	RMS	19996	-28.51	-13	Pass	8001



17.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.04	-13	Pass	2986
30	1000	0.1	RMS	926.9	-62.5	-13	Pass	9701
1000	1700	1	RMS	1622	-51.54	-13	Pass	701
1700	1790	1	RMS	1738.025	20.7	60	Pass	401
1790	3000	1	RMS	2649	-47.04	-13	Pass	1211
3000	12000	1	RMS	11939	-40.82	-13	Pass	9001
12000	20000	1	RMS	19998	-28.54	-13	Pass	8001



17.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.27	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.44	-13	Pass	9701
1000	1700	1	RMS	1608	-51.55	-13	Pass	701
1700	1790	1	RMS	1765.925	22.45	60	Pass	401
1790	3000	1	RMS	2659	-47.07	-13	Pass	1211
3000	12000	1	RMS	11936	-40.82	-13	Pass	9001
12000	20000	1	RMS	19998	-28.45	-13	Pass	8001



17.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.63	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.46	-13	Pass	9701
1000	1700	1	RMS	1690	-51.53	-13	Pass	701
1700	1790	1	RMS	1766.15	19.95	60	Pass	401
1790	3000	1	RMS	2648	-47.01	-13	Pass	1211
3000	12000	1	RMS	11952	-40.86	-13	Pass	9001
12000	20000	1	RMS	19994	-28.35	-13	Pass	8001



17.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-43.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.2	-13	Pass	2986
30	1000	0.1	RMS	941.3	-62.37	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1790	1	RMS	1711.025	22.76	60	Pass	401
1790	3000	1	RMS	2644	-47.03	-13	Pass	1211
3000	12000	1	RMS	11825	-40.75	-13	Pass	9001
12000	20000	1	RMS	19998	-28.52	-13	Pass	8001



17.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-36	-13	Pass	2986
30	1000	0.1	RMS	925.1	-62.22	-13	Pass	9701
1000	1700	1	RMS	1697	-51.11	-13	Pass	701
1700	1790	1	RMS	1711.025	21.91	60	Pass	401
1790	3000	1	RMS	2654	-47.09	-13	Pass	1211
3000	12000	1	RMS	11986	-40.86	-13	Pass	9001
12000	20000	1	RMS	20000	-28.45	-13	Pass	8001



17.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-42.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.99	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.17	-13	Pass	9701
1000	1700	1	RMS	1697	-51.33	-13	Pass	701
1700	1790	1	RMS	1735.775	21.54	60	Pass	401
1790	3000	1	RMS	2649	-47.07	-13	Pass	1211
3000	12000	1	RMS	11844	-40.82	-13	Pass	9001
12000	20000	1	RMS	20000	-28.53	-13	Pass	8001



17.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-34.73	-13	Pass	2986
30	1000	0.1	RMS	962.1	-62.23	-13	Pass	9701
1000	1700	1	RMS	1699	-51.43	-13	Pass	701
1700	1790	1	RMS	1736	21.56	60	Pass	401
1790	3000	1	RMS	2659	-47.05	-13	Pass	1211
3000	12000	1	RMS	11950	-40.85	-13	Pass	9001
12000	20000	1	RMS	19997	-28.52	-13	Pass	8001



17.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.45	-13	Pass	2986
30	1000	0.1	RMS	916.1	-62.45	-13	Pass	9701
1000	1700	1	RMS	1699	-51.51	-13	Pass	701
1700	1790	1	RMS	1761.425	20.04	60	Pass	401
1790	3000	1	RMS	2650	-47.06	-13	Pass	1211
3000	12000	1	RMS	11925	-40.82	-13	Pass	9001
12000	20000	1	RMS	19999	-28.55	-13	Pass	8001



17.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-44.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-35.07	-13	Pass	2986
30	1000	0.1	RMS	906.5	-62.48	-13	Pass	9701
1000	1700	1	RMS	1696	-51.55	-13	Pass	701
1700	1790	1	RMS	1760.975	20.98	60	Pass	401
1790	3000	1	RMS	2649	-46.99	-13	Pass	1211
3000	12000	1	RMS	11854	-40.82	-13	Pass	9001
12000	20000	1	RMS	20000	-28.41	-13	Pass	8001



18. LTE_Band38


18.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-38.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-30.78	-25	Pass	2986
30	1000	0.1	RMS	911.5	-58.25	-25	Pass	9701
1000	2560	1	RMS	2560	-42.88	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.42	60	Pass	401
2630	3000	1	RMS	2672.55	-43	-25	Pass	401
3000	12000	1	RMS	11849	-60.21	-25	Pass	9001
12000	26500	1	RMS	25012	-42.3	-25	Pass	14501




18.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.6	-25	Pass	2986
30	1000	0.1	RMS	908.9	-58.37	-25	Pass	9701
1000	2560	1	RMS	2560	-43.38	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.29	60	Pass	401
2630	3000	1	RMS	2644.8	-43.07	-25	Pass	401
3000	12000	1	RMS	11850	-60.27	-25	Pass	9001
12000	26500	1	RMS	25021	-42.37	-25	Pass	14501




18.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-30.66	-25	Pass	2986
30	1000	0.1	RMS	916.6	-58.48	-25	Pass	9701
1000	2560	1	RMS	2491	-43.73	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.08	60	Pass	401
2630	3000	1	RMS	2643.875	-41.72	-25	Pass	401
3000	12000	1	RMS	11848	-60.22	-25	Pass	9001
12000	26500	1	RMS	25016	-42.33	-25	Pass	14501




18.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-30.39	-25	Pass	2986
30	1000	0.1	RMS	930.1	-58.33	-25	Pass	9701
1000	2560	1	RMS	2490	-43.48	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.93	60	Pass	401
2630	3000	1	RMS	2643.875	-41.66	-25	Pass	401
3000	12000	1	RMS	11852	-60.17	-25	Pass	9001
12000	26500	1	RMS	25017	-42.36	-25	Pass	14501




18.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-39.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.07	-25	Pass	2986
30	1000	0.1	RMS	927.4	-58.42	-25	Pass	9701
1000	2560	1	RMS	2513	-43.46	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.4	60	Pass	401
2630	3000	1	RMS	2667	-41.95	-25	Pass	401
3000	12000	1	RMS	11855	-60.2	-25	Pass	9001
12000	26500	1	RMS	25016	-42.32	-25	Pass	14501




18.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.18	-25	Pass	2986
30	1000	0.1	RMS	916.9	-58.37	-25	Pass	9701
1000	2560	1	RMS	2513	-43.88	-25	Pass	1561
2560	2630	1	RMS	2615.475	22.76	60	Pass	401
2630	3000	1	RMS	2667	-42.22	-25	Pass	401
3000	12000	1	RMS	11847	-60.2	-25	Pass	9001
12000	26500	1	RMS	25012	-42.34	-25	Pass	14501




18.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.13	-25	Pass	2986
30	1000	0.1	RMS	920.6	-58.31	-25	Pass	9701
1000	2560	1	RMS	2559	-43.39	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.34	60	Pass	401
2630	3000	1	RMS	2647.575	-43.04	-25	Pass	401
3000	12000	1	RMS	11867	-60.26	-25	Pass	9001
12000	26500	1	RMS	25011	-42.3	-25	Pass	14501




18.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.46	-25	Pass	2986
30	1000	0.1	RMS	919.3	-58.32	-25	Pass	9701
1000	2560	1	RMS	2560	-43.34	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.39	60	Pass	401
2630	3000	1	RMS	2649.425	-43.08	-25	Pass	401
3000	12000	1	RMS	11867	-60.28	-25	Pass	9001
12000	26500	1	RMS	25014	-42.35	-25	Pass	14501



18.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-41.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-30.59	-25	Pass	2986
30	1000	0.1	RMS	930.8	-58.41	-25	Pass	9701
1000	2560	1	RMS	2540	-43.85	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.72	60	Pass	401
2630	3000	1	RMS	2642.025	-42.06	-25	Pass	401
3000	12000	1	RMS	11856	-60.21	-25	Pass	9001
12000	26500	1	RMS	25013	-42.44	-25	Pass	14501



18.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-30.8	-25	Pass	2986
30	1000	0.1	RMS	940.1	-58.44	-25	Pass	9701
1000	2560	1	RMS	2539	-43.89	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.7	60	Pass	401
2630	3000	1	RMS	2641.1	-42.44	-25	Pass	401
3000	12000	1	RMS	11850	-60.21	-25	Pass	9001
12000	26500	1	RMS	25014	-42.3	-25	Pass	14501



18.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.61	-25	Pass	2986
30	1000	0.1	RMS	925.8	-58.44	-25	Pass	9701
1000	2560	1	RMS	2508	-43.07	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.87	60	Pass	401
2630	3000	1	RMS	2661.45	-41.81	-25	Pass	401
3000	12000	1	RMS	11858	-60.17	-25	Pass	9001
12000	26500	1	RMS	25013	-42.33	-25	Pass	14501



18.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.05	-25	Pass	2986
30	1000	0.1	RMS	895.3	-58.28	-25	Pass	9701
1000	2560	1	RMS	2508	-43.7	-25	Pass	1561
2560	2630	1	RMS	2610.75	21.74	60	Pass	401
2630	3000	1	RMS	2661.45	-42.28	-25	Pass	401
3000	12000	1	RMS	11855	-60.19	-25	Pass	9001
12000	26500	1	RMS	25011	-42.18	-25	Pass	14501



18.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-32	-25	Pass	2986
30	1000	0.1	RMS	957.5	-58.49	-25	Pass	9701
1000	2560	1	RMS	2559	-43.33	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.88	60	Pass	401
2630	3000	1	RMS	2673.475	-42.95	-25	Pass	401
3000	12000	1	RMS	11846	-60.19	-25	Pass	9001
12000	26500	1	RMS	25012	-42.39	-25	Pass	14501



18.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-29.6	-25	Pass	2986
30	1000	0.1	RMS	913.1	-58.23	-25	Pass	9701
1000	2560	1	RMS	2560	-43.52	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.42	60	Pass	401
2630	3000	1	RMS	2650.35	-43.07	-25	Pass	401
3000	12000	1	RMS	11925	-60.23	-25	Pass	9001
12000	26500	1	RMS	25014	-42.44	-25	Pass	14501



18.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.41	-25	Pass	2986
30	1000	0.1	RMS	900.6	-58.46	-25	Pass	9701
1000	2560	1	RMS	2560	-43.92	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.15	60	Pass	401
2630	3000	1	RMS	2639.25	-42.22	-25	Pass	401
3000	12000	1	RMS	11861	-60.24	-25	Pass	9001
12000	26500	1	RMS	25014	-42.32	-25	Pass	14501



18.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-30.78	-25	Pass	2986
30	1000	0.1	RMS	918.1	-58.42	-25	Pass	9701
1000	2560	1	RMS	2537	-43.85	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.92	60	Pass	401
2630	3000	1	RMS	2639.25	-41.92	-25	Pass	401
3000	12000	1	RMS	11842	-60.14	-25	Pass	9001
12000	26500	1	RMS	25011	-42.18	-25	Pass	14501



18.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-39.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.88	-25	Pass	2986
30	1000	0.1	RMS	919.8	-58.33	-25	Pass	9701
1000	2560	1	RMS	2554	-43.54	-25	Pass	1561
2560	2645	1	RMS	2605.9	22.75	60	Pass	401
2645	3000	1	RMS	2657.425	-41.9	-25	Pass	401
3000	12000	1	RMS	11841	-60.08	-25	Pass	9001
12000	26500	1	RMS	25014	-42.15	-25	Pass	14501



18.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.42	-25	Pass	2986
30	1000	0.1	RMS	908.1	-58.28	-25	Pass	9701
1000	2560	1	RMS	2504	-43.63	-25	Pass	1561
2560	2645	1	RMS	2605.688	22	60	Pass	401
2645	3000	1	RMS	2657.425	-42.33	-25	Pass	401
3000	12000	1	RMS	11849	-60.11	-25	Pass	9001
12000	26500	1	RMS	25011	-42.3	-25	Pass	14501



18.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.35	-25	Pass	2986
30	1000	0.1	RMS	937	-58.37	-25	Pass	9701
1000	2560	1	RMS	2560	-43.05	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.86	60	Pass	401
2630	3000	1	RMS	2673.475	-42.87	-25	Pass	401
3000	12000	1	RMS	11853	-60.08	-25	Pass	9001
12000	26500	1	RMS	25005	-42.25	-25	Pass	14501



18.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.24	-25	Pass	2986
30	1000	0.1	RMS	930.5	-58.26	-25	Pass	9701
1000	2560	1	RMS	2558	-43.44	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.92	60	Pass	401
2630	3000	1	RMS	2673.475	-42.99	-25	Pass	401
3000	12000	1	RMS	11866	-60.16	-25	Pass	9001
12000	26500	1	RMS	25012	-42.19	-25	Pass	14501



18.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.83	-25	Pass	2986
30	1000	0.1	RMS	922.5	-58.26	-25	Pass	9701
1000	2560	1	RMS	2535	-43.66	-25	Pass	1561
2560	2630	1	RMS	2586.25	22.98	60	Pass	401
2630	3000	1	RMS	2637.4	-42.02	-25	Pass	401
3000	12000	1	RMS	11850	-60.15	-25	Pass	9001
12000	26500	1	RMS	25018	-42.22	-25	Pass	14501



18.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-40.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-32.26	-25	Pass	2986
30	1000	0.1	RMS	920.1	-58.27	-25	Pass	9701
1000	2560	1	RMS	2558	-43.75	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.75	60	Pass	401
2630	3000	1	RMS	2637.4	-42.32	-25	Pass	401
3000	12000	1	RMS	11841	-60.1	-25	Pass	9001
12000	26500	1	RMS	25012	-42.21	-25	Pass	14501



18.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-38.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-32.19	-25	Pass	2986
30	1000	0.1	RMS	925.4	-58.28	-25	Pass	9701
1000	2560	1	RMS	2549	-43.63	-25	Pass	1561
2560	2645	1	RMS	2601.225	22.91	60	Pass	401
2645	3000	1	RMS	2652.1	-41.66	-25	Pass	401
3000	12000	1	RMS	11850	-60.07	-25	Pass	9001
12000	26500	1	RMS	25011	-42.23	-25	Pass	14501



18.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-31.33	-25	Pass	2986
30	1000	0.1	RMS	912.4	-58.28	-25	Pass	9701
1000	2560	1	RMS	2499	-43.84	-25	Pass	1561
2560	2645	1	RMS	2601.013	22.77	60	Pass	401
2645	3000	1	RMS	2652.1	-42.14	-25	Pass	401
3000	12000	1	RMS	11856	-60.09	-25	Pass	9001
12000	26500	1	RMS	25011	-42.28	-25	Pass	14501



19. LTE_Band41 full

19.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.81	-25	Pass	2986
30	1000	0.1	RMS	880.5	-58.24	-25	Pass	9701
1000	2486	1	RMS	2486	-43.51	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.3	60	Pass	401
2700	3000	1	RMS	3000	-43.04	-25	Pass	401
3000	12000	1	RMS	11847	-59.93	-25	Pass	9001
12000	27000	1	RMS	25014	-37.5	-25	Pass	15001



19.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-37.69	-25	Pass	2986
30	1000	0.1	RMS	924.8	-58.25	-25	Pass	9701
1000	2486	1	RMS	2485	-43.76	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.47	60	Pass	401
2700	3000	1	RMS	3000	-43.05	-25	Pass	401
3000	12000	1	RMS	11850	-59.89	-25	Pass	9001
12000	27000	1	RMS	25013	-37.38	-25	Pass	15001

