


Report Number :E2/2022/30010
Operation Mode :802.11ac80
Test Frequency :5690 MHz
Test Mode :BE CH MID
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-17
Temp./Humi. :21.7/69
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5403.950	Average	39.14	2.56	41.70	54.00	-12.30
5403.950	Peak	52.50	2.56	55.06	74.00	-18.94
5460.000	Average	39.08	2.64	41.72	54.00	-12.28
5460.000	Peak	51.42	2.64	54.06	74.00	-19.94
5470.000	Peak	51.33	2.77	54.10	68.20	-14.10
5480.000	Peak	52.37	2.76	55.13	68.20	-13.07
5850.000	Peak	51.72	4.31	56.03	68.20	-12.17
5946.050	Peak	53.30	4.08	57.38	68.20	-10.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ac80
 Test Frequency :5690 MHz
 Test Mode :BE CH MID
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-17
 Temp./Humi. :21.7/69
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.350	Average	40.12	2.61	42.73	54.00	-11.27
5453.350	Peak	53.45	2.61	56.07	74.00	-17.93
5460.000	Average	40.00	2.64	42.64	54.00	-11.36
5460.000	Peak	51.85	2.64	54.49	74.00	-19.51
5470.000	Peak	52.14	2.77	54.91	68.20	-13.29
5480.000	Peak	52.21	2.76	54.97	68.20	-13.23
5850.000	Peak	55.94	4.31	60.25	68.20	-7.95
5855.050	Peak	57.31	4.21	61.52	68.20	-6.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac80
Test Frequency :5775 MHz
Test Mode :BE CH LOW
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-17
Temp./Humi. :21.7/69
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5650.000	Peak	53.43	3.60	57.03	68.20	-11.17
5700.000	Peak	53.35	3.31	56.66	105.20	-48.54
5720.000	Peak	54.47	4.17	58.64	110.80	-52.16
5725.000	Peak	55.14	4.21	59.35	122.20	-62.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ac80
 Test Frequency :5775 MHz
 Test Mode :BE CH LOW
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-17
 Temp./Humi. :21.7/69
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5646.620	Peak	60.21	3.54	63.75	68.20	-4.45
5650.000	Peak	56.82	3.60	60.42	68.20	-7.78
5700.000	Peak	63.18	3.31	66.49	105.20	-38.71
5720.000	Peak	62.59	4.17	66.76	110.80	-44.04
5725.000	Peak	64.57	4.21	68.78	122.20	-53.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ac80
 Test Frequency :5775 MHz
 Test Mode :BE CH HIGH
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-17
 Temp./Humi. :21.7/69
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	55.10	4.31	59.41	122.20	-62.79
5855.000	Peak	52.65	4.21	56.86	110.80	-53.94
5875.000	Peak	51.18	3.90	55.08	105.20	-50.12
5925.000	Peak	51.21	4.36	55.57	68.20	-12.63
5926.000	Peak	52.90	4.35	57.25	68.20	-10.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac80
Test Frequency :5775 MHz
Test Mode :BE CH HIGH
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-17
Temp./Humi. :21.7/69
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	64.40	4.31	68.71	122.20	-53.49
5855.000	Peak	58.67	4.21	62.88	110.80	-47.92
5875.000	Peak	57.38	3.90	61.28	105.20	-43.92
5925.000	Peak	54.09	4.36	58.45	68.20	-9.75
5926.600	Peak	54.89	4.35	59.24	68.20	-8.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ac160
 Test Frequency :5250 MHz
 Test Mode :BE CH LOW
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-17
 Temp./Humi. :21.7/69
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4777.400	Average	39.69	2.94	42.63	54.00	-11.37
4777.400	Peak	54.21	2.94	57.16	74.00	-16.84
5150.000	Average	39.31	3.03	42.34	54.00	-11.66
5150.000	Peak	51.03	3.03	54.06	74.00	-19.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac160
Test Frequency :5250 MHz
Test Mode :BE CH LOW
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-17
Temp./Humi. :21.7/69
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5129.280	Average	48.30	2.68	50.98	54.00	-3.02
5129.280	Peak	61.55	2.68	64.23	74.00	-9.77
5150.000	Average	46.09	3.03	49.12	54.00	-4.88
5150.000	Peak	57.90	3.03	60.93	74.00	-13.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac160
Test Frequency :5250 MHz
Test Mode :BE CH HIGH
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-17
Temp./Humi. :21.7/69
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	40.29	2.21	42.50	54.00	-11.50
5350.000	Peak	51.76	2.21	53.97	74.00	-20.03
5376.620	Average	42.00	2.33	44.33	54.00	-9.67
5376.620	Peak	55.29	2.33	57.62	74.00	-16.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac160
Test Frequency :5250 MHz
Test Mode :BE CH HIGH
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-17
Temp./Humi. :21.7/69
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	48.46	2.21	50.67	54.00	-3.33
5350.000	Peak	62.28	2.21	64.49	74.00	-9.51
5377.010	Average	49.19	2.33	51.52	54.00	-2.48
5377.010	Peak	63.94	2.33	66.27	74.00	-7.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac160
Test Frequency :5570 MHz
Test Mode :BE CH LOW
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-13
Temp./Humi. :25.2/58
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5429.010	Average	40.80	2.40	43.20	54.00	-10.80
5429.010	Peak	53.73	2.40	56.13	74.00	-17.87
5460.000	Average	40.01	2.64	42.65	54.00	-11.35
5460.000	Peak	50.71	2.64	53.35	74.00	-20.65
5468.280	Peak	52.80	2.75	55.55	68.20	-12.65
5470.000	Peak	50.05	2.77	52.82	68.20	-15.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ac160
 Test Frequency :5570 MHz
 Test Mode :BE CH LOW
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-13
 Temp./Humi. :25.2/58
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5426.070	Average	46.39	2.40	48.79	54.00	-5.21
5426.070	Peak	59.67	2.40	62.07	74.00	-11.93
5460.000	Average	40.03	2.64	42.67	54.00	-11.33
5460.000	Peak	51.30	2.64	53.94	74.00	-20.06
5462.610	Peak	56.42	2.67	59.09	68.20	-9.11
5470.000	Peak	50.91	2.77	53.68	68.20	-14.52


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac160
Test Frequency :5570 MHz
Test Mode :BE CH HIGH
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-13
Temp./Humi. :25.2/58
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	52.14	4.21	56.35	68.20	-11.85
5727.080	Peak	52.97	4.23	57.20	68.20	-11.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ac160
Test Frequency :5570 MHz
Test Mode :BE CH HIGH
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-13
Temp./Humi. :25.2/58
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	56.93	4.21	61.14	68.20	-7.06
5726.660	Peak	61.21	4.22	65.44	68.20	-2.76


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5180 MHz
 Test Mode :BE CH LOW RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-18
 Temp./Humi. :21.5/68
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4763.200	Average	39.53	2.95	42.48	54.00	-11.52
4763.200	Peak	53.35	2.95	56.30	74.00	-17.70
5150.000	Average	39.61	3.03	42.64	54.00	-11.36
5150.000	Peak	52.01	3.03	55.04	74.00	-18.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5180 MHz
 Test Mode :BE CH LOW RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-18
 Temp./Humi. :21.5/68
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5147.500	Average	46.20	2.97	49.17	54.00	-4.83
5147.500	Peak	60.42	2.97	63.39	74.00	-10.61
5150.000	Average	44.95	3.03	47.98	54.00	-6.03
5150.000	Peak	57.51	3.03	60.54	74.00	-13.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5180 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 26/0

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4816.400	Average	38.60	3.02	41.62	54.00	-12.38
4816.400	Peak	54.17	3.02	57.20	74.00	-16.80
5150.000	Average	38.31	3.03	41.34	54.00	-12.66
5150.000	Peak	51.61	3.03	54.64	74.00	-19.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-29

Test Frequency :5180 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 26/0

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5150.000	Average	39.96	3.03	42.99	54.00	-11.01
5150.000	Peak	58.86	3.03	61.89	74.00	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5180 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 52/37

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4787.000	Average	38.75	3.07	41.82	54.00	-12.18
4787.000	Peak	54.72	3.07	57.79	74.00	-16.21
5150.000	Average	38.28	3.03	41.31	54.00	-12.69
5150.000	Peak	52.68	3.03	55.71	74.00	-18.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5180 MHz
Test Mode :BE CH LOW RU 52/37
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-18
Temp./Humi. :21.5/68
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5144.000	Average	41.04	2.89	43.92	54.00	-10.08
5144.000	Peak	62.55	2.89	65.44	74.00	-8.56
5150.000	Average	41.03	3.03	44.06	54.00	-9.94
5150.000	Peak	57.71	3.03	60.74	74.00	-13.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5180 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5150.000	Average	38.59	3.03	41.62	54.00	-12.38
5150.000	Peak	55.60	3.03	58.63	74.00	-15.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5180 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5150.000	Average	41.29	3.03	44.32	54.00	-9.68
5150.000	Peak	64.40	3.03	67.43	74.00	-6.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5180 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5150.000	Average	38.95	3.03	41.98	54.00	-12.02
5150.000	Peak	58.68	3.03	61.71	74.00	-12.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5180 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5146.800	Average	44.78	2.95	47.73	54.00	-6.27
5146.800	Peak	66.94	2.95	69.89	74.00	-4.11
5150.000	Average	43.60	3.03	46.63	54.00	-7.37
5150.000	Peak	62.43	3.03	65.46	74.00	-8.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5320 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	39.63	2.21	41.84	54.00	-12.16
5350.000	Peak	51.80	2.21	54.01	74.00	-19.99
5409.720	Average	39.97	2.59	42.56	54.00	-11.44
5409.720	Peak	53.55	2.59	56.14	74.00	-17.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5320 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	42.49	2.21	44.70	54.00	-9.30
5350.000	Peak	54.57	2.21	56.78	74.00	-17.22
5354.160	Average	45.24	2.21	47.46	54.00	-6.54
5354.160	Peak	58.96	2.21	61.17	74.00	-12.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5320 MHz
 Test Mode :BE CH HIGH RU 26/8
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-18
 Temp./Humi. :21.5/68
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	38.43	2.21	40.64	54.00	-13.36
5350.000	Peak	51.28	2.21	53.49	74.00	-20.51
5388.360	Average	38.60	2.57	41.18	54.00	-12.82
5388.360	Peak	53.19	2.57	55.77	74.00	-18.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5320 MHz
 Test Mode :BE CH HIGH RU 26/8
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-18
 Temp./Humi. :21.5/68
 Antenna Pol. :Horizontal
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	41.04	2.21	43.25	54.00	-10.75
5350.000	Peak	56.67	2.21	58.88	74.00	-15.12
5365.800	Average	41.39	2.27	43.66	54.00	-10.34
5365.800	Peak	57.29	2.27	59.56	74.00	-14.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5320 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	38.60	2.21	40.81	54.00	-13.19
5350.000	Peak	54.28	2.21	56.49	74.00	-17.51
5358.000	Average	38.35	2.22	40.56	54.00	-13.44
5358.000	Peak	56.23	2.22	58.45	74.00	-15.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5320 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	42.77	2.21	44.98	54.00	-9.02
5350.000	Peak	67.17	2.21	69.38	74.00	-4.62
5353.200	Average	43.32	2.21	45.54	54.00	-8.46
5353.200	Peak	68.82	2.21	71.03	74.00	-2.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number	:E2/2022/30010	Test Site	:SAC G
Operation Mode	:802.11ax20	Test Date	:2022-03-18
Test Frequency	:5320 MHz	Temp./Humi.	:21.5/68
Test Mode	:BE CH HIGH RU 106/54	Antenna Pol.	:Vertical
EUT Pol	:NB Plane	Engineer	:Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	38.55	2.21	40.76	54.00	-13.24
5350.000	Peak	54.02	2.21	56.23	74.00	-17.77
5389.440	Average	38.52	2.60	41.12	54.00	-12.88
5389.440	Peak	54.54	2.60	57.15	74.00	-16.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5320 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 106/54

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	42.84	2.21	45.05	54.00	-8.95
5350.000	Peak	63.17	2.21	65.38	74.00	-8.62
5352.480	Average	42.60	2.21	44.82	54.00	-9.18
5352.480	Peak	66.75	2.21	68.96	74.00	-5.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5320 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	38.74	2.21	40.95	54.00	-13.05
5350.000	Peak	55.10	2.21	57.31	74.00	-16.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5320 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5350.000	Average	42.55	2.21	44.76	54.00	-9.24
5350.000	Peak	68.38	2.21	70.59	74.00	-3.41
5353.320	Average	44.88	2.21	47.09	54.00	-6.91
5353.320	Peak	68.99	2.21	71.20	74.00	-2.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5500 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5453.240	Average	38.98	2.61	41.59	54.00	-12.41
5453.240	Peak	53.51	2.61	56.12	74.00	-17.88
5460.000	Average	39.02	2.64	41.66	54.00	-12.34
5460.000	Peak	51.05	2.64	53.69	74.00	-20.31
5469.200	Peak	52.93	2.76	55.69	68.20	-12.51
5470.000	Peak	51.34	2.77	54.11	68.20	-14.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5500 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-13
Temp./Humi. :25.2/58
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.360	Average	40.65	2.64	43.29	54.00	-10.71
5459.360	Peak	54.12	2.64	56.75	74.00	-17.25
5460.000	Average	40.75	2.64	43.39	54.00	-10.61
5460.000	Peak	52.71	2.64	55.35	74.00	-18.65
5469.200	Peak	56.69	2.76	59.45	68.20	-8.75
5470.000	Peak	55.70	2.77	58.47	68.20	-9.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5500 MHz
 Test Mode :BE CH LOW RU 26/0
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-13
 Temp./Humi. :25.2/58
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5453.000	Average	38.50	2.61	41.11	54.00	-12.89
5453.000	Peak	53.58	2.61	56.19	74.00	-17.81
5460.000	Average	38.40	2.64	41.04	54.00	-12.96
5460.000	Peak	52.40	2.64	55.04	74.00	-18.96
5462.000	Peak	52.80	2.67	55.46	68.20	-12.74
5470.000	Peak	51.25	2.77	54.02	68.20	-14.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5500 MHz
Test Mode :BE CH LOW RU 26/0
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-13
Temp./Humi. :25.2/58
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5456.840	Average	39.48	2.63	42.10	54.00	-11.90
5456.840	Peak	54.02	2.63	56.64	74.00	-17.36
5460.000	Average	39.47	2.64	42.11	54.00	-11.89
5460.000	Peak	53.08	2.64	55.72	74.00	-18.28
5469.320	Peak	54.95	2.76	57.71	68.20	-10.49
5470.000	Peak	53.34	2.77	56.11	68.20	-12.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5500 MHz
Test Mode :BE CH LOW RU 52/37
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-13
Temp./Humi. :25.2/58
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5414.480	Average	38.47	2.50	40.98	54.00	-13.02
5414.480	Peak	53.42	2.50	55.92	74.00	-18.08
5460.000	Average	38.73	2.64	41.37	54.00	-12.63
5460.000	Peak	53.28	2.64	55.92	74.00	-18.08
5468.480	Peak	53.82	2.75	56.57	68.20	-11.63
5470.000	Peak	51.93	2.77	54.70	68.20	-13.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5500 MHz
Test Mode :BE CH LOW RU 52/37
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-13
Temp./Humi. :25.2/58
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.360	Average	40.34	2.64	42.98	54.00	-11.02
5459.360	Peak	55.18	2.64	57.82	74.00	-16.18
5460.000	Average	40.38	2.64	43.02	54.00	-10.98
5460.000	Peak	53.45	2.64	56.09	74.00	-17.91
5466.920	Peak	55.64	2.73	58.37	68.20	-9.83
5470.000	Peak	53.55	2.77	56.32	68.20	-11.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5500 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 106/53

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5399.000	Average	38.42	2.55	40.97	54.00	-13.03
5399.000	Peak	53.93	2.55	56.48	74.00	-17.52
5460.000	Average	38.49	2.64	41.13	54.00	-12.87
5460.000	Peak	51.44	2.64	54.08	74.00	-19.92
5469.080	Peak	52.84	2.76	55.60	68.20	-12.60
5470.000	Peak	52.12	2.77	54.89	68.20	-13.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5500 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 106/53

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5451.440	Average	39.07	2.61	41.67	54.00	-12.33
5451.440	Peak	54.05	2.61	56.66	74.00	-17.34
5460.000	Average	39.16	2.64	41.80	54.00	-12.20
5460.000	Peak	52.17	2.64	54.81	74.00	-19.19
5468.240	Peak	53.69	2.75	56.44	68.20	-11.76
5470.000	Peak	52.46	2.77	55.23	68.20	-12.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5500 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5400.200	Average	38.34	2.54	40.88	54.00	-13.12
5400.200	Peak	53.63	2.54	56.17	74.00	-17.83
5460.000	Average	38.55	2.64	41.19	54.00	-12.81
5460.000	Peak	51.88	2.64	54.52	74.00	-19.48
5468.720	Peak	53.52	2.75	56.27	68.20	-11.93
5470.000	Peak	52.97	2.77	55.74	68.20	-12.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5500 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5455.280	Average	39.11	2.62	41.73	54.00	-12.27
5455.280	Peak	57.89	2.62	60.51	74.00	-13.49
5460.000	Average	38.91	2.64	41.55	54.00	-12.45
5460.000	Peak	52.65	2.64	55.29	74.00	-18.71
5463.800	Peak	59.95	2.69	62.64	68.20	-5.56
5470.000	Peak	53.53	2.77	56.30	68.20	-11.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	51.13	4.21	55.35	68.20	-12.85
5733.440	Peak	52.71	4.28	56.99	68.20	-11.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	61.53	4.21	65.74	68.20	-2.46
5731.040	Peak	60.60	4.26	64.86	68.20	-3.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5700 MHz
 Test Mode :BE CH HIGH RU 26/8
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-13
 Temp./Humi. :25.2/58
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	58.41	4.21	62.62	68.20	-5.58
5758.040	Peak	60.13	4.19	64.32	68.20	-3.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 26/8

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	59.79	4.21	64.00	68.20	-4.20
5727.080	Peak	61.94	4.23	66.17	68.20	-2.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 52/40

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	57.81	4.21	62.02	68.20	-6.18
5742.560	Peak	59.79	4.35	64.14	68.20	-4.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 52/40

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.000	Peak	60.41	4.21	64.62	68.20	-3.58
5727.200	Peak	60.89	4.23	65.11	68.20	-3.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 106/54

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	57.94	4.21	62.15	68.20	-6.05
5737.160	Peak	59.17	4.31	63.49	68.20	-4.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 106/54

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	58.55	4.21	62.76	68.20	-5.44
5729.120	Peak	61.07	4.24	65.31	68.20	-2.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	56.61	4.21	60.82	68.20	-7.38
5737.400	Peak	59.41	4.32	63.73	68.20	-4.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-13

Test Frequency :5700 MHz


Temp./Humi. :25.2/58

Test Mode :BE CH HIGH RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5725.000	Peak	61.61	4.21	65.82	68.20	-2.38
5726.360	Peak	61.91	4.22	66.13	68.20	-2.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5720 MHz
 Test Mode :BE CH MID RU FULL
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-18
 Temp./Humi. :21.5/68
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5456.600	Average	38.36	2.63	40.99	54.00	-13.01
5456.600	Peak	53.13	2.63	55.76	74.00	-18.24
5460.000	Average	38.37	2.64	41.01	54.00	-12.99
5460.000	Peak	51.62	2.64	54.26	74.00	-19.74
5467.000	Peak	53.51	2.73	56.25	68.20	-11.95
5470.000	Peak	51.47	2.77	54.24	68.20	-13.96
5480.000	Peak	51.78	2.76	54.54	68.20	-13.66
5850.000	Peak	51.68	4.31	55.99	68.20	-12.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5720 MHz
Test Mode :BE CH MID RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-18
Temp./Humi. :21.5/68
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5445.550	Average	38.50	2.47	40.97	54.00	-13.03
5445.550	Peak	53.17	2.47	55.64	74.00	-18.36
5460.000	Average	38.44	2.64	41.08	54.00	-12.92
5460.000	Peak	51.12	2.64	53.76	74.00	-20.24
5465.050	Peak	53.40	2.71	56.11	68.20	-12.09
5470.000	Peak	51.74	2.77	54.51	68.20	-13.69
5480.000	Peak	52.56	2.76	55.32	68.20	-12.88
5850.000	Peak	52.73	4.31	57.04	68.20	-11.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/0

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5437.750	Average	38.36	2.33	40.69	54.00	-13.31
5437.750	Peak	53.05	2.33	55.38	74.00	-18.62
5460.000	Average	38.30	2.64	40.94	54.00	-13.06
5460.000	Peak	52.21	2.64	54.85	74.00	-19.15
5463.100	Peak	52.71	2.68	55.39	68.20	-12.81
5470.000	Peak	52.58	2.77	55.35	68.20	-12.85
5480.000	Peak	51.17	2.76	53.93	68.20	-14.27
5850.000	Peak	51.90	4.31	56.21	68.20	-11.99
5928.500	Peak	53.23	4.34	57.58	68.20	-10.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/0

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5387.700	Average	38.38	2.56	40.94	54.00	-13.06
5387.700	Peak	52.77	2.56	55.32	74.00	-18.68
5460.000	Average	38.13	2.64	40.77	54.00	-13.23
5460.000	Peak	51.37	2.64	54.01	74.00	-19.99
5461.800	Peak	52.93	2.66	55.59	68.20	-12.61
5470.000	Peak	51.10	2.77	53.87	68.20	-14.33
5480.000	Peak	51.31	2.76	54.07	68.20	-14.13
5850.000	Peak	51.47	4.31	55.78	68.20	-12.42
5856.350	Peak	53.53	4.18	57.72	68.20	-10.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/8

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5425.400	Average	38.20	2.40	40.60	54.00	-13.40
5425.400	Peak	53.67	2.40	56.07	74.00	-17.93
5460.000	Average	38.14	2.64	40.78	54.00	-13.22
5460.000	Peak	51.55	2.64	54.19	74.00	-19.81
5465.050	Peak	52.77	2.71	55.47	68.20	-12.73
5470.000	Peak	51.40	2.77	54.17	68.20	-14.03
5480.000	Peak	51.52	2.76	54.28	68.20	-13.92
5850.000	Peak	52.02	4.31	56.33	68.20	-11.87
5992.850	Peak	53.48	4.19	57.67	68.20	-10.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 26/8

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5394.850	Average	38.38	2.58	40.96	54.00	-13.04
5394.850	Peak	53.32	2.58	55.90	74.00	-18.10
5460.000	Average	38.23	2.64	40.87	54.00	-13.13
5460.000	Peak	51.86	2.64	54.50	74.00	-19.50
5463.750	Peak	52.60	2.69	55.29	68.20	-12.91
5470.000	Peak	51.49	2.77	54.26	68.20	-13.94
5480.000	Peak	51.94	2.76	54.70	68.20	-13.50
5850.000	Peak	52.39	4.31	56.70	68.20	-11.50
5881.700	Peak	53.32	3.87	57.18	68.20	-11.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz

Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/37

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5385.100	Average	38.35	2.48	40.84	54.00	-13.16
5385.100	Peak	52.89	2.48	55.38	74.00	-18.62
5460.000	Average	38.18	2.64	40.82	54.00	-13.18
5460.000	Peak	51.70	2.64	54.34	74.00	-19.66
5464.400	Peak	52.47	2.70	55.17	68.20	-13.03
5470.000	Peak	51.24	2.77	54.01	68.20	-14.19
5480.000	Peak	51.52	2.76	54.28	68.20	-13.92
5850.000	Peak	51.63	4.31	55.94	68.20	-12.26
5902.500	Peak	53.07	4.14	57.21	68.20	-10.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz

Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/37

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5417.600	Average	38.35	2.45	40.80	54.00	-13.20
5417.600	Peak	53.32	2.45	55.76	74.00	-18.24
5460.000	Average	38.25	2.64	40.89	54.00	-13.11
5460.000	Peak	52.16	2.64	54.80	74.00	-19.20
5468.950	Peak	52.33	2.76	55.09	68.20	-13.11
5470.000	Peak	51.74	2.77	54.51	68.20	-13.69
5480.000	Peak	51.88	2.76	54.64	68.20	-13.56
5850.000	Peak	56.85	4.31	61.16	68.20	-7.04
5851.800	Peak	57.72	4.27	61.99	68.20	-6.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/40

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5390.300	Average	38.49	2.62	41.11	54.00	-12.89
5390.300	Peak	54.06	2.62	56.68	74.00	-17.32
5460.000	Average	38.17	2.64	40.81	54.00	-13.19
5460.000	Peak	52.07	2.64	54.71	74.00	-19.29
5467.000	Peak	52.29	2.73	55.02	68.20	-13.18
5470.000	Peak	51.50	2.77	54.27	68.20	-13.93
5480.000	Peak	51.95	2.76	54.71	68.20	-13.49
5850.000	Peak	51.30	4.31	55.61	68.20	-12.59
5981.800	Peak	53.83	3.94	57.78	68.20	-10.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 52/40

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5442.300	Average	38.43	2.38	40.81	54.00	-13.19
5442.300	Peak	53.06	2.38	55.43	74.00	-18.57
5460.000	Average	38.18	2.64	40.82	54.00	-13.18
5460.000	Peak	52.62	2.64	55.26	74.00	-18.74
5467.650	Peak	52.50	2.74	55.24	68.20	-12.96
5470.000	Peak	51.68	2.77	54.45	68.20	-13.75
5480.000	Peak	51.95	2.76	54.71	68.20	-13.49
5850.000	Peak	54.26	4.31	58.57	68.20	-9.63
5859.600	Peak	56.79	4.12	60.91	68.20	-7.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz

Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/53

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5426.700	Average	38.24	2.40	40.64	54.00	-13.36
5426.700	Peak	52.78	2.40	55.19	74.00	-18.81
5460.000	Average	38.20	2.64	40.84	54.00	-13.16
5460.000	Peak	51.59	2.64	54.23	74.00	-19.77
5461.800	Peak	52.61	2.66	55.27	68.20	-12.93
5470.000	Peak	51.67	2.77	54.44	68.20	-13.76
5480.000	Peak	50.88	2.76	53.64	68.20	-14.56
5850.000	Peak	51.16	4.31	55.47	68.20	-12.73
5851.800	Peak	53.21	4.27	57.48	68.20	-10.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/53

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5397.450	Average	38.44	2.56	41.00	54.00	-13.00
5397.450	Peak	53.28	2.56	55.84	74.00	-18.16
5460.000	Average	38.16	2.64	40.80	54.00	-13.20
5460.000	Peak	52.06	2.64	54.70	74.00	-19.30
5467.650	Peak	53.45	2.74	56.19	68.20	-12.01
5470.000	Peak	51.85	2.77	54.62	68.20	-13.58
5480.000	Peak	51.93	2.76	54.69	68.20	-13.51
5850.000	Peak	56.41	4.31	60.72	68.20	-7.48
5853.750	Peak	57.87	4.23	62.10	68.20	-6.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/54

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5377.950	Average	38.21	2.33	40.55	54.00	-13.45
5377.950	Peak	53.16	2.33	55.50	74.00	-18.50
5460.000	Average	38.19	2.64	40.83	54.00	-13.17
5460.000	Peak	51.51	2.64	54.15	74.00	-19.85
5465.050	Peak	52.16	2.71	54.86	68.20	-13.34
5470.000	Peak	52.58	2.77	55.35	68.20	-12.85
5480.000	Peak	51.56	2.76	54.32	68.20	-13.88
5850.000	Peak	51.85	4.31	56.16	68.20	-12.04
5985.700	Peak	53.68	4.04	57.73	68.20	-10.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 106/54

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5442.300	Average	38.32	2.38	40.69	54.00	-13.31
5442.300	Peak	53.62	2.38	56.00	74.00	-18.00
5460.000	Average	38.23	2.64	40.87	54.00	-13.13
5460.000	Peak	51.95	2.64	54.59	74.00	-19.41
5461.150	Peak	52.85	2.66	55.50	68.20	-12.70
5470.000	Peak	51.82	2.77	54.59	68.20	-13.61
5480.000	Peak	51.96	2.76	54.72	68.20	-13.48
5850.000	Peak	58.86	4.31	63.17	68.20	-5.03
5858.300	Peak	59.69	4.14	63.84	68.20	-4.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5442.950	Average	38.30	2.40	40.70	54.00	-13.30
5442.950	Peak	53.09	2.40	55.48	74.00	-18.52
5460.000	Average	38.20	2.64	40.84	54.00	-13.16
5460.000	Peak	52.06	2.64	54.70	74.00	-19.30
5461.800	Peak	53.25	2.66	55.91	68.20	-12.29
5470.000	Peak	52.54	2.77	55.31	68.20	-12.89
5480.000	Peak	51.40	2.76	54.16	68.20	-14.04
5850.000	Peak	51.19	4.31	55.50	68.20	-12.70
5927.200	Peak	52.92	4.35	57.27	68.20	-10.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5720 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH MID RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5358.450	Average	38.29	2.22	40.51	54.00	-13.49
5358.450	Peak	53.33	2.22	55.55	74.00	-18.45
5460.000	Average	38.19	2.64	40.83	54.00	-13.17
5460.000	Peak	51.72	2.64	54.36	74.00	-19.64
5463.100	Peak	52.62	2.68	55.30	68.20	-12.90
5470.000	Peak	51.79	2.77	54.56	68.20	-13.64
5480.000	Peak	52.00	2.76	54.76	68.20	-13.44
5850.000	Peak	53.48	4.31	57.79	68.20	-10.41
5856.350	Peak	54.66	4.18	58.84	68.20	-9.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5745 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-18
Temp./Humi. :21.5/68
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5616.430	Peak	52.42	3.41	55.83	68.20	-12.37
5650.000	Peak	50.35	3.60	53.95	68.20	-14.25
5700.000	Peak	50.29	3.31	53.60	105.20	-51.60
5720.000	Peak	53.44	4.17	57.61	110.80	-53.19
5725.000	Peak	56.32	4.21	60.53	122.20	-61.67


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5745 MHz
Test Mode :BE CH LOW RU FULL
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-18
Temp./Humi. :21.5/68
Antenna Pol. :Horizontal
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5615.655	Peak	52.78	3.40	56.18	68.20	-12.02
5650.000	Peak	51.03	3.60	54.63	68.20	-13.57
5700.000	Peak	55.74	3.31	59.05	105.20	-46.15
5720.000	Peak	64.56	4.17	68.73	110.80	-42.07
5725.000	Peak	67.36	4.21	71.57	122.20	-50.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
 Operation Mode :802.11ax20
 Test Frequency :5745 MHz
 Test Mode :BE CH LOW RU 26/0
 EUT Pol :NB Plane

Test Site :SAC G
 Test Date :2022-03-18
 Temp./Humi. :21.5/68
 Antenna Pol. :Vertical
 Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5631.775	Peak	54.80	3.48	58.28	68.20	-9.92
5650.000	Peak	52.24	3.60	55.84	68.20	-12.36
5700.000	Peak	74.30	3.31	77.61	105.20	-27.59
5720.000	Peak	64.83	4.17	69.00	110.80	-41.80
5725.000	Peak	67.19	4.21	71.40	122.20	-50.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5745 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 26/0

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5646.655	Peak	62.01	3.54	65.54	68.20	-2.66
5650.000	Peak	61.29	3.60	64.89	68.20	-3.31
5700.000	Peak	87.33	3.31	90.64	105.20	-14.56
5720.000	Peak	74.19	4.17	78.36	110.80	-32.44
5725.000	Peak	79.29	4.21	83.50	122.20	-38.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010
Operation Mode :802.11ax20
Test Frequency :5745 MHz
Test Mode :BE CH LOW RU 52/37
EUT Pol :NB Plane

Test Site :SAC G
Test Date :2022-03-18
Temp./Humi. :21.5/68
Antenna Pol. :Vertical
Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5624.955	Peak	52.89	3.47	56.35	68.20	-11.85
5650.000	Peak	51.16	3.60	54.76	68.20	-13.44
5700.000	Peak	56.91	3.31	60.22	105.20	-44.98
5720.000	Peak	59.33	4.17	63.50	110.80	-47.30
5725.000	Peak	64.43	4.21	68.64	122.20	-53.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5745 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 52/37

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5647.275	Peak	62.23	3.55	65.78	68.20	-2.42
5650.000	Peak	61.61	3.60	65.21	68.20	-2.99
5700.000	Peak	70.18	3.31	73.49	105.20	-31.71
5720.000	Peak	73.88	4.17	78.05	110.80	-32.75
5725.000	Peak	79.30	4.21	83.51	122.20	-38.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5745 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5635.805	Peak	53.46	3.44	56.90	68.20	-11.30
5650.000	Peak	52.38	3.60	55.98	68.20	-12.22
5700.000	Peak	56.09	3.31	59.40	105.20	-45.80
5720.000	Peak	66.37	4.17	70.54	110.80	-40.26
5725.000	Peak	65.73	4.21	69.94	122.20	-52.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5745 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 106/53

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5649.290	Peak	62.52	3.59	66.11	68.20	-2.09
5650.000	Peak	61.36	3.60	64.96	68.20	-3.24
5700.000	Peak	70.06	3.31	73.37	105.20	-31.83
5720.000	Peak	79.93	4.17	84.10	110.80	-26.70
5725.000	Peak	78.69	4.21	82.90	122.20	-39.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5745 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5639.990	Peak	52.82	3.41	56.23	68.20	-11.97
5650.000	Peak	51.32	3.60	54.92	68.20	-13.28
5700.000	Peak	57.56	3.31	60.87	105.20	-44.33
5720.000	Peak	68.52	4.17	72.69	110.80	-38.11
5725.000	Peak	76.67	4.21	80.88	122.20	-41.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5745 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH LOW RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5647.895	Peak	61.64	3.56	65.20	68.20	-3.00
5650.000	Peak	60.22	3.60	63.82	68.20	-4.38
5700.000	Peak	69.25	3.31	72.56	105.20	-32.64
5720.000	Peak	78.29	4.17	82.46	110.80	-28.34
5725.000	Peak	89.67	4.21	93.88	122.20	-28.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	53.53	4.31	57.84	122.20	-64.36
5855.000	Peak	51.86	4.21	56.07	110.80	-54.73
5875.000	Peak	51.23	3.90	55.13	105.20	-50.07
5925.000	Peak	50.76	4.36	55.12	68.20	-13.08
5949.330	Peak	53.91	4.05	57.96	68.20	-10.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU FULL

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	64.67	4.31	68.98	122.20	-53.22
5855.000	Peak	60.45	4.21	64.66	110.80	-46.14
5875.000	Peak	51.51	3.90	55.41	105.20	-49.79
5925.000	Peak	51.20	4.36	55.55	68.20	-12.65
5930.460	Peak	53.43	4.33	57.76	68.20	-10.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 26/8

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	57.60	4.31	61.91	122.20	-60.29
5855.000	Peak	59.80	4.21	64.01	110.80	-46.79
5875.000	Peak	54.50	3.90	58.40	105.20	-46.80
5925.000	Peak	52.02	4.36	56.38	68.20	-11.82
5928.250	Peak	53.47	4.35	57.82	68.20	-10.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 26/8

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	72.47	4.31	76.78	122.20	-45.42
5855.000	Peak	71.91	4.21	76.12	110.80	-34.68
5875.000	Peak	70.42	3.90	74.32	105.20	-30.88
5925.000	Peak	53.31	4.36	57.67	68.20	-10.53
5935.560	Peak	58.22	4.22	62.44	68.20	-5.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	57.34	4.31	61.65	122.20	-60.55
5855.000	Peak	57.14	4.21	61.35	110.80	-49.45
5875.000	Peak	51.77	3.90	55.67	105.20	-49.53
5925.000	Peak	51.23	4.36	55.58	68.20	-12.62
5949.500	Peak	53.13	4.04	57.17	68.20	-11.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 52/40

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	71.76	4.31	76.07	122.20	-46.13
5855.000	Peak	71.00	4.21	75.21	110.80	-35.59
5875.000	Peak	64.15	3.90	68.05	105.20	-37.15
5925.000	Peak	52.62	4.36	56.97	68.20	-11.23
5931.990	Peak	55.40	4.30	59.70	68.20	-8.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 106/54

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	58.92	4.31	63.23	122.20	-58.97
5855.000	Peak	56.56	4.21	60.77	110.80	-50.03
5875.000	Peak	52.36	3.90	56.26	105.20	-48.94
5925.000	Peak	51.02	4.36	55.38	68.20	-12.82
5928.930	Peak	53.04	4.34	57.38	68.20	-10.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 106/54

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	73.95	4.31	78.26	122.20	-43.94
5855.000	Peak	70.94	4.21	75.15	110.80	-35.65
5875.000	Peak	62.88	3.90	66.78	105.20	-38.42
5925.000	Peak	53.21	4.36	57.57	68.20	-10.63
5929.100	Peak	54.59	4.34	58.93	68.20	-9.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61

Antenna Pol. :Vertical

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	66.14	4.31	70.45	122.20	-51.75
5855.000	Peak	64.53	4.21	68.74	110.80	-42.06
5875.000	Peak	59.94	3.90	63.84	105.20	-41.36
5925.000	Peak	51.80	4.36	56.16	68.20	-12.04
5926.890	Peak	53.20	4.35	57.55	68.20	-10.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :E2/2022/30010

Test Site :SAC G

Operation Mode :802.11ax20

Test Date :2022-03-18

Test Frequency :5825 MHz


Temp./Humi. :21.5/68

Test Mode :BE CH HIGH RU 242/61

Antenna Pol. :Horizontal

EUT Pol :NB Plane

Engineer :Quentin



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5850.000	Peak	77.06	4.31	81.37	122.20	-40.83
5855.000	Peak	68.93	4.21	73.14	110.80	-37.66
5875.000	Peak	61.79	3.90	65.69	105.20	-39.51
5925.000	Peak	56.20	4.36	60.55	68.20	-7.65
5929.610	Peak	57.87	4.34	62.22	68.20	-5.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.